Name: THARANIESH P R

**ROLL NUMBER: 21257** 

#### **COGNIZANCE**

### **TASK 1 [GIT & GITHUB]**

### 1.Creating a repository

```
wwwth@LAPTOP-2N81720T MINGW64 ~
$ cd c:
wwwth@LAPTOP-2N81720T MINGW64 /c
$ cd users/wwwth/desktop

wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop
$ mkdir cognizance

wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop
$ cd cognizance

wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance
$ git init
Initialized empty Git repository in C:/Users/wwwth/desktop/cognizance/.git/
```

### 2.git add

```
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git add test1.py
```

#### 3.git status

```
wth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git status
On branch master
No commits yet
nothing to commit (create/copy files and use "git add" to track)
  wth@LAPTOP-2N8172OT MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ touch test1.py
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git status
On branch master
No commits yet
Untracked files:
  (use "git add <file>..." to include in what will be committed)
nothing added to commit but untracked files present (use "git add" to track)
   th@LAPTOP-2N8172OT MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git add test1.py
No commits yet
Changes to be committed:
   (use "git rm --cached <file>..." to unstage)
    new file: test1.py
```

#### 4.git commit

```
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git commit -m"hello world"
[master (root-commit) 5cf4435] hello world
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 test1.py

5.git checkout

wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git checkout

wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git checkout folder1
Switched to branch 'folder1'
```

#### 6.git checkout -b

```
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (folder1)
$ git checkout -b folder2
Switched to a new branch 'folder2'
```

## 7.git clone

```
wwwth@LAPTOP-2N8172OT MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git clone https://github.com/Tharaniesh3/Cognizance-.git
Cloning into 'Cognizance-'...
warning: You appear to have cloned an empty repository.

wwwth@LAPTOP-2N8172OT MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git remote add origin https://github.com/Tharaniesh3/Cognizance-.git
```

#### 8.git commit -a

#### 9.git push

```
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (master)
$ git push origin master
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 225 bytes | 225.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Tharaniesh3/Cognizance-.git
   * [new branch] master -> master
```

### 10.git merge

```
wwwth@LAPTOP-2N8172OT MINGW64 /c/users/wwwth/desktop/cognizance (folder1) $ git merge master Already up to date.
```

#### 11.git pull

```
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (folder1)
$ git pull
There is no tracking information for the current branch. Please specify which branch you want to merge with.
See git-pull(1) for details.
    git pull <remote> <branch>
If you wish to set tracking information for this branch you can do so with:
    git branch --set-upstream-to=origin/<branch> folder1
wwwth@LAPTOP-2N8172OT MINGW64 /c/users/wwwth/desktop/cognizance (folder1)
$ git pull https://github.com/Tharaniesh3/Cognizance-.git
From https://github.com/Tharaniesh3/Cognizance-
* branch
                      HEAD
                                 -> FETCH_HEAD
Updating 5cf4435..5e72299
Fast-forward
 folder1 | 1 +
1 file changed, 1 insertion(+)
 create mode 100644 folder1
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (folder1)
$ git pull origin folder1
fatal: couldn't find remote ref folder1
wwwth@LAPTOP-2N8172OT MINGW64 /c/users/wwwth/desktop/cognizance (folder1)
$ git pull origin master
From https://github.com/Tharaniesh3/Cognizance-
* branch
                      master
                                 -> FETCH_HEAD
Already up to date.
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (folder1)
$ git pull origin master
From https://github.com/Tharaniesh3/Cognizance-
 * branch
                      master
                                 -> FETCH_HEAD
Already up to date.
```

### 12.git reset

```
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (folder2)
$ git reset --soft
```

#### 13.git rebase

```
wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (folder1)
$ git rebase
There is no tracking information for the current branch.
Please specify which branch you want to rebase against.
See git-rebase(1) for details.

   git rebase '<br/>branch>'

If you wish to set tracking information for this branch you can do so with:
   git branch --set-upstream-to=<remote>/<br/>branch> folder1


wwwth@LAPTOP-2N81720T MINGW64 /c/users/wwwth/desktop/cognizance (folder1)
$ git rebase master
Current branch folder1 is up to date.
```

#### 14.git fetch

```
wwwth@LAPTOP-2N81720T MINGW64 ~/desktop/cognizance (folder2)
$ git fetch
remote: Enumerating objects: 14, done.
remote: Counting objects: 100% (14/14), done.
remote: Compressing objects: 100% (13/13), done.
remote: Total 13 (delta 3), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (13/13), 372.68 KiB | 1.12 MiB/s, done.
From https://github.com/Tharaniesh3/cognizance-
5e72299..4510bc5 master -> origin/master

wwwth@LAPTOP-2N81720T MINGW64 ~/desktop/cognizance (folder2)
$ |
```

### 15.git fork



# 16.git config --list --show-origin