

Fruits

CITRUS

Orange - ripens in early-mid winter quarter

- 37.427947968534205, -122.16905814532062 (Main Quad)
- 37.4267999864428, -122.16350192307186 (Jack McDonald Hall)
- 37.42780881901705, -122.1687393601934 (Main Quad)
- 37.427942956499834, -122.16892497969309 (Main Quad)
- 37.4279817173611, -122.16953324331152 (Main Quad)
- 37.42180513152339, -122.16601712345398 (Lane B)
- 37.422557780419595, -122.1686259938304 (Mars)
- 37.419442134314714, -122.1634156236069 (End of Lane B)
- 37.42059267706833, -122.16493960081388 (Lane B)

Prank orange:

- 37.42072334600763, -122.17229469786531 (Path behind Knoll)

Tangerine

- 37.42759281903844, -122.16869673841525 (Main quad, near 240)

Lemon

- 37.42294344817035, -122.16883372556157 (Columbae)
- 37.427650817567596, -122.16891192117446 (Main Quad, near 240)
- 37.42762636488284, -122.16884300548311 (Main Quad, near 240)
- 37.42798207470609, -122.16921899971358 (Main Quad, Wallenberg)
- 37.42220492827898, -122.16634869726141 (Gould House Lot)

Lime

- 37.42506849021938, -122.16153208224652 (Casper)

Kumquat

- 37.42706464758015, -122.1690954238442 (Main Quad, Hume corridor)
- 37.4270470080672, -122.16903784965835 (Main Quad, Hume corridor)
- 37.42751922912981, -122.16888255445512 (Main Quad, Building 240 corridor)

Pomelo - ripens winter quarter

- 37.42621715486784, -122.16379974874764 (Toyon courtyard)
- 37.42145214331984, -122.16549782861901 (Hammarskjöld)

Trifoliate orange

Buddha's hand

Grapefruit

- 37.42409484898927, -122.17395413719682 (Roble garden)

Clementine

FRUITS WITH PITS

Loquat *ripening starting in early march*

- 37.422276960086414, -122.17240128411594 (Loro courtyard)
- 37.42242189280133, -122.1710573901757 (Alondra)
- 37.42186313215311, -122.17231653396009 (Back of Loro)
- 37.42181610582603, -122.17223578833139 (Back of Loro)

37.42671005041531, -122.1691963912162 (Main Quad)
37.42653282636692, -122.16929353445383 (Main Quad)
37.42665062828112, -122.1692830324822 (Main Quad)
37.42151705797503, -122.1656577697942 (Lane B)
37.42397300200459, -122.16577842871465 (Stern)
37.42414021499962, -122.16572679619307 (Stern)
37.42104641644832, -122.17367389396074 (Jerry)

Fall loquat *available through end of fall quarter*

37.42655209428253, -122.17062602227958 (Memchu Fountain)
37.42653505403401, -122.17054488546201 (Memchu Fountain)
37.421149812946595, -122.17354076817902 (Jerry)
37.420992271301024, -122.17363764527856 (Jerry)

Plum - available late spring quarter

37.42191856032541, -122.16789565277986 (Green variety, outside Hillel fence)
37.421826946075385, -122.16806128776862 (Green and red variety, outside Hillel fence)
37.42211037270107, -122.16860018982305 (INCREDIBLE yellow/red variety, Snu)
37.42109636101486, -122.17175282763888 (Green and red variety, Lomita Dr.)
37.42420231030755, -122.17356093317099 (Lomita and Roble Dr.)
37.42263771597658, -122.17185840799338 (FloMo, Mayfield Ave)
37.42262907733425, -122.17177138791851 (FloMo, Mayfield Ave)
37.422604395493536, -122.17134871898331 (FloMo, Mayfield Ave)
37.422584650015075, -122.17102239370246 (FloMo, Mayfield Ave)
37.422518008987254, -122.16953683661724 (Xanadu, Mayfield Ave)
37.42265992962412, -122.169370566117 (Mayfield Ave)
37.421095392998616, -122.172827441321 (The Knoll)

Cherry

37.42303293013097, -122.16851731167544 (Columbae)
37.42306725305208, -122.1684686819365 (Columbae)

Hollyleaf cherry- ripens: early fall quarter, often not great fruits

37.421548154013045, -122.17312107291544 (The Knoll)
37.42123755681517, -122.17311592702151 (The Knoll)

Lilly pilly

Brush cherry ripens: fall and winter quarter

37.4282834563917, -122.17101691882813 (Main Quad)
37.42826159918318, -122.17093612259852 (Main Quad)
37.42826582961112, -122.17071326706406 (Main Quad)
37.428164299274144, -122.17041316678261 (Main Quad)
37.423302186113766, -122.17228518355442 (Bechtel)
37.42811220673593, -122.16951963723307 (Main Quad)
37.428129779121974, -122.16960613847182 (Main Quad)
37.428140429050885, -122.16966313541208 (Main Quad)
37.420794585301905, -122.17250195187802 (The Knoll)

Nectarine

Peach**Avocado**

37.42794373280669, -122.16931552147051 (Main Quad)

37.428034789877145, -122.16949925278392 (Main Quad)

Yew - use extreme caution!!!

MISCELLANEOUS**Pomegranate****Passionfruit**

37.423929450527915, -122.1685974411421 (O'Connor Lane, behind Law School)

Asian Pear

37.42147792070122, -122.1616635822465 (ZAP; likely gleaned)

Apple

37.42257391837668, -122.17238515085957 (Flomo)

37.42193110308943, -122.17233649824513 (Behind Loro)

37.421956665032496, -122.17241025898838 (Behind Loro)

37.422333125377214, -122.1656582824954 (Alvarado Row)

37.42834267143247, -122.17495613434171 (Y2E2)

Fig

37.4268705333791, -122.16355535473778 (Jack McDonald Hall)

37.42422260878312, -122.17396729820906 (Roble Garden)

37.42050532091026, -122.16483883454022 (Lane B, on private property, but the tree leans over the fence)

Feijoa (pineapple guava)

37.42378177074066, -122.17236709983095 (Stanford Faculty Club/Kingscote)

Kousa dogwood *mid fall-quarter*

37.42792926580345, -122.16963270484162 (Whole side of pathway, near Burghers of Calais)

Hachiya persimmon

37.42500426328591, -122.16805903010118 (Behind bookstore)

Fuyu persimmon

37.42201356114258, -122.16580656124283 (Bolivar House)

37.425740550270326, -122.1620109878485 (Grove in Casper teaching garden)

37.42200616254017, -122.16580714694425 (Bolivar House)

37.4208652049385, -122.16517175856303 (Lane B)

Natal plum

37.42538702457125, -122.1676384354342 (Meyer Green)

37.42536218678804, -122.16749545894034 (Meyer Green)

Prickly pear

37.41932480649855, -122.1690191841805 (Front of Synergy)

Canary Island Date Palm: Late March

37.42248070064034, -122.16889028356712 (Mars front lawn)

37.4230448770786, -122.16755786018696 (Munger Market, whole pathway is flanked)

Quince

37.42122907956953, -122.16290601835178 (Terra)

Grape

37.421916003818, -122.16790790636371 (??? check this, Hillel fence)

37.42382377366111, -122.17287342038557 (Kingcote Gardens awning)

NOT INCLUDED (bc they're ubiquitous and super easy to find)

Strawberry tree

Oaks (acorns)

Olive

Saucer Magnolia

When will it be available?

You've just arrived for fall quarter - what can you snack on?

- **Figs** are starting to ripen
- **Apples** while they last, they're not going to be around much longer
- **Strawberry trees** are in their prime
- **Olives** (need to process before consumption)
- **Hollyleaf cherry** might be available, but it's often picked off by birds by the end of summer
- **Asian pears** by ZAP should be ripe, but I think the gleaning team might harvest them. Good luck finding any left.
- **Quinces** are at their prime, but are more palatable if turning into jam or something (unless you're a psychopath like me and eat them raw)
- **Kousa dogwood** is ready, but not particularly tasty. It certainly looks interesting though.
- **Brush cherries** are starting to start back up, but you'll have to wait for the lilly pillies.
- **Natal plums** are ripe - don't consume if allergic to latex
- **Grapes** are excellent, but won't be around for long

Fruit Information

Early Fall Quarter

- Kousa dogwood
- Grape
- Brush cherry
- Yew
- Quince
- Apple
- Fig
- Hollyleaf cherry?
- Olives
- Pomegranate
- Asian pear
- Prickly pear
- Natal Plum
- Quince

Late Fall Quarter

- Avocado
- Persimmon?
- Feijoa
- Brush cherry
- Fall loquat
- Passionfruit

Winter Quarter

- Citrus fruits
 - Orange
 - Pomelo
 - Lime
 - Lemon
 - Kumquat
- Fuyu and hachiya persimmons

Spring Quarter

- Loquat
- Plums
- Cherry
- Saucer Magnolia

Orange: *Citrus x sinensis*

Most people will be very familiar with this bright and tangy fruit. These trees can be found throughout Main Quad, but you'll have to do some taste-testing to determine which are worth consuming. Some appear far more delicious than they are in reality!

Brush Cherry: *Syzygium australe*

This tree is native to eastern Australia and is in the myrtle family. Fruit fans familiar with wax apples will notice a delightful similarity in the small magenta “cherries,” which have a pleasant juicy, spongy texture with a delicate and herbal flavor. They have a seed of varying size hidden within the flesh, which is safe to eat but not very palatable. Look for the single lilly pilly (*Syzygium smithii*) tree nearby in the Psychology corner, which is very similar but produces much larger and juicier fruits. Both brush cherries and lilly pillies produce attractive and fluffy flowers that are appealing to bees.

Avocado: *Persea americana*

I knew of the presence of avocados at Stanford since year one, but I never knew that they produced fruit. But to my delight in the fall of 2025, I discovered that the plants in Main Quad were highly productive!

Loquat: *Eriobotryum japonicum*

Hailing from cool regions in China and Japan, this gorgeous tree is certainly one of the best fruits on campus. Your patience for waiting until mid-spring quarter is well-rewarded with the sweet and juicy orbs of flavor weighing down trees across campus. The fruits bruise very easily, so eat them fresh or cook them into baked goods before they lose their spark. This is also likely why you never see them sold in stores, a shame because they’re so delicious. Ripeness is indicated by a completely yellow to golden fruit, although the underripe ones are also tasty if you prefer more tartness.

Fig: *Ficus carica*

A close contender for the best fruit of all on campus, the fig is a prince among fruits. There are not many specimens on campus, and I hesitate even to make their locations known as I don’t want them to be picked when underripe (a common action from new and eager foragers). The figs growing at Stanford are some sort of purple variety, although I am not sure of the specific cultivar. Pick when richly purple in color and quite soft, but be sure to check that you are not about to eat a family of maggots, as rotting figs often resemble ripe ones. The dried leaves of fig trees are also said to make an excellent tea with almond notes, although I have yet to try this.

Persimmon, Hachiya: *Diospyros kaki*

There is only a single Hachiya on campus, and it takes the form of a large and stately tree behind the Stanford bookstore. The large fruits ripen during winter quarter, although hints of orange can be seen starting to take shape during the fall. This type, unlike the Fuyu variety, must be eaten only once extremely ripe, as any degree of firmness indicates a terrible astringency rendering the fruit completely inedible. Harvest when uniformly rich orange and keep on a windowsill until total ripeness is achieved, which

occurs when the consistency of the inner flesh is almost spreadable like jelly. There is also a Japanese method of preservation in which the unripe fruit is skinned, hung by the stem near a window, and allowed to dry completely, resulting in a chewy sugar crystal-coated delicacy.

Persimmon, Fuyu: *Diospyros kaki* 'Fuyu'

Unlike the Hachiya variety, Fuyus are edible when firm, and have a lovely crisp texture and a smooth, sweet flavor. I like to eat them from the tree like an apple, a welcome snack if you're ever in the math corner of Main Quad. They also make an excellent addition to salads when chopped, and can be added many baked goods.

Pomegranate: *Punica granatum*

The pomegranates growing on campus are some sort of ornamental, and as a result the fruits are not as large or sweet as those sold in stores. However, they are still a delightfully tasty fruit, simply a bit on the tarter side. Harvest the biggest ones you can find and don't worry if the arils are pale - they still have a good flavor. The bushes are identifiable when not fruiting by their blazingly scarlet flowers.

Apple: *Malus domestica*

A crowd favorite, no fruit list would be complete without the humble apple. There are a few types that can be found on campus, including a tasty yellow variety in front of Florence Moore Hall, "donut" apples behind Loro (West Florence Moore), and an extremely disappointing specimen in the Engineering Quad. In this climate region, apples hit their prime before the start of fall quarter, so the few apples remaining once students arrive in the autumn are not exactly the cream of the crop. Regardless, these trees are worth a visit – you never know whether you might find something delicious.

Yew: *Taxus baccata*

USE EXTREME CAUTION - Yew "berries," which are actually more accurately described as cones, contain an incredible poisonous seed. The tender, red, lightly mucilaginous flesh surrounding the seed is quite tasty, though for some, it may not be worth the risk. Death can occur a few hours after ingestion of only a few seeds. BE WARNED.