use titonic . csu and contest it into dotobame.

VIH:

we the titoric detact and do the doto suona mocess in it.

procedule:

Load the detaset. ownly & sightle column elderlynes outh tanong to 4.11 who agrees Analytise too possenge features. shif the defent and also we the output.

phogrami

import nondos as no dota = nd - nond - (SU('Titalia')

dota. shape date .Infoca

dota -doscribe ()

trom sulpain, impesimple i mouse imp: simple Imputed ()

male -normale = dote Todota tusos 3 = = | 'mdi" & dota ['fale'] > 100) Male-possenger. Fmb - nosserger = dota [idate [iemballed] S'D - nossonger = dota [dota ['si'sip] >2] possenger not survival -data Foodata ['s'rsp']==0)& dota ['pacri]==0) o (dest - possonger) zero - fare - possonger - dota [dota ['False'] truge then- 11014 = 07 11 mules zero - tore-possengel. from Skleain model_solecution; mout train - test-solit x = data. dlap ("xuruidad! oxis=1)) y = dote F' reduired's x - thain, y - test, y - thain, y - test= Hain _ text _ split (x, y, kent sige = 20.3) ment Cx - Ham . show, y- thair . show (export. + ext - U, exports. fret - x) triber

7 don't 8 Ticket 6 sibbp ode columns: posterger Sulmined partid Name pdows amula Seac [lace - E mor] stop 50 submitted. Mon-rull bount 89, non-mill MM-LOW 158 891 non-need into 128 Non-mell 891 non-null Mrs. non 168 89,- non-mell abject 89, non-rull 891 non-mul Most 64 object (A)2 NA 64 20 For RONNAL teatures are encoded. I doto sput into training & tering bets. for history and I look, congo, of modeling.