```
In [2]: import pandas as pd
import numpy as np
from sklearn import preprocessing
import matplotlib.pyplot as plt
import seaborn as sns
sns.set(style="white")
sns.set(style="whitegrid",color_codes=True)
import warnings
warnings.simplefilter(action='ignore')
```

Out[3]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Eı
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	female	38.0	1	0	PC 17599	71.2833	C85	
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.0000	NaN	
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.0000	B42	
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.4500	NaN	
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.0000	C148	
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.7500	NaN	

891 rows × 12 columns

In [11]: test_df=pd.read_csv(r"C:\Users\Welcome\Downloads\test.gender_submission.csv")
 test_df

Out[11]:

	PassengerId	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Embarked
0	892	3	Kelly, Mr. James	male	34.5	0	0	330911	7.8292	NaN	(
1	893	3	Wilkes, Mrs. James (Ellen Needs)	female	47.0	1	0	363272	7.0000	NaN	\$
2	894	2	Myles, Mr. Thomas Francis	ma l e	62.0	0	0	240276	9.6875	NaN	C
3	895	3	Wirz, Mr. A l bert	male	27.0	0	0	315154	8.6625	NaN	
4	896	3	Hirvonen, Mrs. Alexander (Helga E Lindqvist)	female	22.0	1	1	3101298	12.2875	NaN	\$
413	1305	3	Spector, Mr. Woolf	male	NaN	0	0	A.5. 3236	8.0500	NaN	\$
414	1306	1	Oliva y Ocana, Dona. Fermina	female	39.0	0	0	PC 17758	108.9000	C105	(
415	1307	3	Saether, Mr. Simon Sivertsen	male	38.5	0	0	SOTON/O.Q. 3101262	7.2500	NaN	\$
416	1308	3	Ware, Mr. Frederick	male	NaN	0	0	359309	8.0500	NaN	\$
417	1309	3	Peter, Master. Michael J	male	NaN	1	1	2668	22.3583	NaN	(

418 rows × 11 columns

In [4]: train_df.shape

Out[4]: (891, 12)

In [5]: train_df.head()

Out[5]:		Passengerld	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Cabin	Emb
	0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	NaN	
	1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	female	38.0	1	0	PC 17599	71.2833	C85	
	2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	NaN	
	3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.1000	C123	
	4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.0500	NaN	
	4 (•

In [6]: test_df.shape

Out[6]: (418, 11)

```
In [7]: train_df.describe
```

Ou+[7]•	chour	nd moth	od NDFrame	docenih	o of	PassengerId Survived Pclass							
ouc[/].	0	iu illetii	ou NDFFalle	0	3 \	rassen	geriu	Surviveu P	CIass				
	1		2	1	1								
	2		3	1	3								
	3		4	1	1								
	4		5	0	3								
				_									
	 886		887	 0	· · · 2								
	887		888	1	1								
	888		889	0	3								
	889		890	1	1								
	890		891	0	3								
	050		091	v	٥								
							Na	me Sex	Age	SibSp			
	0				Braund	, Mr. Ow			22.0	1	\		
	1	Cuming	s, Mrs. Jo	hn Bradl					38.0	1	`		
	2	Caming	3, 111 3. 30	iiii bi aas		inen, Mi			26.0	0			
	3	F	utrelle, M	lrs laco		-			35.0	1			
	4	•	acresse, i	ıı sı sacq		Mr. Will	-	•	35.0	0			
	••				ATTEN	· · · · · · · · · · · · · · · · · · ·							
	886				Mont	vila, Re	v. Juoz		27.0	0			
	887			Gra	ham, Mis	-			19.0	0			
	888		Johnsto		Catheri	_			NaN	1			
	889		3011113 00	,		, Mr. Ka			26.0	0			
	890					oley, Mr			32.0	0			
						,,				-			
		Parch		Ticket	Fare	Cabin E	mbarked						
	0	0	Α/	5 21171	7.2500	NaN	S						
	1	0	P	C 17599	71.2833	C85	С						
	2	0	STON/02.	3101282	7.9250	NaN	S						
	3	0		113803	53.1000	C123	S						
	4	0		373450	8.0500	NaN	S						
	886	0		211536	13.0000	NaN	S						
	887	0		112053	30.0000	B42	S						
	888	2	W./	C. 6607	23.4500	NaN	S						
	889	0		111369	30.0000	C148	С						
	890	0		370376	7.7500	NaN	Q						
							_						

[891 rows x 12 columns]>


```
In [8]: train_df.info()
         <class 'pandas.core.frame.DataFrame'>
         RangeIndex: 891 entries, 0 to 890
         Data columns (total 12 columns):
               Column
                            Non-Null Count
                                             Dtype
                            -----
          0
               PassengerId
                            891 non-null
                                             int64
          1
               Survived
                            891 non-null
                                             int64
           2
               Pclass
                            891 non-null
                                             int64
           3
               Name
                            891 non-null
                                             object
           4
               Sex
                            891 non-null
                                             object
           5
               Age
                            714 non-null
                                             float64
                                             int64
          6
               SibSp
                            891 non-null
           7
                            891 non-null
                                             int64
               Parch
          8
               Ticket
                            891 non-null
                                             object
          9
               Fare
                            891 non-null
                                             float64
           10
              Cabin
                            204 non-null
                                             object
          11 Embarked
                            889 non-null
                                             object
         dtypes: float64(2), int64(5), object(5)
         memory usage: 83.7+ KB
In [12]: train_df.isnull().sum()
Out[12]: PassengerId
                           0
         Survived
                           0
         Pclass
                           0
         Name
                           0
         Sex
                           0
                         177
         Age
         SibSp
                           0
         Parch
                           0
         Ticket
                           0
         Fare
                           0
         Cabin
                         687
         Embarked
                           2
         dtype: int64
In [13]: test df.isnull().sum()
Out[13]: PassengerId
                           0
         Pclass
                           0
         Name
                           0
         Sex
                           0
                          86
         Age
         SibSp
                           0
         Parch
                           0
         Ticket
                           0
         Fare
                           1
         Cabin
                         327
```

Embarked

dtype: int64

0

```
In [14]: ax=train_df["Age"].hist(bins=15,density=True,stacked=True,color='cyan',alpha=0.6)
    train_df["Age"].plot(kind='density',color='teal')
    ax.set(xlabel='Age')
    plt.xlim(-10,85)
    plt.show()
```



```
In [15]: print(train_df["Age"].mean(skipna=True))
print(train_df["Age"].median(skipna=True))
```

29.69911764705882 28.0

In [16]: print((train_df['Cabin'].isnull().sum()/train_df.shape[0]*100))

77.10437710437711

In [17]: print((train_df['Embarked'].isnull().sum()/train_df.shape[0]*100))

0.22446689113355783

In [18]: print('Boarded passengers grouped by part of embarketion (C = Cherbourg,Q=Queenstown,S
 print(train_df['Embarked'].value_counts())
 sns.countplot(x='Embarked',data=train_df,palette='Set2')
 plt.show()

Boarded passengers grouped by part of embarketion (C = Cherbourg,Q=Queenstown,S=Sout hampton):


Embarked

S 644

C 168

Q 77

Name: count, dtype: int64



```
In [19]: print(train_df['Embarked'].value_counts().idxmax())
```

S

In [21]: train_data.isnull().sum()

Out[21]: PassengerId 0 Survived 0 Pclass 0 Name 0 Sex 0 0 Age 0 SibSp 0 Parch 0 Ticket Fare 0 0 Embarked


In [22]: train_data.head()

dtype: int64

Out[22]:

	Passengerld	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	Fare	Embarked
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.2500	S
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th	female	38.0	1	0	PC 17599	71.2833	С
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.9250	S
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	fema l e	35.0	1	0	113803	53.1000	S
4	5	0	3	Allen, Mr. William Henry	ma l e	35.0	0	0	373450	8.0500	S

```
In [23]: plt.figure(figsize=(15,8))
    ax=train_df["Age"].hist(bins=15,density=True,stacked=True,color='teal',alpha=0.6)
    train_df["Age"].plot(kind='density',color='teal')
    ax=train_data["Age"].hist(bins=15,density=True,stacked=True,color='orange',alpha=0.5)
    train_data["Age"].plot(kind='density',color='orange')
    ax.legend(["Raw Age","Adjusted Age"])
    ax.set(xlabel='Age')
    plt.xlim(-10,85)
    plt.show()
```



```
In [25]: training=pd.get_dummies(train_data,columns=["Pclass","Embarked","Sex"])
    training.drop("Sex_female",axis=1,inplace=True)
    training.drop("PassengerId",axis=1,inplace=True)
    training.drop("Name",axis=1,inplace=True)
    training.drop("Ticket",axis=1,inplace=True)

final_train=training
    final_train.head()
```

Out[25]:


	Survived	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embarked_Q	Embar
0	0	22.0	7.2500	0	False	False	True	False	False	
1	1	38.0	71,2833	0	True	False	False	True	False	
2	1	26.0	7.9250	1	False	False	True	False	False	
3	1	35.0	53.1000	0	True	False	False	False	False	
4	0	35.0	8.0500	1	False	False	True	False	False	
4.1	_		_		_	_	_	_		•

```
In [26]: test_df.isnull().sum()
Out[26]: PassengerId
         Pclass
                           0
         Name
                           0
         Sex
                           0
                          86
         Age
         SibSp
                           0
         Parch
                           0
         Ticket
                           0
         Fare
                           1
         Cabin
                         327
         Embarked
                           0
         dtype: int64
In [27]: | test_data=test_df.copy()
         test_data["Age"].fillna(train_df["Age"].median(skipna=True),inplace=True)
         test_data["Fare"].fillna(train_df["Fare"].median(skipna=True),inplace=True)
         test_data.drop('Cabin',axis=1,inplace=True)
         test_data['TravelAlone']=np.where((test_data["SibSp"]+test_data["Parch"])>0,0,1)
         test_data.drop("SibSp",axis=1,inplace=True)
         test data.drop("Parch",axis=1,inplace=True)
         testing=pd.get_dummies(train_data,columns=["Pclass","Embarked","Sex"])
         testing.drop("Sex_female",axis=1,inplace=True)
         testing.drop("PassengerId",axis=1,inplace=True)
         testing.drop("Name",axis=1,inplace=True)
         testing.drop("Ticket",axis=1,inplace=True)
         final_test=testing
         final train.head()
```


Out[27]:

	Survived	Age	Fare	TravelAlone	Pclass_1	Pclass_2	Pclass_3	Embarked_C	Embarked_Q	Embar
0	0	22.0	7.2500	0	False	False	True	False	False	
1	1	38.0	71.2833	0	True	False	False	True	False	
2	1	26.0	7.9250	1	False	False	True	False	False	
3	1	35.0	53.1000	0	True	False	False	False	False	
4	0	35.0	8.0500	1	False	False	True	False	False	
4 0										•

```
In [38]: plt.figure(figsize=(15,8))
    ax = sns.kdeplot(final_train["Age"][final_train.Survived == 1], color="darkturquoise"
    sns.kdeplot(final_train["Age"][final_train.Survived == 0], color="lightcoral", shade=
    plt.legend(['Survived', 'Died'])
    plt.title('Density Plot of Age for Surviving Population and Deceased Population')
    ax.set(xlabel='Age')
    plt.xlim(-10,85)
    plt.show()
```




In [41]: plt.figure(figsize=(20,8))
 avg_survival_byage = final_train[["Age", "Survived"]].groupby(['Age'], as_index=False
 g = sns.barplot(x='Age', y='Survived', data=avg_survival_byage, color="LightSeaGreen"
 plt.show()




```
final_train['IsMinor']=np.where(final_train['Age']<=16, 1, 0)</pre>
          print(final_train['IsMinor'])
          0
                  0
          1
                  0
          2
                  0
          3
                  0
          4
                  0
          886
                  0
          887
                  0
          888
                  0
          889
                  0
          890
                  0
          Name: IsMinor, Length: 891, dtype: int32
In [36]: final_test['IsMinor']=np.where(final_test['Age']<=16, 1, 0)</pre>
          print(final_test['IsMinor'])
          0
                  0
          1
                  0
          2
                  0
          3
                  0
                  0
          886
                  0
          887
                  0
          888
                  0
          889
                  0
          890
          Name: IsMinor, Length: 891, dtype: int32
```

In [35]: sns.barplot(x='TravelAlone', y='Survived', data=final_train, color="mediumturquoise")
plt.show()



```
In [33]: import seaborn as sns
   import matplotlib.pyplot as plt
   # Assuming 'train_df' is your DataFrame containing the data
   sns.barplot(x='Sex', y='Survived', data=train_df, color='aquamarine')
   plt.show()
```



In []: