



# ASSIGNMENT III

- Create a Bucket in IBM object storage.



- Upload an 5 images to ibm object storage and make it public. write html code to displaying all the 5 images.



```
<!DOCTYPE html>
<html>
```

```

<head>
<link rel="stylesheet" href="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/inventorymanagementsystemforretailersassignment3/new.css">
</head>
<body>
<h1>This images are from the cloud object storage</h1>
<div class="grid-container">
<div class="item1"><imgsrc="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/inventorymanagementsystemforretailersassignment3/1.jpg" alt="Girl in
a jacket"></div>
<div class="item2"><imgsrc="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/inventorymanagementsystemforretailersassignment3/2.jpg"
alt="dog"></div>
<div class="item3"><imgsrc="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/inventorymanagementsystemforretailersassignment3/33.jpg"
alt="dog"></div>
<div class="item4"><imgsrc="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/inventorymanagementsystemforretailersassignment3/4.jpg"
alt="dog"></div>
<div class="item5"><imgsrc="https://s3.jp-tok.cloud-object-
storage.appdomain.cloud/inventorymanagementsystemforretailersassignment3/5.jpg"
alt="dog"></div>
</div>
</body> </html>


```

- Upload a css page to the object storage and use the same page in your HTML code.



```

#gallery { line-height:0;
  -webkit-column-count:5;
  -webkit-column-gap:5px;
  -moz-column-count:5; -moz-column-gap:5px; column-count:5; column-gap:5px;
}
#gallery img { width: 100% !important; height: auto !important; margin-bottom:5px; filter:
grayscale(100%); transition: filter 1s;
}
#gallery img:hover {
  filter:none;
}
@media (max-width: 800px) {
  #gallery {
    -moz-column-count: 2; -webkit-column-count: 2; column-count: 2;
  }
}

```



- Design a chatbot using IBM Watson assistant for hospital. Ex: User comes with query to know the branches for that hospital in your city.



- Create Watson assistant service with 10 steps and use 3 conditions in it. Load that script in HTML page.

```
#gallery { line-height:0;
  -webkit-column-count:5;
  -webkit-column-gap:5px;
  -moz-column-count:5; -moz-column-gap:5px; column-count:5; column-gap:5px;
}
#gallery img { width: 100% !important; height: auto !important; margin-bottom:5px; filter:
  grayscale(100%); transition: filter 1s;
}
#gallery img:hover { filter:none;
}
@media (max-width: 800px) {
  #gallery {
    -moz-column-count: 2; -webkit-column-count: 2; column-count: 2;
  }
}
```