

**date** 06/07/2012

page 1 of 3

SERIES: RCJ-21XX | DESCRIPTION: RCA JACK


#### **FEATURES**

- · through hole
- mounting tab
- · metal bushing





# **PART NUMBER KEY**



Input Color Options

1 = black

2 = red

3 = white

4 = yellow

5 = blue

6 = green



Example part number: **RCJ-2121** 

input 1 = red input 2 = black


## **SPECIFICATIONS**

parameter	conditions/description	min	typ	max	units
rated input voltage			24		Vdc
rated input current				5	А
contact resistance				30	mΩ
insulation resistance	at 500 Vdc	100			МΩ
voltage withstand	for 1 minute			500	Vac
operating temperature		-25		70	°C
life			5,000		cycles


### **MECHANICAL DRAWING**





**TOLERANCE:** ±0.3mm (unless otherwise specified)



	MATERIAL	PLATING
barrel terminal (1, 3)	bronze	nickel
center terminal (2, 4)	bronze	tin
insulator (X1, X2)	PBT	
housing	ABS	







Model No.	RCJ-21XX		
Schematic	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		

Additional Resources: Product Page | 3D Model

CUI Inc | SERIES: RCJ-21XX | DESCRIPTION: RCA JACK date 06/07/2012 | page 3 of 3

#### **REVISION HISTORY**

rev.	description	date	
1.0	initial release	06/13/2007	
1.01	new template applied	06/07/2012	

The revision history provided is for informational purposes only and is believed to be accurate.



**Headquarters** 20050 SW 112th Ave. Tualatin, OR 97062 **800.275.4899** 

Fax 503.612.2383 **cui**.com techsupport@cui.com

CUI offers a one (1) year limited warranty. Complete warranty information is listed on our website.

CUI reserves the right to make changes to the product at any time without notice. Information provided by CUI is believed to be accurate and reliable. However, no responsibility is assumed by CUI for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

CUI products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.