



17EXC-2835 (Original: 17EXC-0421)
Renewed

Utility Excavation Permit

Address : 3780 - 3780 26TH ST

Cost: \$1,335.50

Block:6534 **Lot:** 052 **Zip:** 94110

Pursuant to Article 2.4 of the Public Works Code in conjunction to DPW Order 187,005 permission, revocable at the will of the Director of Public Works, to excavate and restore the public right-of-way is granted to Permittee.

Permittee

Name: Sonic Telecom, LLC

MANDATORY COORDINATION WITH CONFLICTING PERMITS IS REQUIRED. PERMIT HOLDER SHALL NOT COMMENCE WORK WITHOUT FIRST PROPERLY COORDINATING WITH EXISTING PERMIT HOLDERS AS NOTED ON THE EXCEPTION PAGE(S) OF THIS PERMIT. IF THIS PERMIT CONFLICTS WITH A CITY PROJECT OR OTHER APPROVED PERMIT, THE PERMIT HOLDER OF THIS PERMIT SHALL BE RESPONSIBLE FOR THE PROPER COORDINATION AND EVALUATION OF THE SITE PRIOR TO COMMENCING WORK.

EmergencyConfirmationNumber**Conditions**

Moratorium Restoration: Entire intersection.

This permit is an extension for Permit No.
17EXC-0421. (03/28/2017)

This permit is an extension for Permit No.
17EXC-1699. (05/02/2017)

This permit is an extension for Permit No.
17EXC-2398. (05/17/2017)**24 Hour / 7 Day Contact:**

(707) 791-5618

Service Address/Project:

1609 - Cougar - 26th Avenue Trench Across Dolores

Construction Start Date**Start Date**

05/18/2017

Permit expires on:

5/25/2017

Purpose

Telephone

Type of facility:**Excavation Reason**

Install New Service

Excavation Reason Description**Method:**

Open Cut: Sawcut

TrackingNumber1**TrackingNumber2****Project Size**

530

Inspection

The undersigned Permittee hereby agrees to comply with all requirements and conditions noted on this permit

Approved Date : 05/17/2017

When drilling/excavating in sidewalk area, entire flag(s) must be replaced.

Applicant/Permittee_____
DateDistribution:
Inside BSM: Utility Inspection**Printed : 3/3/2018 6:15:55 PM**

Plan Checker

Rene Lopez

call Anthony Lee for a Pre-Con at 554-5861

STREET EXCAVATION REQUIREMENTS:

1. The permittee shall call Underground Service Alert (U.S.A.), telephone number 811, 48 hours prior to any excavation.
2. The permittee shall follow the standards for temporary towaway/no parking signs established in DPW Order 183160.
3. All work including sidewalk and pavement cutting and removal, lagging, excavation, backfill, and sidewalk and pavement restoration shall be done by a licensed paving contractor and in accordance with the requirements of the Standard Specifications of the Bureau of Engineering, Department of Public Works, July 1986 Edition and Department of Public Works Order Nos. 176,707, copy attached.
4.
 - a. Concrete Bus pads shall be constructed in accordance with the most current revision of San Francisco Public Works Standard Plan, File No. 96,607.
 - b. Reinforced concrete sidewalk shall be constructed in accordance with the most current revision of San Francisco Public Works Standard Plan File No. 96,608.
5. Sidewalk and permanent pavement marking restoration shall include the replacement of traffic lane and crosswalk striping, parking stall markings, and curb painting that might have been damaged during street excavation. For permanent pavement marking restoration, the permit holder shall deliver one set of the excavation plans to the San Francisco Municipal Transportation Agency at 1 South Van Ness Avenue, 7th Floor. The SFMTA shall send an estimate of the cost of restoring permanent pavement markings to the Contractor. The Contractor shall send a check for the estimated cost to the SFMTA within 15 working days. The Contractor shall email confirmation to the SFMTA Transportation Engineering Division at trafficpermits@sfmta.com when the paving has been accepted by the SFPW-BSM Inspector. The SFMTA Paint Shop will install the permanent pavement markings.
6. The permittee shall submit a non-refundable fee to Bureau of Street-Use and Mapping to pay for City Inspection of the backfill and pavement restoration. At least 48 hours in advance, the permittee shall make arrangements with the Street Improvement Section Inspectors, 554-7149, for an inspection schedule.
7. The permittee shall file and maintain an excavation bond in the sum of \$25,000.00 with the Department of Public Works, to guarantee the maintenance of the pavement in the excavation area for a period of 3 years following the completion of the backfill and pavement restoration pursuant to Article 2.4.40 of the Public Works Code.
8. The permittee shall conduct construction operations in accordance with the requirements of Article 900 Section 903(a) and (b) of the Traffic Code. The permittee shall contact the MTA 7th Floor 1 South Van Ness Ave telephone 701-4500, for specific restrictions before starting work.
9. The permittee shall obtain the required permits, if any, from regulating agencies of the State of California.
10. The permittee shall verify the locations of any City or public service utility company facilities that may be affected by the work authorized by this permit and shall assume all responsibility for any damage to such facilities. The permittee shall make satisfactory arrangements and payments for any necessary temporary relocation of City or public utility company facilities.
11. The permittee shall pay the required fee for sewer installation permit at the Plumbing Inspection Division, Department of Building Inspection, 1660 Mission Street and arrange for inspection of this work, telephone 558-6054.
12. The permittee shall obtain a tree permit from Urban Forestry before planting/removing any tree or shrub. Contact at (415) 554-6700.
13. Per DPW Order 178,806, the recycling of Cobble Stones and Granit Curb shall follow as:
 - a. Cobblestones shall be clean of dirt prior to transporting. Extreme care shall be taken during the transporting the cobblestones to minimize damage before delivery to City. The cobblestones shall be neatly and securely placed on pallets so they can be moved about safely after the delivery. The Minimum size of cobblestone shall be 4 inches square (16 square inches). The cobblestones shall be delivered, including off loading, to the lower lot at the Cesar Chavez Street Yard located at 2323 Cesar Chavez Street or at alternative location directed by the Department within the City of San Francisco. Contact the Department forty-eight hours (48 hours) prior to delivery. The Department can be reached at (415) 641-2627.
 - b. Granite Curb shall be neatly and securely placed on pallets so they can be moved about safely after delivery. The Contractor shall exercise care in transporting the granite curb to minimize damage. The length limit of recyclable granite curbs shall be no less than four feet. The granite curb shall be delivered, including off loading, to the back lot at the Griffith Pump Station located at 1105 Thomas Street or at an alternative location directed by the Department within the City of San Francisco. Contact Bureau of Street and Sewer Repair (BSSR) at least forty-eight hours (48 hours) prior to delivery. BSSR can be reached at (415) 695-2087.
14. In consideration of this Permit being issued for the work described in the application, Permittee on its behalf and that of any successor or assign, and on behalf of any lessee, promises and agrees to perform all the terms of this Permit and to comply with all applicable laws, ordinances and regulations.
15. Permittee agrees on its behalf and that of any successor or assign to hold harmless, defend, and indemnify the City and County of San Francisco, including, without limitation, each of its commissions, departments, officers, agents and employees (hereinafter collectively referred to as the "City") from and against any and all losses, liabilities, expenses, claims, demands, injuries, damages, fines, penalties, costs or judgments including, without limitation, attorneys' fees and costs (collectively, "claims") of any kind allegedly arising directly or indirectly from (i) any act by, omission by, or negligence of, Permittee or its subcontractors, or the officers, agents, or employees of either, while engaged in the performance of the work authorized by this Permit, or while in or about the property subject to this Permit for any reason connected in any way whatsoever with the performance of the work authorized by this Permit, or allegedly resulting directly or indirectly from the maintenance or installation of any equipment, facilities or structures authorized under this Permit, (ii) any accident or injury to any contractor or subcontractor, or any officer, agent, or employee of either of them, while engaged in the performance of the work authorized by this Permit, or while in or about the property, for any reason connected with the performance of the work authorized by this Permit, or arising from liens or claims for services rendered or labor or materials furnished in or for the performance of the work authorized by this Permit, (iii) injuries or damages to real or personal property, good will, and persons in, upon or in any way allegedly connected with the work authorized by this Permit from any cause or claims arising at any time, and (iv) any release or discharge, or threatened release or discharge, of any hazardous material caused or allowed by Permittee in, under, on or about the property subject to this Permit or into the environment. As used herein, "hazardous material" means any substance, waste or material which, because of its quantity, concentration of physical or chemical characteristics is deemed by any federal, state, or local governmental authority to pose a present or potential hazard to human health or safety or to the environment.
16. Permittee must hold harmless, indemnify and defend the City regardless of the alleged negligence of the City or any other party, except only for claims resulting directly from the sole negligence or willful misconduct of the City. Permittee specifically acknowledges and agrees that it has an immediate and independent obligation to defend the City from any claim which actually or potentially falls within this indemnity provision, even if the allegations are or may be groundless, false or fraudulent, which obligation arises at the time such claim is tendered to Permittee by the City and continues at all times thereafter. Permittee agrees that the indemnification obligations assumed under this Permit shall survive expiration of the Permit or completion of work.
17. Pursuant to state law, all survey monuments must be preserved. No work (including saw cutting) may commence within 10' of a survey monument until an application for Monument Referencing has been approved and notification of monument referencing has occurred. Prior to construction, all CCSF survey monuments shall be referenced by a licensed Land Surveyor on a Corner Record or Record of Survey if any construction will take place within 10 ft. of a monument. For any questions please email Monument.Preservation@sfdpw.org or call 415-554-5827. Note, all survey monuments shall be preserved per state law and disturbance of a survey monument is a crime. Not all survey monuments are visible.
18. Permittee shall obtain and maintain through the terms of this Permit general liability, automobile liability or workers' compensation insurance as the City deems necessary to protect the City against claims for damages for personal injury, accidental death and property damage allegedly arising from any work done under this Permit. Such insurance shall in no way limit Permittee's indemnity hereunder. Certificates of insurance, in form and with insurers satisfactory to the City, evidencing all coverages above shall be furnished to the City before commencing any operations under this Permit, with complete copies of policies furnished promptly upon City request.

"IMPROVING THE QUALITY OF LIFE IN SAN FRANCISCO" We are dedicated individuals committed to teamwork, customer service and continuous improvement in partnership with the community.

Customer Service

Teamwork

Continuous Improvement

19. The permittee and any permitted successor or assign recognize and understand that this permit may create a possessory interest.

Special Conditions

17EXC-2835

Conditions
==>This job was originally approved under Permit No. 17EXC-0421. All previous special conditions under Permit No. 17EXC-0421 are still valid and applicable to this permit (Permit No. 17EXC-1699). (03/28/2017)
==>This job was previously approved under Permit Nos. 17EXC-0421 and 17EXC-1699. All previous special conditions under Permit Nos. 17EXC-0421 and 17EXC-1699 are still valid and applicable to this permit (Permit No. 17EXC-2398). (05/02/2017)
All previous special conditions attached to the original permit are still valid and applicable to this permit (Permit No. 17EXC-2835). (05/17/2017)

Permit Addresses

17EXC-2835

*RW = RockWheel, SMC = Surface Mounted Cabinets, S/W = Sidewalk Work, DB = Directional Boring,
BP= Reinforced Concrete Bus Pad, UB = Reinforced Concrete for Utility Pull Boxes and Curb Ramps
Green background: Staging Only

Number of blocks: 3 Total repair size:530 sqft Total Streetspace:240 Total Sidewalk: sqft

ID	Street Name	From St	To St	Sides	*Other	Asphalt	Concrete	Street Space Feet	Sidewalk Feet
3	26TH ST	FAIR OAKS ST	DOLORES ST	South	RW : False SMC : False S/W Only : False DB: False BP: False UB: False	100	25	50	
1		DOLORES ST	CHURCH ST	South	RW : False SMC : False S/W Only : False DB: False BP: False UB: False	190	25	95	
	Total					290	50	145	
2	DOLORES ST	26TH ST	Intersection	South	RW : False SMC : False S/W Only : False DB: False BP: False UB: False	190	0	95	
	Total					190	0	95	

Exceptions

17EXC-2835

Street Name	From St	To St	Message	Job	Contact	Dates
26TH ST						
	DOLORES ST	CHURCH ST -	Banners are allowed on this street			
	DOLORES ST	CHURCH ST -	Please refer to Figure 12 of Section 9.4(A) of the DPW Order No. 171,442 for special conditions for excavation in the vicinity of AWSS.			
	DOLORES ST	Intersection	Cistern Present.			
	DOLORES ST	Intersection	Please refer to Figure 12 of Section 9.4(A) of the DPW Order No. 171,442 for special conditions for excavation in the vicinity of AWSS.			
	FAIR OAKS ST	DOLORES ST -	Please refer to Figure 12 of Section 9.4(A) of the DPW Order No. 171,442 for special conditions for excavation in the vicinity of AWSS.			
	DOLORES ST	CHURCH ST -	Conflict with existing Street Use Permit.	12SMF-0036	Refer to Agent - Refer to Agent	
	DOLORES ST	Intersection	Please see special paving requirements for Moratorium Streets.	2260J		Apr 26 2016-Apr 26 2021
	DOLORES ST	CHURCH ST -	Proposed Paving.	PAVING	Isabel Liang -	Feb 9 2018-Feb 11 2019
	FAIR OAKS ST	DOLORES ST -	Proposed Paving.	PAVING	Isabel Liang -	Feb 9 2018-Feb 11 2019
	FAIR OAKS ST	DOLORES ST -	Proposed Excavation.	SF DPW IDC - Hydraulic	Kaho Kong -	Feb 9 2018-Feb 11 2019
	DOLORES ST	CHURCH ST -	Proposed Excavation.	SF PUC Water	CDD Engineering -	Mar 31 2018-Mar 31 2019
	DOLORES ST	Intersection	Proposed Excavation.	SF PUC Water	CDD Engineering -	Mar 31 2018-Mar 31 2019
	FAIR OAKS ST	DOLORES ST -	Proposed Excavation.	SF PUC Water	CDD Engineering -	Mar 31 2018-Mar 31 2019
	DOLORES ST	CHURCH ST -	Sidewalk Paving to be done by SIRP Process	SIRP Work Order	Empire Engineering & Construction Co. -	
	DOLORES ST	Intersection	Prior to construction, all CCSF survey monuments shall be referenced by a licensed Land Surveyor on a Corner Record or a Record of Survey if any construction will take place within 10 ft of a monument. For any questions, please email Monument.Preservation@sfdpw.org or call 415-554-5827. Note, all survey monuments shall be preserved per state law and disturbance of a survey monument may be a crime.	Stone or Concrete Monument - no well		
DOLORES ST						
	26TH ST	Intersection	Cistern Present.			

Street Name	From St	To St	Message	Job	Contact	Dates
	26TH ST	Intersection	Please refer to Figure 12 of Section 9.4(A) of the DPW Order No. 171,442 for special conditions for excavation in the vicinity of AWSS.			
	26TH ST	Intersection	Please see special paving requirements for Moratorium Streets.	2260J		Apr 26 2016-Apr 26 2021
	26TH ST	Intersection	Proposed Excavation.	SF PUC Water	CDD Engineering -	Mar 31 2018-Mar 31 2019
	26TH ST	Intersection	Prior to construction, all CCSF survey monuments shall be referenced by a licensed Land Surveyor on a Corner Record or a Record of Survey if any construction will take place within 10 ft of a monument. For any questions, please email Monument.Preservation@sfdpw.org or call 415-554-5827. Note, all survey monuments shall be preserved per state law and disturbance of a survey monument may be a crime.	Stone or Concrete Monument - no well		



Department of Public Works
Bureau of Street-Use and Mapping
1155 Market St, 3rd floor
San Francisco, CA 94103

17EXC-2835

Request to Excavate a Moratorium Street

For more information about this permit, please call Bureau of Street-Use & Mapping @ 415 554 5810.

Applicant: Sonic Telecom, LLC

Received Date: May 12 2017 11:30AM

Contact Person: Sonic Telecom, LLC

Contact Phone: (707) 974-8585

Contact Email: Justin.sumwalt@sonic.com

Method: Open Cut: Sawcut

Purpose:

Reason: Install New Service

Description: 1609 - Cougar - 26th Avenue Trench Across Dolores

☐

Approved

☐

Denied

26TH ST: DOLORES ST Intersection (21902000) - South

Asphalt Square Footage: 190

Concrete Square Footage: 0

Moratorium Start Date: 4/26/2016

Moratorium End Date: 4/26/2021

Date Service Requested: 1/1/1900

Property Owner Name:

Property Owner Phone:

☐

Approved

☐

Denied

DOLORES ST: 26TH ST Intersection (21902000) - South

Asphalt Square Footage: 190

Concrete Square Footage: 0

Moratorium Start Date: 4/26/2016

Moratorium End Date: 4/26/2021

Date Service Requested: 1/1/1900

Property Owner Name:

Property Owner Phone:

Permit Coordinator

Division Manager
(or designee)

Bureau Manager
(or designee)

JURISDICTION
CITY OF SAN FRANCISCO



NEW-BUILD FIBER CONNECTION
UNDERGROUND

SONIC
FIBER CONNECTION
26TH ST/DOLORES ST
SAN FRANCISCO, CA

DRAWING INDEX

NUMBER	SHEET	TITLE
1	T-1	TITLE SHEET
2	G-1	GENERAL NOTES
3	C-1	CONSTRUCTION DRAWING
4 & 5	CD-1 & CD-2	CONSTRUCTION DETAILS
6	TR-1	TRAFFIC CONTROL



PROJECT LOCATION



Know what's below.
Call before you dig

Sagebrush Engineering
communications
4110 BEATRICE CT - STE G
BRENTWOOD, CA
94513
209-365-3398
bsdurffingent014@gmail.com

REV	DATE	BY	DESCRIPTION	APP'D
1	02/21/18	ME	CONSTRUCTION SET	ME

SONIC
FIBER CONNECTION
26TH ST/DOLORES ST
SAN FRANCISCO

SHEET NO.:	...
APP'D NO.:	...
DESIGNED BY:	MS
DRAWN BY:	MS
DATE:	12/21/18
SCALE:	N.T.S.

SHEET #:	T-1
1 OF 6 SHEETS	



PART A : GENERAL INFORMATION #2016 ACCEPTED STATUS: 05/12/2017

Permit: 17EXC-2835

Excavation Permit: Yes StreetSpace Permit :No Spaces: 9

Duration: 5/17/2017 12:00:00 AM - 5/24/2017 12:00:00 AM

1. Project:

Sonic Telecom, LLC - Excavation 26th and Dolores :

2. Applicant

Sonic Telecom, LLC

3. Description

1609 - Cougar - 26th Avenue Trench Across Dolores

4. Location

3780 26TH ST

BlockLot: 6534 052 Zoning: manual

Street Segment(s)

DOLORES ST: 26TH ST intersection,26TH ST: DOLORES ST to CHURCH ST (3800 - 3899),26TH ST:

DOLORES ST intersection,26TH ST: FAIR OAKS ST to DOLORES ST (3729 - 3799)

PART B : PROJECT AND PLAN

	Existing	Impacted
1. Project Limits - Total On-Street Parking Spaces Impacted		
a. Number Spaces	29	9
b. Linear Feet	580	180
2. Parking Spaces Impacted on Side Street Proposed for Staging and other construction purposes		
a. Number Spaces	0	0
b. Linear Feet	0	0

c. Work Scope - List Each Type and Amount of Equipment Placed on Street: Grind and Pave Asphalt in the street using 1-grinder, 1-skid steer, 2-dump trucks, 1- street sweeper and 1-paving box.

d. Alternative Solutions - Proposed solution in lieu of stockpiling equipment and materials on side streets:

No stockpiling is needed on the job.

e. Justification for current proposal of street space occupancy
 applying new asphalt in the parking areas.

3. Average number of employees anticipated each day at work site: 8

4. Would the project be implemented in a single phase: True If not, how many?0

5. Proposal to provide Public Works with updates to change project status (in writing, by phone, or in-person, provide same information in writing to Public Works within 2 business days): The inspector will be notified asap by phone of any updated changes.

6. any additional information about available parking opportunities in the vicinity of the project: There are many non-metered parking spaces in the area.

7. Proposal of reducing parking demand in the vicinity of project, such as car-pooling, van transportation, transit, or other off-site parking arrangements: N/A

Car Pool: False Van Transportation: False Transit: False Off Site: False
Reduced Parking Proposal

all of the equipment and trucks will be in our traffic control. No trucks or equipment will be stationed in parking stalls.

8. Proposal to make on-street parking available to the general public

a. no work is scheduled: All no parking signs will be picked up if no work is scheduled

b. no equipment or material storage is required (or portion): Once an area is completed we will return the parking stalls back to the general public during the day. No equipment or materials will be stored on the street.

c. After 4:00 pm if project work is completed for the day: The general public will get all the parking spaces back at the end of each day.

d. Courtesy notice to property owners (see Section 2.4.20(d)): True

9. Other information Public Works or other affected City departments may need to understand the impact of on street parking:

Hand Flyer Notifications go out to the public prior to the scheduled work.

10. Email geggers@sonic.net

Plan Checker Notes: dl 05/12/2017 2:19 pm
Inspector Notes: