

City and County of San Francisco

San Francisco Public Works · Bureau of Street Use and Mapping

1155 Market Street, 3rd Floor · San Francisco, CA 94103 sfpublicworks.org · tel 415-554-5810 · fax 415-554-6161



15EXC-1994 (Original: 15EXC-0542)

Utility Excavation Permit

Renewed

Address: Multiple Locations Cost: \$190.00 Block: Lot: Zip:

Pursuant to Article 2.4 of the Public Works Code in conjunction to DPW Order 187,005 permission, revocable at the will of the Director of Public Works, to excavate and restore the public right-of-way is granted to Permittee.

Permittee

Sonic Telecom, LLC Name:

MANDATORY COORDINATION WITH CONFLICTING PERMITS IS REQUIRED. PERMIT HOLDER SHALL NOT COMMENCE WORK WITHOUT FIRST PROPERLY COORDINATING WITH EXISTING PERMIT HOLDERS AS NOTED ON THE EXCEPTION PAGE(S) OF THIS PERMIT. IF THIS PERMIT CONFLICTS WITH A CITY PROJECT OR OTHER APPROVED PERMIT, THE PERMIT HOLDER OF THIS PERMIT SHALL BE RESPONSIBLE FOR THE PROPER COORDINATION AND EVALUATION OF THE SITE Pl

Conditions	INSPECTOR R.R. fyi: the diagram is titled "Sheet C-1
	Revised".==(10:18AM==2-11-15)
EmergencyConfirmationNumber	
24 Hour / 7 Day Contact:	(707) 791-5391
Service Address/Project:	Kirkham and 19th Avenue Bore to CO
Start Date	04/05/2015
Permit expires on:	4/18/2015
Purpose	Telephone
Excavation Reason	Place Facilities Underground
Excavation Reason Description	
Method:	Open Cut: Sawcut
TrackingNumber1	
TrackingNumber2	
Project Size	31
Inspection	

	Approved Date : 04/01/2015					
When drilling/excavating	g in sidewalk area	, entire flag(s) must b	pe replaced.			
Applicant/Permitee	Date	-	Distribution: Inside BSM: Utility Inspection			
Printed : 3/3/2018 6:13:52 PM	Plan Checker	Marion Meyer	call Rich Rozzi for a Pre-Con at 415 55 5859			

STREET EXCAVATION REQUIREMENTS:

- The permittee shall call Underground Service Alert (U.S.A.), telephone number 811, 48 hours prior to any excavation.
- 2. The permittee shall follow the standards for temporary towaway/no parking signs established in DPW Order 183160.
- All work including sidewalk and pavement cutting and removal, lagging, excavation, backfill, and sidewalk and pavement restoration shall be done by a licensed paving contractor and in accordance with the requirements of the Standard Specifications of the Bureau of Engineering, Department of Public Works, July 1986 Edition and Department of Public Works Order Nos. 176,707, copy attached.
- a. Concrete Bus pads shall be constructed in accordance with the most current revision of San Francisco Public Works Standard Plan, File No.
- b. Reinforced concrete sidewalk shall be constructed in accordance with the most current revision of San Francisco Public Works Standard Plan File No. 96 608
- Sidewalk and permanent pavement marking restoration shall include the replacement of traffic lane and crosswalk striping, parking stall markings, and curb painting that might have been damaged during street excavation. For permanent pavement marking restoration, the permit holder shall deliver one set of the excavation plans to the San Francisco Municipal Transportation Agency at 1 South Van Ness Avenue, 7th Floor. The SFMTA shall send an estimate of the cost of restoring permanent pavement markings to the Contractor. The Contractor shall send a check for the estimated cost to the SFMTA within 15 working days. The Contractor shall email confirmation to the SFMTA Transportation Engineering Division at trafficpermits@sfmta.com when the paving has been accepted by the SFPW-BSM Inspector. The SFMTA Paint Shop will install the permanent pavement markings.
- The permittee shall submit a non-refundable fee to Bureau of Street-Use and Mapping to pay for City Inspection of the backfill and payement restoration. At least 48 hours in advance, the permittee shall make arrangements with the Street Improvement Section Inspectors, 554-7149, for an inspection schedule.
- The permittee shall file and maintain an excavation bond in the sum of \$25,000.00 with the Department of Public Works, to guarantee the maintenance of the pavement in the excavation area for a period of 3 years following the completion of the backfill and pavement restoration pursuant to Article 2.4.40 of the Public Works Code.
- The permittee shall conduct construction operations in accordance with the requirements of Article 900 Section 903(a) and (b) of the Traffic Code. The permittee shall contact the MTA 7th Floor 1 South Van Ness Ave telephone 701-4500, for specific restrictions before starting work.
- The permittee shall obtain the required permits, if any, from regulating agencies of the State of California.
- The permittee shall verify the locations of any City or public service utility company facilities that may be affected by the work authorized by this permit and shall assume all responsibility for any damage to such facilities. The permittee shall make satisfactory arrangements and payments for any necessary temporary relocation of City or public utility company facilities.
- The permittee shall pay the required fee for sewer installation permit at the Plumbing Inspection Division, Department of Building Inspection, 1660 Mission Street and arrange for inspection of this work, telephone 558-6054.
- 12. The permittee shall obtain a tree permit from Urban Forestry before planting/removing any tree or shrub. Contact at (415) 554-6700.
- 13. Per DPW Order 178,806, the recycling of Cobble Stones and Granit Curb shall follow as:
- Cobblestones shall be clean of dirt prior to transporting. Extreme care shall be taken during the transporting the cobblestones to minimize damage before delivery to City. The cobblestones shall be neatly and securely placed on pallets so they can be moved about safely after the delivery. The Minimum size of cobblestone shall be 4 inches square (16 square inches). The cobblestones shall be delivered, including off loading, to the lower lot at the Cesar Chavez Street Yard located at 2323 Cesar Chavez Street or at alternative location directed by the Department within the City of San Francisco. Contact the Department forty-eight hours (48 hours) prior to delivery. The Department can be reached at (415) 641-2627.
- Granite Curb shall be neatly and securely placed on pallets so they can be moved about safely after delivery. The Contractor shall exercise care in transporting the granite curb to minimize damage. The length limit of recyclable granite curbs shall be no less than four feet. The granite curb shall be delivered, including off loading, to the back lot at the Griffith Pump Station located at 1105 Thomas Street or at an alternative location directed by the Department within the City of San Francisco. Contact Bureau of Street and Sewer Repair (BSSR) at least forty-eight hours (48 hours) prior to delivery. BSSR can be reached at (415) 695-2087.
- 14. In consideration of this Permit being issued for the work described in the application, Permittee on its behalf and that of any successor or assign, and on behalf of any lessee, promises and agrees to perform all the terms of this Permit and to comply with all applicable laws, ordinances and regulations.
- 15. Permittee agrees on its behalf and that of any successor or assign to hold harmless, defend, and indemnify the City and County of San Francisco, including, without limitation, each of its commissions, departments, officers, agents and employees (hereinafter collectively referred to as the "City") from and against any and all losses, liabilities, expenses, claims, demands, injuries, damages, fines, penalties, costs or judgments including, without limitation, attorneys' fees and costs (collectively, "claims") of any kind allegedly arising directly or indirectly from (i) any act by, omission by, or negligence of, Permittee or its subcontractors, or the officers, agents, or employees of either, while engaged in the performance of the work authorized by this Permit, or while in or about the property subject to this Permit for any reason connected in any way whatsoever with the performance of the work authorized by this Permit, or allegedly resulting directly or indirectly from the maintenance or installation of any equipment, facilities or structures authorized under this Permit, (ii) any accident or injury to any contractor or subcontractor, or any officer, agent, or employee of either of them, while engaged in the performance of the work authorized by this Permit, or while in or about the property, for any reason connected with the performance of the work authorized by this Permit, or arising from liens or claims for services rendered or labor or materials furnished in or for the performance of the work authorized by this Permit, (iii) injuries or damages to real or personal property, good will, and persons in, upon or in any way allegedly connected with the work authorized by this Permit from any cause or claims arising at any time, and (iv) any release or discharge, or threatened release or discharge, of any hazardous material caused or allowed by Permittee in, under, on or about the property subject to this Permit or into the environment. As used herein, "hazardous material" means any substance, waste or material which, because of its quantity, concentration of physical or chemical characteristics is deemed by any federal, state, or local governmental authority to pose a present or potential hazard to human health or safety or to the environment.
- 16. Permittee must hold harmless, indemnify and defend the City regardless of the alleged negligence of the City or any other party, except only for claims resulting directly from the sole negligence or willful misconduct of the City. Permittee specifically acknowledges and agrees that it has an immediate and independent obligation to defend the City from any claim which actually or potentially falls within this indemnity provision, even if the allegations are or may be groundless, false or fraudulent, which obligation arises at the time such claim is tendered to Permittee by the City and continues at all times thereafter. Permittee agrees that the indemnification obligations assumed under this Permit shall survive expiration of the Permit or completion of work.
- 17. Pursuant to state law, all survey monuments must be preserved. No work (including saw cutting) may commence within 10' of a survey monument until an application for Monument Referencing has been approved and notification of monument referencing has occurred. Prior to construction, all CCSF survey monuments shall be referenced by a licensed Land Surveyor on a Corner Record or Record of Survey if any construction will take place within 10 ft. of a monument. For any questions please email Monument.Preservation@sfdpw.org or call 415-554-5827. Note, all survey monuments shall be preserved per state law and disturbance of a survey monument is a crime. Not all survey monuments are visible.
- 18. Permittee shall obtain and maintain through the terms of this Permit general liability, automobile liability or workers' compensation insurance as the City deems necessary to protect the City against claims for damages for personal injury, accidental death and property damage allegedly arising from any work done under this Permit. Such insurance shall in no way limit Permitee's indemnity hereunder. Certificates of insurance, in form and with insurers satisfactory to the City, evidencing all coverages above shall be furnished to the City before commencing any operations under this Permit, with complete copies of policies furnished promptly upon City request.

19.	The permittee and any permitted successor or assign recognize and understand that this permit may create a possessory interest.	
ROVIN	G THE QUALITY OF LIFE IN SAN FRANCISCO" We are dedicated individuals committed to teamwork, customer service and continuous imrovement in partnership with	the

"IMPROVING THE QUALITY OF LIFE IN SAN FRANCISCO" We are dedicated individuals committed to teamwork, customer service and continuous imrovement in partnership with the community. Customer Service Teamwork Continuous Improvement Page 5 of 17

Special Conditions

15EXC-1994

Conditions

==>>==>>New Note added to the conditions of the Approved Permit==>>

In the event that construction cannot take place during daytime hours due to traffic or other constraints, the Contractor may need to work and night which requires a Night Noise permit. Please be advised that Night Noise permit requirements for large projects include, but not limited to: ==>>

Tow-away signs shall display: ==>>

- Provide at a minimum (2) 24-hour contacts to be place on both the night noise permit and excavation permit of which are not to a general hotline. The staff members that have these contact numbers shall be knowledgeable of the site's construction activities. ==>> 30-Day Notices shall include: ==>>
 - What the public can expect in regards to delays, construction activities, equipment, and duration. ==>>
- Specific dates and times that for this proposed construction work. ==>>

Noise Level: ==>>

- Noise level is limited to 5 dBA over ambient noise level per Police (No pneumatic, high impact, vibratory tools. Hand tools only.)

===>NOTES: Per the Public Works Excavation Code:

- 1). `T' trench shall be the standard restoration practice for all trenches greater than 18 inches in width. The restoration of the concrete base and pavement will be equal to 1 ft. as measured from the edge of the trench;
- 2). the minimum pavement restoration requirements (mill and fill) for trenches exceeding 25% of the length of the block shall include the restoration of all affected lanes for the entire length of the block. For streets that are not delineated by painted lanes and the width of the excavation is less than thirteen (13) feet, the pavement restoration requirements (mill and fill) shall be for the entire length of the block thirteen (13) feet in width;
- 3). for excavation in the intersection, the restoration shall be to pave all affected quadrants either with the 13 foot rule for streets without delineated traffic lanes unless it is on a Muni route and for streets with multiple delineated traffic lanes in one direction, the restoration shall be limited to the affected lane(s).
- ===>Per DPW sign specifications, all projects impacting the length of one (1) block face or more will require the installation of a project information sign, for the duration of the project. The project information sign should be located at either end of the project facing oncoming vehicular traffic. For larger projects that exceed five (5) blocks, the project information sign should be place at five (5) block intervals in both directions. The signage is intended to keep the public informed of the intent of the project, project schedule, contact information and allow for updates as needed.
- ===> If concrete street, gutter or parking strip is excavated, Sonic Telecom
- shall remove and replace the entire concrete section from construction joint to construction joint. (No new construction joint will be allowed).
- ===>When drilling/excavating in the sidewalk area, entire sidewalk flag(s) must be replaced to adjacent score lines.
- ===> In the event that the proposed excavation is at the angular return or within the crosswalk and falls on the conditions of the curb ramp regulations per DPW Order No. 182003, an evaluation of the angular returns will be conducted at each end of the affected crosswalk to determine whether the affected curb ramps are built per the current City standards. All curb ramp installation shall comply with ADA requirements.
- ===>The Department of Public Works approves this permit pursuant to the following special conditions, which the Department of Public Works incorporates into the permit and makes a part thereof.

SPECIAL PERMIT CONDITIONS:

This permit is approved for 45 day duration under the following conditions:

- 1. All work (excavation to final paving) shall be completed within fourteen (14) calendar days.
- 2. Sonic Telecom shall comply with Code Section 2.4.50(a), post and maintain notice(s) at the site of the excavation 72 hours prior to start of construction. If the work is anticipated to take longer than fourteen (14) calendar days, Sonic Telecom shall comply with Code Section 2.4.50(b)(i), provide written notice(s) delivered by mail to each property owners on the block(s) affected by the excavation at least thirty (30) days prior to start of construction. Sonic Telecom shall also comply with Code Section 2.4.50(b)(ii) and (b)(iii), post and maintain notice(s) at the site of the excavation and deliver a written notice to each dwelling unit on the block(s) affected by the excavation at least ten (10) days prior to start of construction.
- 3. Sonic Telecom shall comply with Code Section 2.4.55(b)(i)(ii) and (iii), the 120-Hour Rule.
- 4. Sonic Telecom shall coordinate all work with other construction projects and events known or unforeseen such as to minimize the impact of construction project on the general public and/or event(s).
- 5. Sonic Telecom's work shall be in accordance with DPT Blue Book or with any DPT approved traffic routing plans or DPT Special Traffic Permit.
- 6. Sonic Telecom shall replace any existing traffic stripings and markings that are removed or damaged by the work activity with temporary stripings and markings after the restoration of the pavement as specified on Section 6.2 'Pavement Markings' of DPT's 'Blue Book'. Also, Sonic Telecom
- shall pay to DPT the cost of replacing the permanent pavement markings. For any questions, please call Conrad Magat of DPT at (415) 701-4680.
- 7. Sonic Telecom shall restore all trenches per the Excavation Code.
- 8. Sonic Telecom shall remove all temporary pavement markings including USA marking on both the sidewalk and street at the conclusion of the excavation.
- 9. Sonic Telecom shall construct curb ramps per Standard Curb Ramp Drawing Nos. CR-1 and CR-3, Revision 3 and Drawing Nos. CR-2, CR-4 thru Cr-6, Revision 0 on any curb return/angular corner where excavation occurs. All curb ramp installation shall comply with ADA requirements.

Failure to comply with the above requirements may render this permit void and may subject Sonic Telecom to a fine or citation.

Please note that this project is required to comply with the two (2) new standards which are for the reinforcement of the concrete bus pads under DPW Order No. 181305 and for constructing reinforced concrete in new sidewalk under DPW Order No. 181306. ====(10:17AM==2-11-15)

"IMPROVING THE QUALITY OF LIFE IN SAN FRANCISCO" We are dedicated individuals committed to teamwork, customer service and continuous imrovement in partnership with the community.

Conditions All previous special conditions attached to the original permit are still valid and applicable ==>(8:15am==3-31-15).

Permit Addresses

15EXC-1994

*RW = RockWheel, SMC = Surface Mounted Cabinets, S/W = Sidewalk Work, DB = Directional Boring, BP= Reinforced Concrete Bus Pad, UB = Reinforced Concrete for Utility Pull Boxes and Curb Ramps Green background: Staging Only

Number of blocks: 4 Total repair size:31 sqft Total Streetspace:0 Total Sidewalk: sqft

ID	Street Name	From St	To St	Sides	*Other	Asphalt	Concrete	Street Space Feet	Sidewalk Feet
5	19TH AVE	JUDAH ST	KIRKHAM ST	West	RW : False SMC : False S/W Only : False DB: False BP: False UB: False	0	0	0	
4		KIRKHAM ST	LAWTON ST	West	RW : False SMC : False S/W Only : False DB: False BP: False UB: False	0	0	0	
	Total					0	0	0	
3	KIRKHAM ST	19TH AVE	Intersection	North	RW : False SMC : False S/W Only : False DB: False BP: False UB: False	15	0	0	
1		19TH AVE	20TH AVE	North	RW : False SMC : False S/W Only : False DB: False BP: False UB: False	0	16	0	
	Total					15	16	0	

Exceptions - Coordination

It is mandatory that you coordinate your permit with the following jobs listed. You will be required to call each contact listed and create a note including the date contact was made, agreed coordination, name of contact, or date message(s) left if unable to reach a contact.

Street Use Conflicts:

Job #	Activity	Contact	
15EXC-0542	Sonic Telecom, LLC - Conflict with existing excavation permit. It is mandatory that you coordinate all work for joint paving.	(707) 791-5391 - (707) 791-5391	
Your Notes:			
Streets:	19TH AVE / KIRKHAM ST - Intersection		
2652J	19th Avenue Combined City Project - Curb ramp project at intersection, see contact information for required coordination.	Josef Munoz -	
Your Notes:			
Streets:	19TH AVE / KIRKHAM ST - Intersection		

Permit Conflicts:

permit	Dates	Agency	Contact
Varia Nataa			
Your Notes:			
Streets:			

Exceptions

15EXC-1994

Street Name	From St	To St	Message	Job	Contact	Dates
9TH AVE						
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	14B-0033	Refer to Agent - Refer to Agent	Mar 25 2014-Mar 25 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	14B-0087	(415) 431-2950 - (415) 431- 2950	Aug 1 2014-Aug 1 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	14B-0097	(415) 431-2950 - (415) 431- 2950	Aug 26 2014-May 24 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	14B-0122	(415) 431-2950 - (415) 431- 2950	Oct 20 2014-Apr 12 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	14B-0127	(415) 431-2950 - (415) 431- 2950	Dec 27 2014-May 10 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	15B-0004	Heather Cann: (415) 431-2950 - (415) 431- 2950	Feb 9 2015-May 9 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	15B-0006	Heather Cann: (415) 431-2950 - (415) 431- 2950	Feb 2 2015-May 11 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	15B-0010	Heather Cann: (415) 431-2950 - (415) 431- 2950	Feb 17 2015-Jun 1 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	15B-0016	Heather Cann: (415) 431-2950 - (415) 431- 2950	Feb 23 2015-Jul 20 2015
	KIRKHAM ST	Intersection	Conflict with existing Street Use Permit.	15B-0018	Heather Cann: (415) 431-2950 - (415) 431- 2950	Apr 25 2015-Apr 25 2016
	KIRKHAM ST	Intersection	Blocks with Bicycle Route designations require special attention. For details see Section 10 of DPT's Blue Book and Section 6.3 of DPW's Order No. 171.442.	N/A		
	KIRKHAM ST	Intersection	Please refer to Figure 12 of Section 9.4(A) of the DPW Order No. 171,442 for special conditions for excavation in the vicinity of AWSS.	N/A		
	KIRKHAM ST	Intersection	Under G095 requirement, Contractor shall contact Muni Overhead Line Division of any work 10 feet in horizontal or vertical direction of overhead lines. Contact: Clifford Smethurst @ Clifford.Smethurst@sfmta.com, (415) 554-9220	N/A		
	KIRKHAM ST	Intersection	Proposed Excavation.	SF CTA - County Transportatio n Authority	Seonjoo Kim -	Jan 1 2020-Dec 31 2020

Street Name	From St	To St	Message	Job	Contact	Dates
	KIRKHAM ST	Intersection	Proposed Excavation.	SF CTA - County Transportatio n Authority	Seonjoo Kim -	Jan 1 2020-Dec 31 2020
	KIRKHAM ST	Intersection	Proposed Excavation.	SF DPW IDC - Project Management	Kenneth Spielman -	Oct 17 2016-Feb 14 2018
	KIRKHAM ST	Intersection	Proposed Excavation.	SF DPW IDC - Project Management	Kenneth Spielman -	Dec 28 2016-Jun 5 2018
	KIRKHAM ST	Intersection	Proposed Excavation.	SF DPW IDC - Streets & Highways	Josef Munoz -	Oct 17 2016-Feb 14 2018
	KIRKHAM ST	Intersection	Proposed Excavation.	SF MTA Capital Programs and Construction	Darton Ito -	Jan 1 2020-Dec 31 2020
	KIRKHAM ST	Intersection	Proposed Excavation.	SF MTA SS - Transportatio n Engineering (Capital)	Cathal Hennessy	Jul 1 2015-Jun 30 2016
	KIRKHAM ST	Intersection	Proposed Excavation.	SF PUC Water	CDD Engineering -	Aug 29 2016-Jun 8 2018
	KIRKHAM ST	Intersection	Prior to construction, all CCSF survey monuments shall be referenced by a licensed Land Surveyor on a Corner Record or a Record of Survey if any construction will take place within 10 ft of a monument. For any questions, please email Monument.Preservation@sfdpw.org or call 415-554-5827. Note, all survey monuments shall be preserved per state law and disturbance of a survey monument may be a crime.	Steel Anchor - without Washer		
KIRKHAM ST						
<u> </u>	19TH AVE	Intersection	Conflict with existing Street Use Permit.	14B-0033	Refer to Agent - Refer to Agent	Mar 25 2014-Mar 25 2015
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	14B-0087	(415) 431-2950 - (415) 431- 2950	Aug 1 2014-Aug 1 2015
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	14B-0097	(415) 431-2950 - (415) 431- 2950	Aug 26 2014-May 24 2015
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	14B-0122	(415) 431-2950 - (415) 431- 2950	Oct 20 2014-Apr 12 2015
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	14B-0127	(415) 431-2950 - (415) 431- 2950	Dec 27 2014-May 10 2015
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	15B-0004	Heather Cann: (415) 431-2950 - (415) 431- 2950	Feb 9 2015-May 9 2015
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	15B-0006	Heather Cann: (415) 431-2950 - (415) 431-2950	Feb 2 2015-May 11 2015
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	15B-0010	Heather Cann: (415) 431-2950 - (415) 431- 2950	Feb 17 2015-Jun 1 2015

Street Name	From St	To St	Message	Job	Contact	Dates
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	15B-0016	Heather Cann: (415) 431-2950 - (415) 431- 2950	Feb 23 2015-Jul 20 2015
	19TH AVE	Intersection	Conflict with existing Street Use Permit.	15B-0018	Heather Cann: (415) 431-2950 - (415) 431- 2950	Apr 25 2015-Apr 25 2016
	19TH AVE	20TH AVE -	Please see special paving requirements for Moratorium Streets.	1910J		May 8 2014-May 8 2019
	19TH AVE	20TH AVE -	Blocks with Bicycle Route designations require special attention. For details see Section 10 of DPT's Blue Book and Section 6.3 of DPW's Order No. 171.442.	N/A		
	19TH AVE	Intersection	Blocks with Bicycle Route designations require special attention. For details see Section 10 of DPT's Blue Book and Section 6.3 of DPW's Order No. 171.442.	N/A		
	19TH AVE	Intersection	Please refer to Figure 12 of Section 9.4(A) of the DPW Order No. 171,442 for special conditions for excavation in the vicinity of AWSS.	N/A		
	19TH AVE	Intersection	Under G095 requirement, Contractor shall contact Muni Overhead Line Division of any work 10 feet in horizontal or vertical direction of overhead lines. Contact: Clifford Smethurst @ Clifford.Smethurst@sfmta.com, (415) 554-9220	N/A		
	19TH AVE	Intersection	Proposed Excavation.	SF CTA - County Transportatio n Authority	Seonjoo Kim -	Jan 1 2020-Dec 31 2020
	19TH AVE	Intersection	Proposed Excavation.	SF CTA - County Transportatio n Authority	Seonjoo Kim -	Jan 1 2020-Dec 31 2020
	19TH AVE	Intersection	Proposed Excavation.	SF DPW IDC - Project Management	Kenneth Spielman -	Oct 17 2016-Feb 14 2018
	19TH AVE	Intersection	Proposed Excavation.	SF DPW IDC - Project Management	Kenneth Spielman -	Dec 28 2016-Jun 5 2018
	19TH AVE	Intersection	Proposed Excavation.	SF DPW IDC - Streets & Highways	Josef Munoz -	Oct 17 2016-Feb 14 2018
	19TH AVE	Intersection	Proposed Excavation.	SF MTA Capital Programs and Construction	Darton Ito -	Jan 1 2020-Dec 31 2020
	19TH AVE	Intersection	Proposed Excavation.	SF MTA SS - Transportatio n Engineering (Capital)	Cathal Hennessy	Jul 1 2015-Jun 30 2016
	19TH AVE	Intersection	Proposed Excavation.	SF PUC Water	CDD Engineering -	Aug 29 2016-Jun 8 2018

Street Name	From St	To St	Message	Job	Contact	Dates
	19TH AVE	Intersection	Prior to construction, all CCSF survey monuments shall be referenced by a licensed Land Surveyor on a Corner Record or a Record of Survey if any construction will take place within 10 ft of a monument. For any questions, please email Monument.Preservation@sfdpw.org or call 415-554-5827. Note, all survey monuments shall be preserved per state law and disturbance of a survey monument may be a crime.			





(415) 554-5810 FAX (415) 554-6161 http://www.sfdpw.org

Department of Public Works Bureau of Street-Use and Mapping 1155 Market St, 3rd floor San Francisco, CA 94103

15EXC-1994

Request to Excavate a Moratorium Street

415 554 5810. Applicant: Son Contact Person Contact Phone Method: Open Purpose: Reason: Place	ic Telecom, LLC Recon: Sonic Telecom, LLC::(707) 974-8585 Conta	eived Date: Mar 31 2015 7:52AM act Email:Justin.sumwalt@sonic.com
Appro	oved	Denied
KIRKHAM ST:	19TH AVE 20TH AVE (7	857000) - North
Asphalt Squa	are Footage: 0	crete Square Footage: 16
Moratorium S	tart Date: 5/8/2014	Moratorium End Date: 5/8/2019
Date Service	Requested: 1/1/1900	
Property Own	er Name:	Property Owner Phone:
Recommended By:	Recommended By:	Approved By:
Permit Coordinator	Division Manager (or designee)	Bureau Manager (or designee)

"IMPROVING THE QUALITY OF LIFE IN SAN FRANCISCO" We are dedicated individuals committed to teamwork, customer service and continuous imrovement in partnership with the community.

Customer Service Teamwork Continuous Improvement

Page 16 of 17

