**MATH300: Mathematical Computing · Fall 2026**

# Project: Continued Fractions for Constants and Functions

Groups must be formed, and project titles submitted on Canvas, by **October 26, 2026**. The project has two graded deliverables and an oral exam: a 3–5 page report for Project 2 (due **November 20, 2026**), a poster for the final project (due **December 11, 2026**), and an oral exam held between November 30 and December 17, 2026, 3:30 pm. Read the general rules below before you start; they apply throughout the project.

## General remarks

- Projects are set for a group of **two or three** students.
- Form your group by **October 26, 2026**, and submit your project title as a group assignment on **Canvas** by the same date.
- Every group member must carry an **equal portion** of the coding and of the report and poster preparation.
- The scope can be adjusted to the number of participants, their interests and prior knowledge.
- Only **Python** may be used for programming.
- Implementation, documentation, validation and demonstration examples are all part of the project.
- Within these rules you are free to choose the implementation, code structure and exact content. You can discuss this with me at any time.

## Version control and GitHub

Each group keeps **one GitHub repository for the whole project** (Project 2 and the final project), and every member commits from their own GitHub account.

- Use git from the very beginning. Commits should be small, consistent and clearly described. Avoid large commits.
- Each group member uploads their own code using **their own GitHub account**. Commits from a shared or borrowed account will not be credited to the other members.
- The repository name is up to your group.
- If the repository is private, add my GitHub account `say-yas` as a collaborator.
- The repository must contain a README describing the project, how to install and run the code, and the AI-use statement (see below).

## Use of AI tools

**AI-generated code is not accepted in any form.** Code produced by a chat assistant or code generator (e.g. ChatGPT, Claude, Gemini) and copied, pasted or adapted into your project will be treated as work that is not your own.

- **Permitted:** inline coding assistance such as GitHub Copilot autocompletion while you write the code yourself, **provided its use is acknowledged**.
- **Acknowledgement:** include an AI-use statement in the README and in the report that names the tool(s) used and the parts of the code (files or functions) where they assisted. If no AI tools were used, state this explicitly.
- **Reports and posters must not be generated by AI** in any form: their text, figures and layout must be your own work. If AI tools were used for any other non-code purpose (e.g. checking grammar or searching the literature), describe this in the same statement.
- You are responsible for every line in your repository. In the oral exam you must be able to explain and modify any part of the code you submitted.

## Deliverables and deadlines

Submit each deliverable following the details provided on the **Canvas** page. The written report and poster are handed in on **Crowdmark**, and the link to your GitHub repository is submitted separately on **Canvas**.

| **Deliverable** | **Due** | **Submission** | **Notes** |
|---|---|---|---|
| Group and project title | Monday, October 26, 2026 | Group assignment on Canvas | Group of two or three members; submit the project title. |
| Project 2 report | Friday, November 20, 2026 | Report (PDF) on Crowdmark; repository link on Canvas | 3–5 pages; the page limit **includes** references, figures and appendices. |
| Final project poster | Friday, December 11, 2026 | Poster (PDF) on Crowdmark; repository link on Canvas | 36 inches high by 48 inches wide (landscape). Target audience: undergraduate classmates with a basic background in math, physics or engineering. |
| Oral exam | Between November 30 and December 17, 2026, 3:30 pm | Individual meeting; details discussed in class | 30 minutes per student. Your poster must already be submitted on Crowdmark before your exam. The last possible slot ends December 17 at 3:30 pm. |

### Oral exam

The oral exam is individual and lasts 30 minutes per student. It takes place between November 30 and December 17, 2026, 3:30 pm. The oral exams and how to arrange them will be discussed in class before the Thanksgiving break.

Before your oral exam, your poster must also be submitted on **Crowdmark**; that is, you must have finished both Project 2 and the final project. In the meeting you will:

- Present your results and algorithms.
- Possibly live-code and run parts of your algorithms to generate outputs on the spot.
- Answer questions about the theory, your implementation and your results. Each member should be able to explain the whole project, not only their own parts.

Bring a laptop with the repository cloned and a working environment, so that the code runs without additional setup.

## Grading

| Component | Points |
|---|---|
| Group and project title (on time) | 10 |
| Project 2 report | 100 |
| Final project poster | 100 |
| Oral exam (individual) | 50 |
| Bonus: extra steps beyond the required tasks | up to 10 |

The Project 2 report and the poster are each graded out of 100. What matters most is:

- **Coherence:** a clear story from the question, through the methods, to the results and conclusions.
- **Correctness:** of the mathematics, the code and the results.
- **Depth of analysis and discussion:** explain what your results mean, why they look the way they do, and what their limitations are, rather than only showing them.
- **Professional presentation:** figures with labeled axes and readable font sizes, captions and legends, a clean and readable layout, and proper references.

A complete, correct and well-discussed solution of the required tasks can earn full marks. Tasks marked **(Bonus)** and the suggestions under "Going further" are optional; exploring such extra steps can earn **up to 10 bonus points** in total.

## Requirements for the report and the poster

Both the report and the poster must contain a clear description of the project, references, properly labeled figures and an author-contributions statement.

### Content

- A clear and concise description of the problem, the methods and the results.
- The AI-use statement described above.
- The report should not contain any significant amount of code; refer to the repository instead.

### Poster

- The poster must be **self-contained**: a reader should be able to follow it without the report, the code or a spoken explanation.
- You may be selective in what you show and how you narrate your story, so that an undergraduate audience with a basic background in math, physics or engineering can follow it.

- You may choose your own title for the poster; be creative.

### References

- Include a list of references at the end of the report and the poster.
- Cite sources clearly where they are used in the text (papers, books, software, code repositories and data sets).
- Use one consistent citation style throughout.

### Figures

- Every plot must have labeled $x$ and $y$ axes (and $z$ axis for 3D plots or color bars), including units where applicable.
- Axis labels, tick labels and legends must have a font size similar to the surrounding text, so they remain readable without zooming.
- Each figure needs a legend when it shows more than one data series, and a caption that states what is shown.
- Use log scales where appropriate (e.g. for convergence plots) and say so in the caption.

### Author contributions

Each group must include an author-contributions statement in the report and the README that states:

- Who did what: which parts of the code, experiments, analysis, writing and poster each member worked on.
- To what extent: the approximate share of each member in each part (e.g. 50 % / 50 %).
- Who took the lead in which parts.

The coding and the report and poster preparation must be shared equally between the members. The commit history should be consistent with the stated contributions.

## Codebase requirements

- Well structured and documented, both in the code (docstrings, comments) and in the repository (README).
- Validated: show that your implementation produces correct results, e.g. on examples with known solutions.

## Project description

### Goal

The goal of this project is to compute mathematical constants and functions with *continued fractions*. You will implement a general continued fraction evaluator in Python and use it to

compute **at least 5 constants** and **at least 5 functions**. You will compare the constants with reference values from NumPy or SymPy, plot the functions against the corresponding built-in functions in NumPy, and discuss what you observe: the benefits and the shortcomings of computing constants and functions this way.

## Background

A generalized continued fraction has the form

$$b_0 + \cfrac{a_1}{b_1 + \cfrac{a_2}{b_2 + \cfrac{a_3}{b_3 + \cdots}}}$$

where the partial numerators $a_n$ and partial denominators $b_n$ are numbers, or functions of $n$ and of a variable $x$. Truncating after $N$ terms gives the $N$-th convergent, which can be evaluated from the bottom up (backward recurrence) or with the three-term recurrences $p_n = b_n p_{n-1} + a_n p_{n-2}$ and $q_n = b_n q_{n-1} + a_n q_{n-2}$ (forward recurrence).

Continued fractions have a long history [2]. A classical example is Brouncker's formula [1],

$$\frac{4}{\pi} = 1 + \cfrac{1^2}{2 + \cfrac{3^2}{2 + \cfrac{5^2}{2 + \cdots}}}.$$

Euler showed that every infinite series can be rewritten as a continued fraction [4], and Gauss found continued fractions for ratios of hypergeometric functions, which give continued fractions for many elementary functions [2]. More recently, the Ramanujan Machine project has used computer searches to find new *polynomial* continued fractions, where $a_n$ and $b_n$ are polynomials in $n$, for constants such as $\pi$, $e$, $\zeta(3)$ and Catalan's constant $G$ [6, 5]. For example, one conjectured formula is [3]

$$\frac{1}{2G} = 1 - \cfrac{2}{7 - \cfrac{32}{19 - \cfrac{162}{37 - \cdots}}}, \qquad a_n = -2n^4, \quad b_n = 3n^2 + 3n + 1.$$

Many of these formulas are still unproven, so a numerical check is meaningful in itself.

Different formulas converge at very different speeds: some gain several digits per term, others need thousands of terms for a few digits. Double precision (`float64`) also limits the accuracy to about 16 digits, so for high-accuracy comparisons you may use exact rational arithmetic (Python's `fractions` module [7]) or arbitrary precision (`mpmath` [8], which SymPy uses internally).

## Tasks for Project 2 (report, due November 20, 2026)

1. Implement a general continued fraction evaluator that takes $a_n$ and $b_n$ as functions of $n$ and a truncation depth $N$, using the backward recurrence.
2. Implement **at least 5 constants** with continued fraction formulas, for example $\pi$, $e$, $\sqrt{2}$, the golden ratio, $\ln 2$, $\zeta(2)$, $\zeta(3)$ and Catalan's constant. Use the sources below [1, 2, 3, 4, 5] and cite the source of every formula you use.

3. Implement **at least 5 functions** with continued fraction formulas, for example $e^x$, $\ln(1+x)$, $\arctan x$, $\tan x$, $\tanh x$ and $\sqrt{1+x}$, and cite your sources.
4. Compare each constant with a reference value from NumPy or SymPy, and report the absolute and relative error in a table.
5. Plot each function against the corresponding built-in function in NumPy over a suitable interval.
6. **(Bonus)** Also implement the forward recurrence and check that it agrees with the backward recurrence.

### Tasks for the final project (poster, due December 11, 2026)

1. Compare and plot the accuracy of your results: for the constants, plot the error against the depth $N$; for the functions, plot the error against $x$ for a few depths $N$ (log scales).
2. Discuss what you observe: how fast does each formula converge, how does the accuracy of the functions depend on $N$ and on $x$, and where does the continued fraction converge well and where not? What are the benefits and the shortcomings of computing constants and functions with continued fractions?
3. **(Bonus)** Compare how fast different formulas for the same constant converge.
4. **(Bonus)** Compare with a truncated Taylor series of the same function.

### Going further

These optional steps count toward the bonus points. You are welcome to go beyond the provided links, for example by using Euler's formula [4] to turn known series into new continued fractions, or by computing best rational approximations such as 355/113 for $\pi$.

## References


[1] Wikipedia. *William Brouncker, 2nd Viscount Brouncker*, section "Brouncker's formula". https://en.wikipedia.org/wiki/William_Brouncker,_2nd_Viscount_Brouncker

[2] J. Baez (2020). *Three Phases of Continued Fraction Theory*. The $n$-Category Café, September 6, 2020. https://golem.ph.utexas.edu/category/2020/09/five_levels_of_continued_fract.html

[3] The Ramanujan Machine (2020). *Catalan's constant G results*. https://ramanujanmachine.com/wp-content/uploads/2020/06/catalan.pdf

[4] The Ramanujan Machine. *From polynomial continued fraction to infinite sums*. https://ramanujanmachine.com/the-mathematics-of-polynomial-continued-fractions/from-polynomial-continued-fraction-to-infinite-sums/

[5] The Ramanujan Machine. *Results* (with links to results for $\pi$, $e$, $\ln 2$, $\zeta(2)$, $\zeta(3)$ and Catalan's constant). https://ramanujanmachine.com/results/

[6] G. Raayoni, S. Gottlieb, Y. Manor, G. Pisha, Y. Harris, U. Mendlovic, D. Haviv, Y. Hadad and I. Kaminer (2021). Generating conjectures on fundamental constants with the Ramanujan Machine. *Nature*, 590, 67–73. https://doi.org/10.1038/s41586-021-03229-4

[7] Python Software Foundation. *fractions — Rational numbers*, Python documentation. https://docs.python.org/3/library/fractions.html

[8] *mpmath: a Python library for arbitrary-precision floating-point arithmetic.* https://mpmath.org