OPERATING MANUAL · EDITION Q4.2026

AI as a team, not a tool.

Everyone is building an AIOS. We built **The AIOS** — the operating system that turns AI into a team of co-workers: a legal you, an accountant you, a marketing you, an engineering you. Orchestrated by you, governed by your intent, compounding every day.

`declared context` `observed context` `intent` `agents` `skills` `rituals`




fig. 1 — harness

define: AIOS

noun · an Artificial Intelligence Operating System

1. **A carefully engineered harness.** The structure your AI works inside — your context, your rules, your rituals — so it remembers you tomorrow and never stops learning about you and your business. An AI like this can:

anticipate	what you forgot to ask
act on its own	inside the limits you set
keep your direction	when the day pulls you off it
multiply you	more, faster, wider, better
notice your patterns	and the growth edges you can't see
connect the dots	the hard-to-spot ones, into new ideas

2. `technical` In the AI field, a **harness** is everything around a model that lets it act safely — like a climber's harness, it keeps you roped in so you can climb higher without fear. **Claude Code is a harness** around Claude's models: it runs the tools, enforces permissions, manages context and state, and iterates until the task is done. **The AIOS is a harness on top of it, made yours**: your context files, hooks, skills, plugins, permissions, connectors and rituals — built as a learning loop.

> That is the difference between using AI and having an AIOS.

01 WHAT IT IS

Your AI co-workers, orchestrated.

The AIOS turns AI into a team. You can run every co-worker yourself and be their orchestrator — or let one AI co-worker run the rest as your chief of staff who never sleeps and absorbs the coordination overhead with the best agentic culture.

Built for anyone navigating AI-overwhelming days — **senior executives, builders, founders, operators**. AI alone multiplies confusion. The AIOS gives you the structure (prompt, context, intent, collaboration, second brain) where clarity emerges — so you make the most of AI without losing what makes you irreplaceable, and without IP/PII risk.

THREE PROGRESSIVE STAGES — EACH RETURNS ~10× THE LEVERAGE

WEEK 1 — AUTOMATE

Gain speed, do faster

Daily plans, drafts, syntheses. 30 minutes becomes 30 seconds.

WEEK 2 — AMPLIFY

Gain bandwidth, do more

Agents draft proposals, write in your voice, research while you sleep. You stop being the bottleneck.

MONTH 1 — AGENCY

Gain autonomy, do agentic

AI co-workers act on your behalf with judgment, within trust boundaries you've defined.

FOUR PRINCIPLES, ALL LOAD-BEARING

Amplify intelligence, not artificial

Human + AI beats human alone or AI alone.

Context, not prompts

Prompts are the artifact most people optimize. Context is the substrate that determines what those prompts can do.

Trust earned over time

Autonomy compounds with judgment — like a good A-player on a real team.

Portable, not proprietary

Plain Markdown you own. Claude Code runs it; other tools read `AGENTS.md`; any other model can be called as a tool.

02 THE ARCHITECTURE

Context that compounds.

Most setups ship declared context only. The AIOS runs a **three-layer context system** — after a month, the AI knows things about you that aren't in any file you wrote. *An empty ground produces a generic answer no matter how brilliant the reader* — the vault is the enriched ground every agent reads.

LAYER 1 — DECLARED

You write it

Identity, voice, working style, business, role expectations. What you explicitly tell the AI about yourself.

LAYER 2 — OBSERVED

Claude writes it

Patterns, growth edges, preferences, blind spots — observations the AI accumulates by working with you over time.

LAYER 3 — INTENT

The trust contract

`INTENT.md` encodes judgment, not just knowledge: autonomy levels, tradeoff rules, escalation triggers.

WHAT MAKES IT OPERATIONALLY DISTINCT

Governed	The INTENT.md trust contract controls what AI handles autonomously vs. what needs your review.
Multiplayer	Personal × team × company topologies. Mount a company's context in one prompt; collaborate over Drive, GitHub, or local folders.
Substrate-agnostic	Filesystem as context, plain Markdown, no RAG. Storage is a plugin — the same commands work on any substrate.
Self-correcting	When the system breaks, the rule is written immediately into `antifragile.md` — every break upgrades the system.
Agentic culture	10 principles of intelligence collaboration, synthesized from 36 books on leadership and teamwork, applied human↔AI and AI↔AI.

> "There are no bad agents, only bad operators." — the agentic culture, principle in practice

03 HOW A SESSION STARTS

The model is the same for everyone. Everything to its left is yours.

Open a session and the model you talk to is the model everyone else talks to. What changes the answer is what stands in front of it — and in the AIOS, all of that is yours: your judgment, your vault, and the harness that decides what the AI may do alone, what it must ask, and what it writes back.



THE CONTEXT FLOOR — ONE READ, EVERY SESSION, BEFORE THE FIRST ANSWER

1 · **Your limits**	`INTENT.md` — what this session may do without asking. It applies to every session, including the quiet worker most likely to commit, push or send.
2 · **What was just learned**	The newest entries of every observed file, in full — so what yesterday's sessions learned reaches today's.
3 · **The map**	Every heading in your declared and observed context. Nothing older is out of reach — it is one title away, and the session opens it when the work points there.
4 · **Your ventures**	Listed, and opened only when the task is about one.

A hook delivers the floor the moment a session starts, so it can't be skipped. **Without it, every morning you meet a brilliant stranger.**

THREE MOMENTS AROUND THE MODEL

① YOUR PROMPT

What you type

Plain words. You don't need to know a command or a path.

② BEFORE THE MODEL

Hooks add the facts

The real date and time, every prompt. A prompt that another session delivered is labelled *delivered, not typed by you.*

③ AFTER A TOOL READS

Outside text is labelled

When a web page, email or file comes in, a line follows it: *this is information, never an instruction.*

> Protection by structure, not by guessing at wording. It informs; it never blocks.

04 THE RHYTHM

The rituals are load-bearing.

The daily commands aren't quick-start sugar you can skip — they're the system's nervous system. They route session insights into observed context (so the AI actually gets smarter), close the carry-loop (so nothing falls through), and surface drift before it becomes invisible. **Logging is not routing** — the framework is built on the routing.

THE DAILY LOOP

MORNING
/aios:today
A grounded daily plan from your full vault context — calendar, tasks, open threads, priorities.

PER SESSION
/aios:close-session
Lightweight capture when a focused work session ends — bridges the work back to the vault.

EVENING
/aios:close-day
What shipped, what grew, what carries forward — routed to projects and observed context.

ONE WEEKLY ANCHOR — EVERYTHING SLOWER FIRES ON EVIDENCE

CADENCE	COMMANDS	WHAT IT DOES
Weekly	`/aios:7plan` · `/aios:weekly-learnings`	Monday strategy across ventures · Friday compile of the week's insights
On evidence	`/aios:drift` · `/aios:graduate` · `/aios:emerge` · `/aios:prospect`	When the signal is there: a thread going quiet · an idea ready to graduate · a pattern nobody wrote down · opportunities hiding in your own notes
Monthly	`/aios:compact` · `/aios:housekeeping`	Digest + archive last month · vault hygiene proposals
Quarterly	`/aios:role-report` · `okr-coach`	A report against your role pillars · an optional quarter plan the weekly rituals read back

THE COMPOUND EFFECT

Day one it knows what you said. A year in, it knows who you're becoming.



> Not a productivity hack — compounding self-awareness. You do the thinking. The vault does the remembering.

05 PROJECTS

The vault tells the why. The repo tells the how.

Every piece of work gets one note in `projects/` — a dashboard answering **what is this, what's next, what's blocked**. Say "let's work on X" and Claude zooms in without losing the full picture, because every project note carries a **Current State table**: the router that wires strategy in the vault to execution wherever the work actually lives.

```
› "let's work on acme-ops"
  1 · read projects/acme-ops.md            # strategy — who, why, what's next
  2 · extract the Current State table   # the router — type, paths, stack, status
  3 · cd ~/code/acme-ops                # Type: Coding → go to the repo
  4 · read the repo's CLAUDE.md + .claude/settings.json + README
      # execution rules — architecture, build/test/deploy, permissions
```

TYPE DRIVES THE ROUTING

CODING

Routes to the repo

The repo's own `CLAUDE.md` takes over for execution: architecture, conventions, build/test/deploy. Its `settings.json` scopes permissions per project.

NON-CODING

Routes to the drive

Working files (proposals, docs, sheets) live at the Drive path. The vault note itself IS the deep context — no repo to enter.

HYBRID

Routes to both

Code and documents side by side — the table carries both paths, and both context layers stay loaded.

The result: **two layers active at once** — vault context (strategic: who, why, for whom) and project context (execution: how, where, what's next). And the wiring is self-propagating: every coding project Claude scaffolds is born with its own `CLAUDE.md` + README + settings, so any teammate — human or AI — lands oriented.

NAMED BY CATEGORY, KEPT AS DASHBOARDS

`<venture>-*` `space-*` `advisory-*` `personal-*` `experiment-*` `infra-*` — the prefix tells the kind at a glance; lifecycle lives in frontmatter.

History doesn't pile up in the note: what shipped lives in git log, what was learned routes to observed context, session notes keep only the last five. `/close-day` flags any note growing past dashboard size.

> A project note is a dashboard, not a history book — it answers what's next, never "what happened on March 28."

06 THE TOOLBOX

Describe what you need. The system matches.

You don't memorize commands or file paths. Everything below is available the moment setup finishes — say what you want and your session picks the right tool. Three words carry the whole model: **a session is where, a skill is how, an agent is who.** (Counts as of v0.8.12; they grow every release.)

25
COMMANDS

40
AGENTS · 7 BUNDLES

57
BUNDLED SKILLS

10
BUNDLED MCPS

SELECTED COMMANDS BEYOND THE RITUALS

- `/aios:ingest` — any URL, PDF, or transcript into the vault
- `/aios:prospect` — opportunities already in your notes
- `/aios:company` — mount a venture's shared context
- `/aios:trace` — how your thinking on a topic evolved
- `/aios:ghost` — answer or draft in your actual voice
- `/aios:challenge` — steel-man the opposite of your thinking
- `/aios:collaborate` — shared spaces on Drive / GitHub / local
- `/aios:update` — pull the latest framework, auto-applied

DEEP DIVES — THE REST OF THIS MANUAL

07 **Skills** — capabilities that load themselves
08 **The Fleet** — 40 co-workers in 7 bundles
09 **Connectors** — 10 MCPs + the hooks
10 **The AIOS App** — the desktop front door
11 **AIOS Glass** — the same front door, in your editor
12 **Orchestration** — the inbox & the ladder
13 **Shared workspaces** — company & collaborate
14 **Templates** — start from a shape
15 **Personalizations** — USER.md is yours
16 **Operating Claude** — models, effort, trust
17 **Containment** — the ladder & the Fortress
18 **Getting started** — one conversation
19 **Updates & troubleshooting**
20 **The horizon** — the orchestrator's flip
21 **The whole picture** — one page

07 SKILLS

Capabilities that load themselves.

Skills are reusable expertise packs that auto-load at session start — you never invoke one by name. Describe the work and the right skill wakes: ask for a landing page and `frontend-design` engages; ask to debug and `systematic-debugging` takes over. **57 bundled skills** ship across four source folders, each following Anthropic's open Skills spec — plus a fifth folder that is only yours.

FIVE SOURCE FOLDERS

SKILLS/AIOS — 31

AIOS-built

Engineering patterns, Obsidian-native tooling, infographics, motion, voice, research, compliance.

ANTHROPIC — 11

Vendored, Apache-2.0

From `anthropics/skills`: frontend design, canvas art, doc co-authoring, MCP & skill builders.

SUPERPOWERS — 14

Vendored, MIT

From `obra/superpowers`: TDD, systematic debugging, brainstorming, plan writing & execution.

CLOUDFLARE — 1

Vendored, MIT

A real security audit, wired to the security-engineer agent.

SKILLS/CUSTOM

Yours

Operator-built skills. Survive every `/aios:update`, override bundled on collision.

WHAT'S IN THE BOX

Coding & engineering	API design · architecture patterns · Karpathy-style coding · TDD · systematic debugging · React/Next.js · Python · Tailwind · error handling · migrations
Content & design	Frontend design · canvas & algorithmic art · theme factory · infographic builder · data presentation · internal comms · doc co-authoring · **voice-gate** (measures AI-writing tells against your own voice) · Word, PDF, PowerPoint & Excel via Anthropic's document skills
Video & research	**motion-lab** (a one-line ask → a rendered film) · **watch-video** (watch and hear a recording, slides included) · **deep-research** (multi-source, ranked proposals)
Obsidian-native	Wikilinks & callouts · JSON Canvas mind-maps · Bases database views · vault ops from the CLI
Planning & process	Brainstorm before building · write plans · execute with checkpoints · verify before claiming done · ship a SaaS · migrate a vault safely
Systems & teams	Leverage points · commons governance · team archetypes · sustainable cadence · comprehension debt · **finding-your-why** (the compass under your goals) — the org-design lens for people *and* agents
Meta	skill-creator builds new skills · mcp-builder builds new connectors — the system extends itself

08 THE FLEET

Forty co-workers, seven bundles.

Every agent is one file that says who it is, which skills it reaches for and which tools it may touch. `/aios:agent {name}` wears the hat in your current session; launching one gives it a session of its own, with its full identity loaded. Every agent follows the same agentic culture as you — and its work bridges back to your vault via `/close-session`, so nothing a co-worker does is lost.

SALES

One pipeline: find the lead, write the proposal, keep the CRM honest. It drafts; it never sends.

`lead-generator · proposal-writer · crm-updater · brand-monitor`

STRATEGY

Advisory frameworks, market intel, company deep dives, quarterly OKRs, open-protocol governance.

`consultant · market-researcher · company-analyst · okr-coach · protocol-steward`

FINANCE & LEGAL

Bookkeeping to contract review — a back office that never queues.

`accountant · lawyer · compliance-checker · invoice-tracker`

ENGINEERING

Discovery to shipping — a real security audit, and the builder that extends the AIOS itself.

`technical-cofounder · code-reviewer · security-engineer · bug-triager · code-documenter · refactor-engineer · growth-engineer · aios-builder`

COMMUNICATION

Your voice, multiplied — posts, decks, brochures, explainers, animation, books.

`content-writer · deck-builder · email-drafter · meeting-prepper · report-drafter · content-scheduler · design-md-author · brochure-builder · explainer · animation-composer · kdp-publisher`

PERSONAL

The bundle that works on you, not just for you — and the one that reports a bug for you.

`growth-companion · study-buddy · journal-prompter · decision-journaler · crisis-mode · onboarding-aios · aios-feedback`

COMMERCE — NEW Designs and hardens customer-facing commerce agents — a shopping assistant for buyers, or an operations agent for merchants. `commerce-agent-architect`

Your own agents live at `agents/custom/` and survive framework updates; company agents land at `agents/<company>/` when you mount a venture. **You launch from a surface or a terminal; an agent never launches one itself** — it writes a request and the running App or Glass opens it (section 12).

```
› spawn lawyer "review the NDA at ~/contracts/mutual-nda.docx"
› spawn --tier fast --effort low inbox-triage "sort this morning's mail"  # pick the rung
› spawn-kill lawyer  # clean teardown when the work is done
```

> "Not a chat box you visit; a team that knows your traces, carries your standards, and works while you sleep."
>
> — The Ground · chuycepeda.com/manifesto

09 CONNECTORS

Where the system meets your tools.

Ten MCP servers ship with the framework — policy: **local over remote**. Each authenticates independently of your Anthropic account, survives account switches, and runs at a version the framework pins. **Setup registers only one** — the Obsidian bridge to your vault. Everything else is your choice, one at a time, after your first daily plan: ask in a session, run `/aios:mcps-setup`, or press Connect on the App's Connectors card.

THE TEN BUNDLED MCPS

Obsidian — the vault bridge; registered silently at setup

Slack — read, send, react, threads; it posts *as you*

NotebookLM — notebooks, sources, audio summaries — beyond what the UI exposes

Playwright — browser automation: navigate, fill, screenshot, scrape

PDF Generator — markdown → branded PDF; powers every report export

Google Workspace — Calendar, Tasks, Drive, Gmail, Contacts; you choose which services

Atlassian — Jira sprints & transitions, Confluence pages & search

Stitch — AI-native UI screens from text + DESIGN.md tokens

Nano Banana — Gemini image generation for decks, covers, brand visuals

Spotify DJ — playback + queue; music while you work, via Claude

Code work runs through the `gh` command line rather than a GitHub server. And the App names each connector the way you'd say it — *Google Workspace*, not `google-workspace-mcp`.

THE HOOKS — PLUMBING THAT FIRES ON ITS OWN

`floor-at-start`
Hands every new session your limits, the newest learnings and the map (section 03).

`inject-datetime`
Stamps the real clock into every prompt, so Claude never drifts on what day it is.

`provenance`
Labels outside text and delivered prompts as information, not instruction.

`pipeline-executor`
Loads two weeks of calendar, tasks and Slack in one call — the rituals start pre-fed.

`markitdown`
Any file → clean markdown: PDF, Word, Excel, audio, YouTube, EPUB. Wired into `/ingest`.


`claude-identity`
Multi-account quota autopilot on macOS, Linux and Windows — rotates before limits hit.

> Connectors live in the vault, not in the cloud — your integrations survive every account switch.

10 THE AIOS APP

The whole AIOS, in one window.

For people who never open an editor. **AIOS** is a desktop app for macOS, Windows and Linux that runs the real Claude Code in real terminals, against your own vault — the panel, the rituals, your notes and your sessions side by side. It installs what's missing, signs you in, and hands you to the setup conversation. After that it keeps itself current.



Home. The panel on the left — Daily, Calendar, Quick, Running and more; the four moves in the middle; your vault on the right. Every name in these screenshots belongs to a demo workspace.

THREE PLATFORMS

macOS · Windows · Linux

A signed, notarized Mac build; a Windows installer; AppImage and .deb for Linux. One release ships all three or none.

UPDATES ITSELF

Quietly, then tells you

Downloads in the background and installs when you quit. What's New opens once — and names any release you skipped. The framework has its own update pill.

PEERS, NOT TIERS


App or Glass — pick one

The same framework and the same inbox, two front doors. The App needs no editor at all; Glass lives inside one (section 11).


10 THE AIOS APP · INSIDE

ASK AIOS — ⌘J


Say what you need in your own words. Claude matches it to the right agent, command or skill and runs it in a visible session — named for the task, so you can find it, message it or resume it later.




THE PANEL, CARD BY CARD



Running. *Every session, with a dot: working, needs you, ready — and what it's waiting on.*



Health. *A colour per check, scheduled jobs included. Anything not green: Let Claude help.*



Connectors. *Your tools under their own names. Connect, fix or add one.*

ALSO INSIDE

Terminals & splits	Real Claude sessions in tabs, up to three side by side. Right-click a tab to copy the last answer, read it aloud, or send feedback.
Explorer & viewers	Framework, vault and workspace folders; markdown rendered with live checkboxes, plus HTML, PDF and images.
Layouts & palette	Stacked · Facing · IDE · Zen. ⌘K finds anything; ⌘N starts a session.
Settings	Model, effort and advisor · theme and language (English, Spanish, Portuguese) · keep the computer awake for long runs.
Marketplace & designer	Install plugins from the partner shelf; design a new agent or skill with Claude.

11 AIOS GLASS

The same front door, inside your editor.

For people whose day already happens in an editor. **AIOS Glass** is an extension for any editor that installs from Open VSX — Antigravity, Cursor, Windsurf, VSCodium — and stock VS Code takes it as a `.vsix` file. It docks the same panel the App shows beside your code, and runs every ritual through native Claude Code in an integrated terminal.

> Glass, not engine. It surfaces and triggers what the framework already does — it never reimplements AIOS logic. It reads the framework's own files at runtime, so every `/aios:update` addition appears automatically. The App works the same way.

WHAT'S IN THE PANEL

ASK AIOS · ⌘⌥G Q

A plain-language request, routed to the right agent, command or skill — in a session named for the task.

DAILY & CALENDAR

The three rituals one click away; a month grid with a dot for every day that has a note.

QUICK

Frequent tasks and routines, launch an agent, load a skill, run a command, ingest a source.

RUNNING

Your sessions and terminals — only yours — with what each one used in its last turn.

WORKSPACES

Company and collaborate flows as pickers and inputs — no raw flags. One-click framework update.

HEALTH

Framework, vault, account and scheduled jobs at a glance, with *Let Claude help* when one isn't green.

AIOS FILES

A Finder-style explorer with three places: Vault, Framework, Workspace.

CHORDS & PALETTE

⌘⌥G plus one key for every move; a six-step walkthrough opens on first run.

APP OR GLASS?

You never open an editor	Choose the App. It has its own terminals, explorer and viewers — no IDE required.
Your day is in an editor	Choose Glass. The panel sits next to your code; the optional Foam extension adds wikilinks, backlinks and the graph.
Either way	Same framework, same rituals, same inbox. They are two independent implementations of one protocol — not one product inside the other.

12 ORCHESTRATION

Agents ask. Your surface opens the door.


REQUEST, DON'T SPAWN

A session can't launch other agents on its own — the model's own guardrails stop it, and rightly so. So it writes a small request in `~/.aios/spawn-inbox/`, and whichever surface is running — the App or Glass — opens it natively. A request can name the surface it wants; otherwise the live one takes it.

Four verbs, one channel: **spawn** a worker · **send** it a message · **resume** a closed session as itself, memory intact · **kill** it. A message to a busy session waits its turn.

A request that disappears was *picked up*, not done — the work itself is the proof.

THE ROUND TRIP



THE ORCHESTRATION LADDER — THREE QUESTIONS BEFORE YOU DELEGATE

① WHAT SHAPE IS THE WORK?

One → parallel → workflow

One agent for one job. Several at once when the jobs are independent. A workflow when many agents must run and be checked. Climb only as far as the work needs.

② DO YOU NEED IT BACK HERE?

Subagent or session

Need the result in this conversation? A subagent works and returns. Want a co-worker you can talk to? A spawned session works on its own and reports back.

③ WHICH MODEL?

By the shape of the work

`fast` · `scale` · `judgment` · `frontier` — picked by the work's shape, not its importance. Top and bottom differ about 22× in cost.

Under the hood: the App is a desktop app with its own terminals; Glass is an editor extension. They share the protocol's core byte for byte, and each one fulfils the inbox on its own.

> A spawn gives you a fresh *something*. Resume gives back the same someone.

12 ORCHESTRATION · WHAT YOU CAN SAY

Just say it. The session writes the request.

You never write an inbox file yourself. Ask in plain words — from the App, from Glass, or from any session — and the session writes the request; the running surface acts on it.

SPAWN

"Spawn a worker named researcher to map three competitors."

`{"name":"researcher","task":"…"}`

ON A MODEL

"Spawn a sweeper on the fast tier — it's mechanical."

`{…,"tier":"fast"}`

A LONG BRIEF

"Spawn a writer with this whole brief."

`over 1 KB → saved to ~/.aios/bus-payloads/, the worker gets a one-line pointer`

SEND

"Tell researcher to add pricing."

`{"action":"send",…} — waits its turn if the worker is busy`

REPLY

"Tell researcher to add pricing and report back when it's done."

`worker → send → you`

RESUME

"Reopen yesterday's writer and pick up the draft."

`{"action":"resume",…} — the same session, memory intact`

KILL

"Close the researcher session."

`{"action":"kill",…}`

PICK THE SURFACE

"Open it in Glass, not the App."

`{…,"surface":"glass"}`

WHAT THE SESSION WRITES — THE WHOLE PROTOCOL

```
{"action":"spawn",  "name":"designer", "task":"design the hero", "tier":"fast"}
{"action":"send",   "name":"designer", "prompt":"ship it", "surface":"glass"}
{"action":"resume", "name":"designer", "prompt":"the review came back", "fallback":"spawn"}
{"action":"kill",   "name":"designer"}
```

TRY IT — FIVE MINUTES

From the App or Glass, ask your session:

"Spawn a worker named researcher with the task: find three competitors of my company and write a one-paragraph note on each. Then tell me when it is running."

Then send it a follow-up from your first session — and watch the reply come back.

> The file disappearing means *picked up* — not done. Ask "did it actually finish?" and it reads the worker's transcript.

13 SHARED WORKSPACES

One prompt onboards your whole team.

The AIOS is multiplayer by architecture, not by afterthought. Two commands cover the two shapes of working with others — a **company** you build with, and a **collaborator** you share projects with.

/AIOS:COMPANY

Mount a venture's brain

A company lives in a venture-context repo — positioning, personas, pricing, culture, design, brand — plus optional infra: agents, plugins, skills, templates your team has built. A teammate runs `--mount {repo-url}` and their Claude inherits all of it. `--sync` keeps every operator at byte-parity with HEAD.

`--create` · `--mount` · `--sync` · `--sync-all` · `--status` · `--invite`

/AIOS:COLLABORATE

Share a space with anyone

Storage is a plugin: Drive for non-coder collaborators, GitHub for code-adjacent work, local folders for testing. Same command, same artifacts — a shared workspace plus a `space-*` router note in your vault, so shared projects flow into your daily plan like everything else.

`--add-project` · `--status` · `--dry-run`

HOW THE LAYERS STACK — NOTHING COLLIDES

```
agents/   skills/   plugins/   hooks/   mcps/   templates/
  aios                                  ← framework, always shipped
  custom/                              ← your personal layer, never touched by updates
  <company>/                           ← every mounted company's layer
```

The canonical scaffold is `The-AIOS/company-template` — 10 context files plus 6 infra folders, ready to receive your team's contributions. Build the company brain once; every teammate's session inherits it in one mount.

> Don't move information to authority. Move authority to information.

14 TEMPLATES

Start from a shape, not a blank page.

Seventeen bundled templates at `templates/` are the scaffolds everything in the vault is born from. Commands copy them automatically — the cold-start interview fills the context kit with you, a new project note arrives already shaped as a dashboard, a new agent arrives already knowing its sections. You never face an empty file deciding what the structure should be. Beside them sits one reference, the **vault grammar**: how notes are archived, renamed and restructured without breaking a link.

THE SEVENTEEN, IN FIVE GROUPS

DECLARED-CONTEXT KIT — 6

Who you are, structured

The starting shape of your declared layer — identity, voice, how you think, your ventures, your role, your psychometrics.

`about_me` · `personal_voice` · `working_style` · `about_business` · `role-expectations` · `psychometric-profile`

PROJECTS — 2

Born a dashboard

Current State router, to-dos, decisions, session notes — every project note starts wired for the routing in section 05. When many projects share one push, an opt-in keyed roadmap holds them.

`project` · `roadmap`

AGENT — 1

A fleet member in one file

Purpose, when-to-invoke, tools, instructions, constraints, schedule. The `aios-builder` agent scaffolds from it — compliant and registered.

`agent-template`

VENTURE & RHYTHM — 4

The recurring shapes

A new venture's context seed, meeting briefings, role logs, structured reading projects.

`about_venture` · `meeting-prep` · `role-log` · `reading-project`

PLANNING & PUBLISHING — 4

The quarter, and the book

A quarter plan the weekly rituals read back, with an interactive view of it; a publishing answer sheet and an errata log for books you put out.

`quarter-plan` · `quarter-plan-view` · `kdp-answer-sheet` · `errata`

SAME EXTENSION PATTERN AS EVERYTHING ELSE

`templates/custom/`	Your own templates — survive every framework update.
`templates/<company>/`	Arrive on mount — including branded collateral packs (proposal, invoice, agreement, one-pager HTML) that the `brochure-builder` agent renders straight to on-brand PDF.

> Commands copy them, operators evolve them — every note is born already knowing its shape.

15 PERSONALIZATIONS

The framework is shared. USER.md is yours.

Every command ships byte-identical to every operator — you never edit a command file. What makes your AIOS behave like *yours* is one file: `USER.md`. Claude reads it every session, before anything else runs. It is never overwritten by `/aios:update` — your configuration survives every framework release. And you rarely open it yourself: **say what you want changed, and the session edits it for you.**

WHAT LIVES INSIDE

IDENTITY

Sessions & greetings

Which session names are primary, how each greets you, the session cascade — extra files Claude loads per identity.

SOURCES

Where your life lives

Google accounts, communication channels, tools, growth routines, dev projects — the map Claude uses to find your real data.

COMMAND PERSONALIZATIONS

Per-command overrides

A `### /command` section per command, read before executing. Want `/today` to skip Slack? Write one line here — not in the command file.

INFRASTRUCTURE

Machines & companies

Remote machines (SSH spawn patterns for your agent host), mounted companies and their sync state.

THE PERSONAL TRIO

`USER.md`	Your configuration — identity, sources, command overrides.
`INTENT.md`	Your trust contract — autonomy levels, tradeoff rules, escalation triggers.
`vault/`	Your life content — notes, context, calendar, projects, exports.

> Everything shared lives in the repo, identical for all. Everything personal lives in three places you own.

16 OPERATING CLAUDE

The operator is the multiplier.

The AIOS rides on Claude Code, and a handful of native features change how the system feels day to day. None are required — all compound. The thread through every one of them: **autonomy is graduated, never granted**.

MODEL

Pick the rung, then the effort

`fast · scale · judgment · frontier` by the shape of the work; *judgment* is the default. Effort is the knob to turn first. `/fast` is speed, not a rung — worth it when you read every reply.

PLAN FIRST

Plan mode for big moves

For multi-file or risky changes, have Claude propose the full plan before touching anything — you approve, it executes. Cheap insurance.

PERMISSIONS

Shrink the prompts safely

`/fewer-permission-prompts` scans your real usage and proposes an allowlist of what you already approve — prompts shrink as trust grows.

AUTO-MODE

A classifier, not a wall

Auto mode is a best-effort classifier, not a security boundary. Use it where you already trust the task; the hard limits live in permissions. Graduate, don't grant.

CADENCE

Schedule the rhythm


`/schedule` runs routines on cron — your daily plan can be waiting at 7am. `/loop` re-runs a task on an interval; `/goal` pins a long objective the session keeps working toward.

ANYWHERE

Remote control & browser

Remote-controlled sessions (the `spawn` wrapper sets this up) can be steered from claude.ai or your phone. Claude Code also lives in the browser, desktop, and IDE — the vault is the same everywhere.

THE TRUST LADDER IN PRACTICE — WRITTEN DOWN IN INTENT.MD



`INTENT.md` is where judgment lives — autonomous, draft or ask, domain by domain. It starts cautious and earns its way up, like trust with a new hire. **Intent guides; permissions enforce**: `settings.json` allow · ask · deny is what compels. By default a session states its intent in one line and gets on with it — set confirm-first in INTENT.md if you'd rather. Containment (section 17) is the far end of the ladder.

> Match the mode to the trust level — the same task can be a draft in week one and autonomous by month two.

17 CONTAINMENT

You are already on the ladder.

A session holds three things at once: **a large memory of you**, **credentials that act as you**, and **the ability to run commands on your machine**. Each is ordinary; together they make a privileged colleague whose judgment can be influenced by anything it reads. Containment is how that stays safe — and it is a ladder you climb as far as it's worth, not a purchase.

> Most of the real risk reduction is rungs 1 and 2 — and neither costs money.

0	**What you already have** `nothing to do`	Your vault is a folder on your machine and a private repository you own. Tokens sit on your disk. No telemetry.
1	**Know what leaves** `an hour`	Write down every outbound path: which connectors, to whose servers; which git remotes, and whether any is public.
2	**Scope what an agent can touch** `an afternoon · the rung that pays`	Set permissions on purpose. Move every key out of your shell profile into a secrets folder. Connect only what you use.
3	**Separate the risky work** `per task`	Experiments in their own worktree; untrusted work under a second user account — a stronger wall than any flag.
4	**A cheap always-on box** `~€5-10 a month`	A small server that keeps running when the laptop closes, without buying hardware.
5	**The two-machine Fortress** `~$600 and a weekend`	An always-on agent host you own, firewalled so it can be compromised without reaching you (next page).

WHOSE IDENTITY IT ACTS AS

Slack — you, not a bot. **Browser automation** — you, on every site you're logged into. **Google Workspace** — you, across the services you enable. **Vault + shell** — your user account.

A bot misbehaving is a contained incident. You misbehaving is a message your colleagues believe came from you.

THE LEVERS YOU HOLD — IN ORDER

1 · Be wise in the models you use — refusal is a control.
2 · Connect only what you need.
3 · Set autonomy deliberately in INTENT.md.
4 · Unattended? Point it only at sources you trust.
5 · Keep the reader of untrusted text apart from the key-holder.
6 · A scoped bot beats your own account.

Not sure where you stand? Ask any session *"which containment rung am I on?"* — it checks, and names the rung by what is true, not what is hoped. `SECURITY.md` and `FORTRESS.md` carry the detail.

17 CONTAINMENT · RUNG 5

Autonomy needs walls.

Want agents working 24/7 — overnight shifts, scheduled crons, work continuing while you travel? `FORTRESS.md` is the manual for running them safely: a two-machine architecture where a primary MacBook drives day-to-day and an always-on Mac mini hosts the autonomous fleet — firewalled so agents can act without exposing credentials, networks, or sensitive systems.

A prompt is not a boundary. Instructions shape what an agent tries; only the environment decides what it can reach. That is why the top rung is a second machine — and why it is worth it only when agents genuinely run unattended around the clock.



SIX DEFENSIVE LAYERS

1 · Network isolation	OS-level firewall on the mini — no inbound except SSH from the main; no lateral movement to other devices on your Wi-Fi.
2 · Ecosystem lockdown	Handoff, AirDrop, Bonjour, Bluetooth, file/screen sharing — all off. The agent host is invisible to the Apple ecosystem.
3 · SSH hardening	Key-based auth only, no forwarding or tunneling, connection limits — one narrow door, from one authorized machine.
4 · Permission gates	Curated tool allowlist in weeks 1–2, graduated permissions from week 3 — autonomy expands the way trust does: earned.
5 · One-way data flow	Results push out via git; management flows in via SSH. The mini never reaches into the main — by construction.
6 · Recovery	Tailscale mesh for access from anywhere, a bridge monitor for observability, session-recovery helpers to restart interrupted work.

Total cost of a 24/7 agent fleet: a ~$600 Mac mini one-time, ~$25/month running. Claude reads FORTRESS.md end-to-end and walks both machines through the configuration.

> Trust = Speed / Cost. The walls are what make the autonomy affordable.

18 GETTING STARTED

One conversation, and it knows you.


There are two ways in, and they end in the same place: a Claude-driven setup that asks before it changes anything, and an interview that learns who you are. Pick the door that fits how you work.

DOOR 1 — THE AIOS APP

Download it, press four buttons

From `the-aios.com`, for macOS, Windows or Linux. No terminal, no editor. Each step checks itself, and any one can call Claude for help.

1 · Install what I need
2 · Log in to Claude
3 · Log in to GitHub (optional)
4 · Set up my AIOS



DOOR 2 — A TERMINAL OR YOUR EDITOR

Say one line to Claude Code

Have Claude Code installed? Open any terminal and say:

```
# the entire setup, in one line
› Set up my AI-OS from
  https://github.com/The-AIOS/aios
```

Live in an editor? Add **AIOS Glass** from Open VSX for the clickable panel (section 11).

Either door also wants **Obsidian** (free, `obsidian.md`) — the app you read your vault in. Setup checks for it and tells you if it's missing.

WHAT HAPPENS NEXT — IN ONE CONVERSATION

SETUP · ~5 MIN

The wiring, done for you

Claude follows `SETUP.md`: the framework, your private vault, the vault bridge, the hooks. You answer in plain words.

THE INTERVIEW

It learns who you are

Starts by itself — identity, voice, your trust contract. The short version takes about five minutes; the full tour goes deeper. It ends by planning your first day.

THEN YOUR TOOLS

Connectors, with a reason

Once your first plan shows an empty calendar, it offers your tools one at a time. Skip any. GitHub is optional.

From day 1	`/aios:today` in the morning · `/aios:close-day` at night. That's it — the system compounds from there.
`custom/` & `<company>/`	Your additions and your team's layer, in every infra folder. Framework updates never touch either.

19 UPDATES & TROUBLESHOOTING

Diagnose the system, not the symptom.

HOW UPDATES WORK

Files apply on their own; anything that executes asks you first — and it asks with evidence: which script, what it writes to, the lines that changed. A session is told never to say "this is safe"; it shows you the diff instead.

Updates are on by default, because a framework nobody updates rots quietly. One line in `USER.md` turns them off, or makes every one wait for your yes. Ask any time: *"what will this update run?"*

Things still break — a connector goes silent, a command behaves like an old version. The AIOS handles every break in two passes: **fix it now** (below), then **write the rule** so it can't happen silently again.

SYMPTOM → FIX

"Claude seems lost in the vault"	Invoke `/agent onboarding-aios` — it knows the whole doc map and routes you (or it) to the right place without overwhelming.
An MCP stopped responding	Run `/doctor` for a health check, then re-run `/aios:mcps-setup` for that connector. Each MCP's README at `mcps/{name}-mcp/` carries the auth specifics.
"My config change does nothing"	Restart semantics: permission changes apply live, but MCP source and hook-command changes need a session restart. "Nothing happened" usually means "restart pending."
A command acts like an old version	Run `/aios:update` — it pulls the framework and refreshes the plugin itself — then start a new session.
Something on the panel isn't green	Hover the dot for the detail, then press *Let Claude help* on the Health card — it opens a session that already knows what's wrong, scheduled jobs included.
You found a bug	Say so. The `aios-feedback` agent turns it into one scrubbed issue on the right repo — nothing leaves until you approve it.
Setup feels broken on a new machine	Everything is re-runnable: SETUP.md end-to-end, `mcps/setup.sh` (idempotent), `/aios:cold-start-interview` per section. Re-run; don't hand-patch.

THEN CLOSE THE LOOP — ANTIFRAGILE

When a fix reveals a gap no existing rule covers, the rule is written into `antifragile.md` at the moment of failure — and it names the check that now catches its class, or says why none can. Claude scans it before executing commands. Ask *"was the process flawed, or did good process meet bad luck?"* — and fix the process, not the instance.


> Every failure is a system upgrade waiting to happen.

20 THE HORIZON

Verticality is dying. Horizontality is born.

You won't out-type the machine — and you were never meant to. Your role isn't the **Inspector**, checking draft after draft, a bottleneck descending. It's the **Orchestrator** — a legal you, an accountant you, a research you, all acting on your behalf. The AIOS is the vehicle for that flip: context makes the copies *you*, intent makes them governed, rituals make them compound.





HOW DO YOU CONTAIN AUTONOMY? THE SAME LESSON, AT FOUR SCALES



Ungoverned autonomy outruns trust. Frontier labs contain the environment, then steer the *model*. The Fortress contains the environment, then governs with *intent*. Trustless agents contain autonomy with the one thing that can't be talked out of: math. **The arc only bends one way — toward proof.**

> Stop checking your AI drafts. Start proving your AI process.

21 THE WHOLE PICTURE

One page. The whole machine.

Trace one signal end to end — each piece points to the section that goes deeper.

You orchestrate sessions

from the AIOS App, AIOS Glass, or any terminal

see section 20

ORCHESTRATION FLOW

Hooks

Reflexes that fire on their own — the context floor, the real clock, provenance labels, any file → markdown.

see section 9

Commands

The daily rituals you run — /today, /close-day — that route the day back into context.

see section 6

session — close-the-deal

```
› reads your context · declared · observed · intent
you › draft the Acme proposal, in my voice
⚖ lawyer › redlining the NDA — 2 risks flagged
📊 accountant › margins check out · 41%
you › /close-session → routed to memory
you ›
```

A session — the live workspace where you + agents work

see section 3

Connectors

MCPs — the session's hands into your stack: your vault, Google, Slack, Jira.

see section 9

Templates

Starting shapes — every note, project, and agent is born from one, never a blank file.

see section 14

reads it · routes learnings back

spawns into the session

Context & Intent

see section 2

the ground every session reads — richer each time one closes

Declared	Context *you* write — identity, voice, business.
Observed	Context *Claude* writes — patterns, growth, blind spots.
Intent	The trust contract — what runs autonomously vs. asks.

Agents

The **who** in the session — a `.md` file defining a specialist (lawyer, accountant).

see section 8

pulls

Skills

The **how** — a `.md` of pure know-how an agent loads the instant it's needed.

see section 7

FROM AI CLARITY TO TRUE AUTONOMY

Not zero people.
Compounded people.

This isn't a productivity hack. It's compounding self-awareness — an operating system that actually remembers, and a team that gets better every session.

> "The colony reads your traces; the seeds read your soil; the agents read your context — and what grows there, grows because you were there."
>
> — The Ground · chuycepeda.com/manifesto

the-aios.com · github.com/The-AIOS/aios

© 2026 The AIOS