# The AS8 Organization Database Application

### Features

- Access data easily
- User friendly interface
- Customizable with-comment code
- Universally unique identifiers
- Backup data in excel sheets + Data Recovery Strategy
- Data analysis support
- 4 layered Security Measurements
- Responsive Web Application
- Data Entry Focused Application
- Bug Report
- Debug is always turned on
- Dark Theme Admin Site

#### Databases & Tables

#### **Authentication Database**

Group

User

**Core Database** 

**UserAdditionalInfo** 

Tag


Organization

**Initiative** 

Resource

Consumer

#### **Tables Dependency Chart**



# Tables Columns Relationships Plan.

Tag		
ld	UUID, PRIMARY KEY, NOT NULL	
Value	CHARFIELD(MAX_LENGTH = 100), UNIQUE, NOT NULL	

Value

**List Filter** 

	Organization
ld	UUID, PRIMARY KEY, NOT NULL
Name	CHARFIELD(MAX_LENGTH=100), UNIQUE, NOT NULL
Email	EMAIL_FIELD, UNIQUE, NULL
Site	URL_FIELD, NULL
Location	CHARFIELD(MAX_LENGTH=100), NOT NULL
IsClub	BOOLEAN_FIELD, NOT NULL
Institution	CHARFIELD(MAX_LENGTH=100), NULL
Popularity	SELECT_FIELD (HIGH   MID   LOW ), NOT NULL
IsActive	BOOLEAN_FIELD, NOT NULL
Tags	MANY-TO-MANY FIELD, NULL

Name, Location, Email, Site, Institution

**List Filter** 

Popularity, IsClub, isActive, Tags

	Initiative (/Event)
ld	UUID, PRIMARY KEY, NOT NULL
Name	CHARFIELD(MAX_LENGTH=100), UNIQUE, NOT NULL
Date	DATEFIELD, NULL
Site	URL_FIELD, NULL
Organization	FOREIGN KEY, NULL
Tags	MANY-TO-MANY RELATIONSHIP, NULL

Name, Link

**List Filter** 

Date, Organization, Tags

	Resource
ld	UUID, PRIMARY KEY, NOT NULL
Name	CHARFIELD(MAX_LENGTH=100), NOT NULL
Description	TEXT_FIELD, NOT NULL
Date	DATEFIELD, NULL
Link	URL_FIELD, NOT NULL
Organization	FOREIGN KEY, NULL
Initiative	MANY-TO-MANY RELATIONSHIP, NULL
CanDisplay	BOOLEAN FIELD, NOT NULL
Tags	MANY-TO-MANY RELATIONSHIP, NULL

Name, Description, Link

**List Filter** 

Date, Organization, Initiative, CanDisplay, Tags

	Consumer
ld	UUID, PRIMARY KEY, NOT NULL
Name	CHARFIELD(MAX_LENGTH = 100), NOT NULL
Email	EMAIL_FIELD, UNIQUE, NULL
Age	INTEGER_FIELD, NOT NULL
Location	CHARFIELD(MAX_LENGTH=100), NOT NULL
Profession	CHARFIELD(MAX_LENGTH = 100), NOT NULL
Institution	CHARFIELD(MAX_LENGTH = 100), NOT NULL
Social Link	URL_FIELD, NULL

Name, Email, Location, Profession, Institution, Social Link

**List Filter** 

Age

## Data Entry Rules

- Location
   Dhaka, Bangladesh
   Delhi, India
- Site / link
   Starts with https://
- Popularity

```
Low <8000
Mid <25000
High >25000
```

- Be Careful when deleting records
- Report Bugs when necessary
- Notify me anytime when face an error

# DATA ANALYSIS & VISUALIZATION Plan.

## Data Analysis Ideas

- Organization Location (Bar)
- Organization IsClub (Pie)
- Organization Popularity (Pie)
- Organization IsActive (Pie)
- Initiative's Organization (Bar)
- Resource's Organization(Hist)
- Consumer Age (Hist)
- Consumer Location (Bar)
- Consumer Profession (Bar)
- Consumer Institution (Bar)