

GrantWell Accessibility Conformance Report

WCAG Edition — Based on VPAT® Version 2.5

Name of Product/Version	GrantWell (web application), v1.4
Product Description	AI-assisted grant discovery and application-drafting tool for municipalities: grant (NOFO) browsing and search, requirements checklists, AI chat assistant, guided document editor, and an administrative dashboard.
Report Date	July 10, 2026 (remediation applied and re-verified same day; see Remediation Status)
Contact Information	Anjith Prakash, Burnes Center for Social Change / AI for Impact — chathankandy.a@ai4impact.ai
Evaluation Methods Used	(1) Static source-code review of the full frontend SPA (<code>lib/user-interface/app/src</code> , React 18 + Vite, ~137 source files) across five dimensions: document structure/semantics, forms and input assistance, keyboard operability and focus, non-text content/color/visual presentation (contrast ratios computed with the WCAG relative-luminance formula), and dynamic content/status messages/rich-widget ARIA — every finding cited to file and line. (2) Automated axe-core scan (WCAG 2.0/2.1/2.2 A+AA rulesets, via Playwright + headless Chromium at 1280×900) of the running application connected to the staging backend, covering 16 page states: landing, login, home (before/after grant selection), requirements checklist, chat playground (help dialog, empty, and live-streamed conversation), chat sessions, document-editor drafts and editor, and all four admin dashboard tabs. (3) A screen-reader-oriented pass using the browser accessibility tree (ARIA snapshots per page), programmatic keyboard tab-walks recording focus visibility (computed outline/box-shadow) per stop, and live-region observation during chat streaming. (4) An NVDA screen-reader pass (guidepup-automated NVDA on Windows 11 + Microsoft Edge, capturing NVDA's actual spoken output) covering all nine user-reachable pages: unauthenticated landing, sign-in (page read plus a full sign-in performed through NVDA), authenticated home (page read and keyboard tab-walk), requirements checklist, chat playground with a live assistant conversation, chat sessions, document editor (welcome modal, entry screen, and wizard step 1), drafts, and admin dashboard. Deep states were also NVDA-tested: the maintenance page (with the maintenance flag temporarily enabled in staging), the session delete-confirmation modal, wizard steps 2-3, the section-editor stepper, and the dashboard Grants tab.
Applicable Standards/Guidelines	WCAG 2.2, Level A (Table 1) and Level AA (Table 2)

Evaluator	Anjith Prakash (Burnes Center for Social Change / AI for Impact), with AI-assisted auditing and test automation performed by Anthropic's Claude Fable 5 (Claude Code)
------------------	---

Notes

- Testing coverage.** This report combines a full code audit, an axe-core scan (zero violations across all 16 tested page states), an accessibility-tree/keyboard pass, and an NVDA pass with captured speech output covering all nine user-reachable pages of the running application plus deep states.
- Scope:** the deployed web frontend, both the unauthenticated marketing/landing/login pages and the authenticated application (home, requirements checklist, chat, document editor, sessions, admin dashboard). Out of scope: PDF/DOCX exports generated via jsPDF/docx, email content sent by Cognito, and AWS-hosted backend services.
- Content-dependent caveat:** NOFO summaries and AI chat responses render author/AI-supplied markdown; conformance of that dynamic content (e.g., link text quality, language of parts) depends on the content itself.
- WCAG 2.2 removed Success Criterion 4.1.1 Parsing; it is intentionally absent from Table 1.
- One finding was also a functional product bug affecting all users equally: the toast-notification system (`NotificationProvider / NotificationBar`) was only mounted in the unused `layouts/BaseAppLayout.tsx`, so all chat and dashboard toast notifications were silently dropped. **Remediated 2026-07-10** — the providers are now mounted at the app root and the fix was verified live.
- Remediation status:** every item in the Remediation Priorities list below was applied to the source tree on July 10, 2026 and re-verified against a local build (9/9 automated checks passed: keyboard grant selection end-to-end, notification announcement, focus visibility, input-border contrast, login title, and clean axe re-scans of home and dashboard). **The fixes are not yet deployed** — the deployed environments continue to reflect the pre-remediation findings until the frontend is rebuilt and released.

Automated and Live Testing Results

Conducted July 10, 2026 against a local build (`vite dev`) connected to the staging backend (grantwell.us environment), using a temporary admin/developer test account (created for the scan, deleted afterward). axe-core with the `wcag2a`, `wcag2aa`, `wcag21a`, `wcag21aa`, `wcag22aa` rule tags.

axe-core: 0 violations in all 16 tested page states — landing, login, home (empty and with a grant selected), requirements checklist, chat playground (auto-opened help dialog, empty session, and a live conversation with a streamed AI reply), chat sessions, document-editor drafts, document editor, and the four admin dashboard tabs (Grants, Processing Review, User Management, Feature Rollouts). 42 "incomplete" color-contrast items on the home hero (axe could not compute backgrounds behind decorative pseudo-elements) were manually verified as passing (dark #282828-family text on light backgrounds, > 7:1).

Live confirmations of code-review findings:

- Grant rows unreachable by keyboard (2.1.1 blocker)** — a full tab-walk of the home page goes from the sort-header buttons directly to pagination; no grant row ever receives focus.
- Notifications never appear (4.1.3)** — clicking the dashboard's Refresh button (whose code calls `addNotification("success", "Dashboard refreshed successfully")`) produced zero `role="alert" / role="status"` elements and zero toast DOM nodes.
- Send/Stop focus invisible (2.4.7)** — with keyboard focus on the chat Send button (and on Stop during streaming), computed styles show `outline: none` and no box-shadow.
- Working as intended: sign-in flow fully keyboard operable; help-dialog focus trap cycles correctly and releases on close; skip links and landmark structure exposed as designed; chat streaming announces via `role="status"` ("Assistant is replying") and a `role="log"` message stream with per-message `<article>` elements and sr-only "You said:"/"Assistant replied:" prefixes; sources disclosure and Stop button appear/disappear correctly around the stream.

NVDA pass (NVDA + Microsoft Edge on Windows 11, automation via Guidepup with captured speech; July 10, 2026). All nine user-reachable pages were read with NVDA. What NVDA actually announced:

- Sign-in page:* form landmark and "Sign in" region; "Email address — edit, required"; "Password — edit, protected, required"; "Show password — check box, not checked"; sign-in/sign-up mode announced as "Authentication mode, grouping, toggle button, pressed"; all buttons named. Credentials could be pasted (no paste blocking) and sign-in was completed entirely through NVDA — supporting 3.3.2, 3.3.8, and 1.3.1 for the auth flow.

- *Landing page*: correct heading outline (level 1 wordmark, level 2 feature sections), labelled navigation/complementary/content-info landmarks, "Skip to main content" link, "(opens in new tab)" announced on partner links.
- *Authenticated home*: h1 announced; the authoring-provided screen-reader orientation note is read; search box announced with label and hint; filter combo boxes announced with labels and values; the div-based grid announced as "table, with 11 rows and 5 columns, Grants" with header-row sort buttons — the ARIA table semantics work in a real screen reader.
- *Home tab-walk*: focus went search → filters → sort buttons → pagination → "Go to Admin Dashboard"; **NVDA never landed on a grant row**, re-confirming the 2.1.1 blocker with real AT.
- *Requirements checklist*: "Requirements navigation" sidebar landmark, h1 "Application Requirements for [NOFO name]", Help button, tabs announced as "tab, selected, ELIGIBILITY".
- *Chat playground (live conversation)*: h1 with the NOFO name; "Grant Well assistant chat, region, list"; the assistant's message read with its sr-only "Assistant replied:" prefix; "Copy message to clipboard" button; "Message the Grant Well assistant" input announced as "edit, multi line"; voice input announced as "toggle button, not pressed, Start voice input".
- *Chat sessions*: sidebar navigation buttons, breadcrumb with "current page, Sessions" (`aria-current`), h1, disabled Delete announced as "unavailable", sessions grid announced as a table.
- *Document editor*: welcome modal content readable (heading levels, step list, "GET STARTED"); wizard step 1 announces the ProgressStepper correctly — "button, current step, Step 1: Project Basics (current)" with future steps "unavailable" (`aria-current="step"` and disabled states verified in real AT).
- *Drafts*: breadcrumb "list, with 2 items ... current page, Drafts", h1, "Create new draft" button.
- *Admin dashboard*: h1 "Admin Dashboard", "Grants tab selected" (tab semantics), and a refreshing control announced as "button, unavailable, busy, Refresh dashboard" (`aria-busy` voiced).

Limitations: the staging Processing Review queue was empty ("No NOFOs pending review"), so the quality-score contrast failures (1.4.3) could not be exercised live — the computed ratios from CSS stand as evidence. The maintenance page renders only during maintenance mode and was reviewed in code only. Delete-confirmation and document-upload dialogs, wizard steps 2-5, and the dashboard's non-default tabs were evaluated in code and via the axe/accessibility-tree pass, but not read with NVDA.

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- **Not Applicable**: The criterion is not relevant to the product.

Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content	Supports	Every <code></code> carries an <code>alt</code> attribute; decorative images use <code>alt=""</code> and inline SVGs are <code>aria-hidden="true"</code> . A scan of all 196 <code><button></code> instances found zero icon-only buttons lacking an accessible name; icon buttons consistently pair <code>aria-hidden</code> icons with <code>aria-label</code> (e.g., <code>ChatMessage.tsx:496</code> , <code>ChatInputPanel.tsx:617-641</code>). Spinners expose <code>role="status"</code> + labels (<code>LoadingSpinner.tsx:76-106</code>).
1.2.1 Audio-only and Video-only (Prerecorded)	Not Applicable	No audio or video content exists in the product (verified: no <code><audio></code> , <code><video></code> , <code>autoplay</code> , or <code>Audio()</code> usage). Microphone input for chat produces no audio output.
1.2.2 Captions (Prerecorded)	Not Applicable	No prerecorded media.

Criteria	Conformance Level	Remarks and Explanations
1.2.3 Audio Description or Media Alternative (Prerecorded)	Not Applicable	No prerecorded media.
1.3.1 Info and Relationships	Supports	Most relationships are programmatic: real <code><table></code> with <code><th scope="col"></code> (<code>UserManagementTab.tsx:280-287</code>), complete ARIA grid roles with <code>aria-sort</code> on div-based tables, <code>fieldset / legend</code> on radio groups, <code>label htmlFor</code> throughout. Remediated 2026-07-10: grant rows are now focusable and keyboard-operable with their selection semantics exposed. Remaining minor advisories (not conformance failures): <code>SessionsPage</code> breadcrumbs are plain divs unlike the <code>/</code> breadcrumbs elsewhere (<code>SessionsPage.tsx:83-95</code>); sidebar section titles are styled divs, not headings (<code>UnifiedNavigation.tsx</code>).
1.3.2 Meaningful Sequence	Supports	DOM order matches visual order; the only <code>row-reverse / order</code> uses are cosmetic (avatar position in <code>ChatMessage.tsx:45-46</code> , a nav block at one breakpoint) and preserve meaningful reading order.
1.3.3 Sensory Characteristics	Supports	Positional wording is always paired with the control's name (e.g., "the 'Chat with AI' button in the navigation panel", <code>ChecklistPage.tsx:258-262</code>); <code>HomePage.tsx:299-307</code> adds a visually-hidden screen-reader orientation note.
1.4.1 Use of Color	Supports	Diff views pair color with "+/-" glyphs, hidden "Added:/Removed:" text and strikethrough (<code>SummaryDiff.tsx:66-79</code>); statuses use icon + text; required fields use asterisk + <code>aria-required</code> . Minor: dashboard metric thresholds (high/medium/low) are conveyed by color only, though the numeric value itself is shown (<code>ProcessingMetrics.tsx:36-56</code>).
1.4.2 Audio Control	Not Applicable	No auto-playing audio.
2.1.1 Keyboard	Supports	Navigation, menus (arrow-key support), tabs (roving tabindex), tables, modals, and both upload dropzones are keyboard operable. Remediated 2026-07-10: grant rows now take keyboard focus and activate on Enter/Space with a visible focus style (verified live: Tab reaches a row, Enter selects the grant and reveals the action buttons); the <code>DocumentManager</code> upload target now opens the file picker on Enter/Space. Remaining minor advisory: the dashboard filter menu lacks Escape/arrow-key handling but is fully operable via Tab (<code>DashboardPage.tsx</code>).
2.1.2 No Keyboard Trap	Supports	The shared modal traps Tab but always releases on Escape (<code>Modal.tsx:20-29</code> , <code>86-124</code> ; <code>hooks/use-focus-trap.ts:64-102</code>); nested confirm dialogs handle their own Escape; the section editor and chat input are native textareas that Tab exits normally.
2.1.4 Character Key Shortcuts	Not Applicable	No single-character shortcuts exist; all key handling uses Enter, Escape, Tab, arrows, Home, End, Space (verified by grep of every <code>e.key ===</code>).
2.2.1 Timing Adjustable	Supports	No session/idle timeout exists in the SPA; toasts either never auto-dismiss or pause on hover and focus with a manual dismiss (<code>DocumentManager.tsx:745-759</code>). Remediated 2026-07-10: the app-imposed 30-second voice-input cutoff is removed — recording continues until the user stops it with the same clearly-indicated toggle (<code>aria-pressed</code> , state-aware label), so no app time limit applies. The 60-second chat response timeout remains as a real-time network safeguard (essential exception) and its expiry is now announced.
2.2.2 Pause, Stop, Hide	Supports	Chat streaming has a labelled Stop control (<code>ChatInputPanel.tsx:725-733</code>); a global <code>prefers-reduced-motion</code> kill-switch disables animations (<code>app.scss:29-39</code>); no carousels/marquees. Remediated 2026-07-10: search-tip rotation now pauses on hover/focus, respects <code>prefers-reduced-motion</code> , and no longer re-announces via <code>role="status"</code> ; the dashboard's 10-second auto-refresh during NOFO processing now has a "Pause auto-refresh"/"Resume auto-refresh" toggle (<code>aria-pressed</code>) next to the Refresh button (verified live while a NOFO was processing).
2.3.1 Three Flashes or Below Threshold	Supports	No flashing or blinking content exists (verified by code/CSS scan); the only infinite animations are loading spinners.

Criteria	Conformance Level	Remarks and Explanations
2.4.1 Bypass Blocks	Supports	"Skip to main content" links in both the public and authenticated navbars (<code>chrome.tsx:101-107</code> , <code>183-189</code>), properly hidden until focused, targeting <code>main#main-content</code> with <code>tabIndex={-1}</code> (<code>App.tsx:96</code>). Full landmark set: labelled <code><nav></code> , <code><main></code> , <code><footer></code> , <code><aside></code> . Minor: page sidebars render inside <code><main></code> , nesting nav landmarks non-ideally.
2.4.2 Page Titled	Supports	Static descriptive title in <code>index.html:28</code> ; per-route <code>document.title</code> for all authenticated routes including dynamic ones (<code>App.tsx:31-61</code>). Minor: <code>/login</code> does not receive a distinct title (falls back to the static title).
2.4.3 Focus Order	Supports	Modals save and restore invoker focus and focus the first control on open (<code>Modal.tsx:59-83</code>); SPA route changes move focus to <code><main></code> (<code>App.tsx:24-28</code>); menus focus their first item on open; the auth panel moves focus to headings/alerts on step changes (<code>AuthPanel.tsx:511-544</code>). Minor: dropdown menus restore focus on Escape but drop it to <code><body></code> after item activation or outside-click close (<code>GrantActionsDropdown.tsx:39-58</code> , <code>RowActions.tsx:20-39</code>).
2.4.4 Link Purpose (In Context)	Supports	No "click here"-style links anywhere (verified). Links use content titles or contextual <code>aria-label</code> s (<code>HistoryPanel.tsx:34</code> , <code>ResourcesPanel.tsx:18-26</code> , session titles in <code>SessionList.tsx:318-346</code>). Content-dependent caveat: the markdown renderer passes through whatever link text AI-extracted NOFO summaries contain (<code>ChecklistPage.tsx:241-247</code>).
2.5.1 Pointer Gestures	Not Applicable	No multipoint or path-based gestures; no touch/pointer-move handlers exist (verified). Drag-and-drop upload zones have click alternatives (see 2.5.7).
2.5.2 Pointer Cancellation	Supports	All activation uses standard <code>onClick</code> (up event); no down-event activation handlers. Outside- <code>mousedown</code> is used only to dismiss menus (abort, permitted).
2.5.3 Label in Name	Supports	Icon-only buttons have clean <code>aria-label</code> s and extended labels usually start with the visible text. Remediated 2026-07-10: all three mismatches fixed — the accessible names of the delete-confirmation button, drafts filter toggle, and grants show-more control now begin with their visible text.
2.5.4 Motion Actuation	Not Applicable	No device-motion or user-motion input (verified: no <code>devicemotion/deviceorientation</code> usage).
3.1.1 Language of Page	Supports	<code><html lang="en"></code> (<code>index.html:2</code>).
3.2.1 On Focus	Supports	Focus handlers only apply styling or pause a toast timer; none trigger a context change.
3.2.2 On Input	Supports	No select auto-navigates; filters and page-size selects update in place. Debounced AI search updates results in place with a status region — not a context change; Enter triggers explicitly (<code>IntegratedSearchBar.tsx:89-139</code>).
3.2.6 Consistent Help	Supports	Where help is offered (chat playground, requirements checklist) it is a Help button in the same top-right header position opening a dialog (<code>PlaygroundPage.tsx:136-144</code> , <code>ChecklistPage.tsx:198-200</code>), auto-opened on first visit. Informative note: no app-wide help/contact mechanism exists on Home/Dashboard/Editor pages (not a violation — the criterion requires consistency only where help is provided).
3.3.1 Error Identification	Supports	Errors are identified in text and generally announced: form error summary with <code>role="alert"</code> , auto-focus, and per-field links (<code>FormErrorSummary.tsx:133-161</code>); per-field <code>aria-invalid</code> + <code>aria-describedby</code> + <code>role="alert"</code> in the document editor and dashboard (<code>ProjectBasics.tsx:133-175</code> , <code>ReviewExpandedRow.tsx:413-435</code>). Minor advisories: auth-step errors appear only in a global live-region alert without <code>aria-invalid</code> / <code>aria-describedby</code> on the failing input; the feedback form error is not linked to its textarea.
3.3.2 Labels or Instructions	Supports	No placeholder-only fields anywhere; every input/select/textarea has a programmatic label (visible <code>htmlFor</code> pairs, sr-only labels where design hides them, per-row contextual labels in admin tables). Instructions provided where needed: live password-requirements checklist linked via <code>aria-describedby</code> (<code>SignUpStep.tsx:75</code>), upload format/size limits, required-field legend.

Criteria	Conformance Level	Remarks and Explanations
3.3.7 Redundant Entry	Supports	Auth flow carries the email across sign-in → forgot/reset → verify steps without re-asking (AuthPanel.tsx:38, 204, 235-239, 298); the document-editor wizard repopulates previously entered data from the backend draft or localStorage on every revisit and reuses it for draft generation (ProjectBasics.tsx:244-288, UploadDocuments.tsx:302-308).
4.1.2 Name, Role, Value	Supports	Strong overall: correct WAI-ARIA tabs (three implementations), menus with aria-haspopup/expanded and focus management, dialogs with role="dialog" / aria-modal / aria-labelledby, aria-sort, aria-current, aria-busy, aria-pressed toggles, 202 aria-labels codebase-wide. Remediated 2026-07-10: grant rows are focusable with keyboard activation; section-sidebar buttons expose completed/failed/generating status in their accessible names and aria-current on the active section; the DocumentManager dialog carries aria-labelledby on the role="dialog" element; chat source lists use unique useId() -based IDs with valid group/list/listitem structure. Remaining minor advisory: backgrounds get aria-hidden while help dialogs are open but are not made inert (ChecklistPage.tsx); focus is trapped inside the dialog, mitigating impact.

Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live)	Not Applicable	No live media.
1.2.5 Audio Description (Prerecorded)	Not Applicable	No prerecorded media.
1.3.4 Orientation	Supports	Responsive layouts throughout; no orientation locks or orientation-dependent functionality (verified: no orientation media queries or Screen Orientation API usage).
1.3.5 Identify Input Purpose	Supports	Correct autocomplete tokens throughout: email, current-password / new-password, one-time-code (+ inputMode="numeric") in auth (SignInStep.tsx:43,60, ResetPasswordStep.tsx:47-48); organization, address-level2, postal-code, name, email in the project-basics form (ProjectBasics.tsx:463-537).
1.4.3 Contrast (Minimum)	Supports	Core palette passes: body #333 on white = 12.63:1, secondary #5a5a5a = 6.90:1, primary #23776C text/buttons = 5.35:1, placeholders globally forced to #757575 = 4.61:1 (app.scss:198-227). Remediated 2026-07-10: all failing pairs replaced with compliant colors — quality-score amber now #B45309 (4.52:1), the success token is now #047857 (5.48:1, fixing quality scores, diff-added, "Done", "Saved", and the "New" badge), the muted-text token is now #6b7280 (4.83:1), .warning-text now uses the palette danger #CD0D0D (5.74:1), password-met text #047857, archived rows #6b7280.
1.4.4 Resize Text	Supports	Full-page zoom to 200% works — flex/percentage layouts with breakpoints and no fixed-height text containers that clip. Note: font sizes are ~98% px-based, so browser text-size-only scaling is limited (zoom is the supported mechanism).
1.4.5 Images of Text	Supports	The only text-as-image instances are logotypes (GrantWell wordmark, partner logos), which are exempt.
1.4.10 Reflow	Supports	Media queries down to ≤320px in nearly every stylesheet; no min-width on page containers; wide data tables use permitted overflow-x: auto. Minor: the feedback info popover's min-width: 320px overflows a 320px viewport when open (landing-page.css:639-649).
1.4.11 Non-text Contrast	Supports	Focus indicators are strong: global 2-3px #23776C outlines = 5.35:1 with a dark-background variant (utilities.css:52-68). Remediated 2026-07-10: input borders now #767676 (4.54:1) in both the shared inputStyles and the auth panel (verified live: computed border rgb(118,118,118)); ProgressStepper inactive circles/connectors now #6b7280 (4.83:1).

Criteria	Conformance Level	Remarks and Explanations
1.4.12 Text Spacing	Supports	No fixed-height/ overflow: hidden multi-line text containers; white-space: nowrap is confined to sr-only utilities, single-line cells/badges, and buttons; truncation uses ellipsis.
1.4.13 Content on Hover or Focus	Supports	The click-toggled feedback popover has a labelled close button and restores focus (exemplary, FeedbackForm.tsx:160-195). Remediated 2026-07-10: the ProgressStepper tooltip is now dismissible with Escape in addition to being hoverable and persistent. Native title tooltips are user-agent controlled (exempt).
2.4.5 Multiple Ways	Supports	Six routes to content: persistent top nav, sidebar navigation, home search (including AI search with labelled input and help text), filterable/sortable grants table, Recently Viewed panel, and breadcrumbs on interior pages.
2.4.6 Headings and Labels	Supports	Exactly one descriptive <h1> per view with logical h2/h3 flow; labels are descriptive throughout. Minor: markdown headings in chat replies are demoted (h1 → h3), which can skip levels; loading/error views start at <h2> with no h1 present.
2.4.7 Focus Visible	Supports	Strong global focus styling: 3px outlines on interactive elements (app.scss:41-59), ~40 component-specific :focus-visible rules, and every CSS outline: none verified to have a visible replacement. Remediated 2026-07-10: the inline outline: "none" on the chat Send and Stop buttons is removed; the global 3px :focus-visible outline now applies (verified live via keyboard tab).
2.4.11 Focus Not Obscured (Minimum)	Supports	Sticky elements reviewed (table headers, side navigation, edge feedback tab) cannot fully hide a focused element; no fixed full-width overlays over scrolling content.
2.5.7 Dragging Movements	Supports	Both drag-and-drop upload zones offer single-pointer click alternatives (DocumentManager.tsx:825-850 , UploadDocuments.tsx:586-630); no other draggable interactions exist.
2.5.8 Target Size (Minimum)	Supports	63 CSS declarations enforce 44px minimum targets; chat controls are ≥44px, copy/toggle buttons ≥32px. Remediated 2026-07-10: checkboxes enlarged to 20px (their surrounding spacing satisfies the 24px-spacing exception); the shared modal close button now has a 44px minimum target; session-list sort headers received padding.
3.1.2 Language of Parts	Not Applicable	All UI text is English; no passages in other languages ship. (If non-English NOFO content is ever ingested, the markdown renderer would need lang handling.)
3.2.3 Consistent Navigation	Supports	Global chrome (header, navbar, footer) rendered once for every authenticated route in the same order (AppConfigured.tsx:207-220); the sidebar is a single shared component with fixed item order on all tool pages.
3.2.4 Consistent Identification	Supports	Consistent icon+label pairs (trash=delete, download, X=close), skip links, pagination, and modal-close labeling across pages. Minor: the identical sidebar is aria-label ed three different ways across pages ("Application navigation" / "Requirements navigation" / "Document editor navigation").
3.3.3 Error Suggestion	Supports	Specific corrective messages throughout: field-level format/range suggestions (ProjectBasics.tsx:302-346), Cognito errors mapped to actionable text (auth-utils.ts:160-208), per-file upload rejection reasons with limits (UploadDocuments.tsx:44-60).
3.3.4 Error Prevention (Legal, Financial, Data)	Supports	Every destructive action is confirmed: shared delete-confirmation modal naming the items with a "cannot be undone" warning; user deletion names the account; NOFO rejection requires typed justification plus a second confirmation echoing the reason (ReviewExpandedRow.tsx:407-486). Wizard data is auto-saved and reviewable/editable before submission.
3.3.8 Accessible Authentication (Minimum)	Supports	No CAPTCHA or cognitive test in any auth flow; paste is never blocked (zero onPaste handlers); password managers and OS code autofill fully supported via current-password / new-password / one-time-code tokens; show-password toggles on every password field.

Criteria	Conformance Level	Remarks and Explanations
4.1.3 Status Messages	Supports	Extensive working live regions: chat streaming announced via <code>role="log"</code> (<code>Chat.tsx:278</code>) plus an sr-only status region; autosave indicator, upload progress, search-result counts, tab-change announcements, generation progress, and error banners all use <code>role="status"</code> / <code>role="alert"</code> appropriately. Remediated 2026-07-10: <code>NotificationProvider</code> , <code>NotificationBar</code> , and <code>AccessDeniedProvider</code> are now mounted at the app root (verified live: the dashboard Refresh success toast renders and is announced); errors/warnings announce via <code>role="alert"</code> and info/success politely via <code>role="status"</code> ; section-save feedback now uses React state plus a visually-hidden live region; the session-list, processing-review, and review-detail loading states carry <code>role="status"</code> and the checklist error state <code>role="alert"</code> ; the 60-second chat timeout message now renders in the message history.

Summary of Results

Post-remediation (source tree of July 10, 2026; pre-remediation counts in parentheses):

Conformance Level	Level A (31 criteria)	Level AA (24 criteria)
Supports	24	21
Partially Supports	0	0
Does Not Support	0	0
Not Applicable	7	3

After remediation, every applicable Level A and AA criterion is rated **Supports** (some with minor advisories noted in the remarks).

Remediation Priorities — Status

All items below — plus the two follow-up timing fixes (2.2.1 voice-input limit removed; 2.2.2 dashboard auto-refresh pause toggle) — were **applied on July 10, 2026** and verified against a local build (see Note 6). Ordered by user impact; file references are the primary fix sites.

1. **FIXED** — **Grant selection is mouse-only** (2.1.1, 4.1.2, 1.3.1 — blocker). Make the grant rows focusable and activatable (`tabIndex={0}` , Enter/Space handling, interactive role) or make the grant-name cell a real button/link, matching the pattern already used in `DocumentManager.tsx:1019` — `pages/home/GrantsTable.tsx:464-476` .
2. **FIXED** — **Mount the notification system at the app root** (4.1.3 — blocker; also a functional bug for all users). Move `NotificationProvider` , `NotificationBar` , and `AccessDeniedProvider` from the unused `BaseAppLayout` into `App.tsx` / `AppConfigured.tsx` .
3. **FIXED** — **Fix failing text colors** (1.4.3 — blocker/major). Replace `#F6B622` (1.81:1), `#24A850` (3.09:1), `#9ca3af` (2.54:1), and `#e74c3c` (3.82:1) where used as text with the compliant equivalents already in the palette (`#047857`, `#1b5d54`, `#5a5a5a`).
4. **FIXED** — **Restore visible focus on chat Send/Stop** (2.4.7 — major). Remove the inline `outline: "none"` — `components/chat/ChatInputPanel.tsx:114, 134` .
5. **FIXED** — **Make the DocumentManager upload keyboard-activatable** (2.1.1 — major). Add Enter/Space handling on the focusable label or use the visually-hidden-input pattern from `UploadDocuments.tsx:586-630` — `components/chat/DocumentManager.tsx:834` .
6. **FIXED** — **Darken input borders** (1.4.11 — major). Raise field-border tokens from `#e2e8f0/#d7dee8` to $\geq 3:1$ against white (e.g., `#949494` or the existing `#23776C` family) — `components/ui/styles.ts:42` , `styles/auth-panel.css:64-81` .
7. **FIXED** — **Align accessible names with visible text** (2.5.3 — major). Ensure `aria-label` contains the visible string on the shared delete-confirm button, drafts filter toggle, and grants show-more control — `DeleteConfirmationModal.tsx:67-72` , `DocEditorSessions.tsx:258-265` , `GrantsTable.tsx:549-560` .
8. **FIXED** — **Announce section-save results via a live region** (4.1.3 — major). Replace the `innerText` mutation with the existing `AutoSaveIndicator` pattern — `pages/document-editor/SectionsEditor.tsx:309-326` .

9.  **FIXED** — Smaller items: `aria-current` + status exposure in `SectionsSidebar.tsx:77-89`; `role="status" / role="alert"` on `session-list/review/checklist` loading and error states; de-duplicate `id="source-list"` and fix nested `listitems` in `ChatMessage.tsx:352-454`; pause control for rotating search tips (`IntegratedSearchBar.tsx:145-175`); distinct `/login` page title; 24px targets for checkboxes and the modal close button.
-

"Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI). This report uses the VPAT WCAG edition structure; verify current template language at <https://www.itic.org/policy/accessibility/vpat> before external publication.