

Introduction

The Clowder Project Authors

July 22, 2025

01WK This chapter contains some general information about the Clowder Project.

Contents

1.1 Introduction	2
1.1.1 Project Description and Goals.....	2
1.1.2 Navigating the Clowder Project.....	3
1.1.3 Prerequisites/Assumed Background.....	4
1.1.4 Community Engagement, Contributions and Collaboration .	5
1.1.5 Frequently Asked Questions	6
1.1.6 Goodies	7
1.2 Project Overview.....	9
1.2.1 Content and Scope	9
1.2.2 Style	10
1.2.3 Infrastructure and Technical Implementation.....	11
1.3 Lists.....	13
1.3.1 List of Omitted Proofs.....	13
1.3.2 List of Missing Examples	18
1.3.3 List of Questions.....	19
1.3.4 List of Gaps in the Category Theory Literature	21
A Other Chapters.....	26

01WL 1.1 Introduction

01WM 1.1.1 Project Description and Goals

In short, the Clowder Project is an online reference work and wiki for category theory and mathematics that aims to essentially become a Stacks Project for category theory.

The project arose from a desire to improve upon a number of issues with the existing category theory literature, as well as fill several gaps in it.

In this section, we list and discuss the goals of the Clowder Project.

01WN 1.1.1.1 Provide a Unified and Complete Reference for Category Theory

The category theory literature is at times rather fragmented, and often it takes a long while for book-long treatments on a given subject to appear.

For example, although the theory of bicategories dates back to the late 1960s, it was not until 2020 that the subject would receive its first textbook in the topic, namely [JY21].

The Clowder Project aims to bridge this gap, providing a complete overview of the foundational material on category theory (see also [Section 1.2.1](#)).

01WP 1.1.1.2 Gather Hard to Find Results

As an extension of the previous goal, the Clowder Project also aims to gather in a single place results that are hard to find in the literature. These tend to be recorded only on original sources, which often means papers, notes or theses from the 1970s.

Since the Clowder Project is organized as a wiki, it becomes rather easy to search and find such results, as one merely needs to go to the page for a given concept and then look at the properties listed there.

01WQ 1.1.1.3 Elaborate on Details That Are Often Left Out

Another goal of the Clowder Project is to include all kinds of details and intuitions that often don't make their way into textbooks, papers, monographs, etc.

For instance, one sometimes finds claims that a given diagram commutes and that it is “easy” to fill in the details. This also tends to happen particularly

when the details are rather unwieldy.

One of the goals of the Clowder Project is to provide such proofs in great detail, including discussions of technical results, even when these are indeed “obvious”.

01WR 1.1.1.4 Homogenize Conventions, Notation, and Terminology

Another issue with practice in the field is that there are often a number of conflicting conventions, notations, and terminology.

Being organized as a comprehensive and encyclopedic wiki, the Clowder Project tries to homogenize these conventions, notations, and terminology.

01WS 1.1.1.5 Fill Gaps in the Category Theory Literature

There are quite a few significant gaps in the category theory literature, some of which we hope to fill with the Clowder Project. For a list of (some of) these gaps, see [Section 1.3.4](#).

01WT 1.1.1.6 Provide a Citable Reference for All Kinds of Results

It is a common situation to require a well-known result for a paper. Although proving it might be straightforward, it is often more convenient to cite a reference instead. Finding such a reference, however, may be hard and/or time-consuming.

With its encyclopedic nature, the Clowder Project hopes to serve as that convenient reference.

01WU 1.1.2 Navigating the Clowder Project

Hopefully, it should be intuitive to navigate through the web version of project. Nevertheless, here we mention a couple things that might be useful to know.

01WV 1.1.2.1 Preferences

You can change the font of the site, the style of the PDFs, as well as turn on dark mode by clicking the gear button located at the top right corner of the page.

01WW 1.1.2.2 Large Diagrams and the Zoom in Feature

This work features many diagrams that are unfortunately a bit too large to be comfortably legible in their native size.

To compensate for this, it's possible to click on them to expand their size by 200%.

In addition, you may also right-click on diagrams and then select “Open image in new tab” to allow for even higher amounts of zoom.

01WX 1.1.2.3 PDF Styles

The PDFs for each chapter as well as for the whole book are generated using twelve different styles, as summarised in the following table:

Typeface	Theorem Environments
Alegreya Sans	<code>tcbthm</code>
Alegreya	<code>tcbthm</code>
EB Garamond	<code>tcbthm</code>
Crimson Pro	<code>tcbthm</code>
XCharter	<code>tcbthm</code>
Computer Modern	<code>tcbthm</code>
Alegreya Sans	<code>amsthm</code>
Alegreya	<code>amsthm</code>
EB Garamond	<code>amsthm</code>
Crimson Pro	<code>amsthm</code>
XCharter	<code>amsthm</code>
Computer Modern	<code>amsthm</code>

The default style uses Alegreya Sans and `tcbthm`.

01WY 1.1.3 Prerequisites/Assumed Background

The Clowder Project assumes at least a background on basic category theory corresponding to e.g. [Rie16], as well as some comfort in working with category-theoretic notions.

In particular, it should be viewed as a reference work/wiki, and *not* as a

textbook. This, however, doesn't mean it shouldn't be pedagogical. Indeed, a number of stylistic choices are made aiming to make the material as easily digestible as possible.

For an outline of several introductory references for different topics in category theory, see [A Guide to the Literature](#).

01WZ 1.1.4 Community Engagement, Contributions and Collaboration

All kinds of feedback and contributions to the Clowder Project are extremely welcome: pointing out typos, errors, historical remarks, references, layout of webpages, spelling errors, improvements to the overall structure, missing lemmas, etc.

The Clowder Project has an [official Discord server](#) in which people can ask questions, carry out discussions and give feedback. Please join it if you'd like to contribute to the Clowder Project. Alternatively, you may also reach out to the project maintainer at emily.de.oliveira.santos.tmf@gmail.com.

02CB 1.1.4.1 How to Contribute

There's a number of ways to contribute to the Clowder Project, some of which will be detailed a bit below. However, please keep in mind that they are not just examples, and are most definitely not meant to be exhaustive.

If there's another way in which you'd like to contribute, by all means feel free to drop by the project's Discord (or, alternatively, reach out to the project maintainer).

01X0 1.1.4.2 Ways to Contribute: Missing Proofs

There is a large number of missing proofs in the project, ranging from trivial proofs to simple lemmas to more involved results.

Missing proofs are listed in [Section 1.3.1](#).

Note: The following chapters are undergoing revision. If you're interested in contributing, please disregard them for now:

- [Relations](#)
- [Constructions With Relations](#)

- [Conditions on Relations](#)
- [Categories](#)
- [Constructions With Monoidal Categories](#)
- [Types of Morphisms in Bicategories](#)

01X1 1.1.4.3 Ways to Contribute: Missing Examples

New examples to the Clowder Project are always welcome. These could be examples illustrating a new concept, examples showing why certain conditions are necessary in a given proof, counterexamples to be aware of, etc.

Some examples which would be particularly nice to have in Clowder are listed in [Section 1.3.2](#). Please do keep in mind however that ***all examples are welcome***, even if they fall outside the examples listed in [Section 1.3.2](#).

01X2 1.1.4.4 Ways to Contribute: Questions

A number of questions appear throughout the Clowder Project; tackling these would be an amazing way to contribute to the project.

The questions appearing throughout the Clowder Project are listed in [Section 1.3.3](#).

02CC 1.1.5 Frequently Asked Questions

02CD 1.1.5.1 How does Clowder differ from the nLab?

Clowder is meant to be much more comprehensive than the nLab, which includes even filling a number of gaps in the category theory literature. Additionally, it also has a different set of goals and stylistic choices. For a more in-depth explanation, see [Section 1.1.1](#).

02CE 1.1.5.2 Why not just use the nLab instead?

There are a number of reasons why Clowder was built as a separate project, instead of e.g. just editing the nLab:

1. *Curation*. All content on Clowder is personally curated by the project maintainer. This ensures an even quality to everything in the project.

- 02CG 2. *Cohesion.* As a consequence of [Item 1](#), the Clowder Project ends up being much more cohesive than the nLab, having a clear and coherent organization, consistent notation and conventions, as well as a consistent style.
- 02CH 3. *Referenceability.* Clowder employs Gerby's Tag system, meaning that every citable statement in Clowder (e.g. definitions, examples, constructions, propositions, remarks, even individual items in lists, etc.) carries a corresponding tag.

This makes the project easy to cite and reference, since although the numbering of e.g. a given definition may change, its associated tag will forever be the same. See also [Clowder — The Tag System](#).
- 02CJ 4. *Crowdsourcing and Crowdfunding.* Clowder is meant to be a crowd-funded project in which the community can help directly finance its development. As a result, the project has a dedicated project maintainer whose role is to continuously take care of the project, coordinating contributions, developing infrastructure, and expanding the content of the project.
- 02CK 5. *Infrastructure.* The Clowder Project makes use of several very specific features which simply wouldn't be possible to implement in the nLab. This includes:
 - 02CL (a) An elaborate [fork](#) of [gerby-website](#), implementing a variety of new features and quality-of-life additions.
 - 02CM (b) Another elaborate [fork](#), this time of [Gerby](#) (which is itself a fork of [plasTeX](#)), implement a number of similarly needed features for the website to work as intended.

See [Section 1.2.3.2](#) for a (slightly) more in-depth description of the features and additions that have been created specifically for Clowder.

01X3 1.1.6 Goodies

In this section we list a few sample nice results and things from the Clowder Project.

01X4 1.1.6.1 General Utility

- **Notes, Section 15.1** contains several `tikz-cd` snippets producing somewhat-hard-to-draw diagrams. Examples include cube, pentagon, and hexagon diagrams, as well as e.g. co/product diagrams with perfectly circular arrows.

01X5 1.1.6.2 Set Theory Through a Categorical Lens

Sets:

- **Constructions With Sets, Section 4.4.7** contains a discussion of internal Homs in powersets viewed as categories.
- More generally, **Constructions With Sets, Section 4.4** discusses several properties of powersets that are analogous to those of presheaf categories.
- **Constructions With Sets, ??** discusses the adjoint triple $f_* \dashv f^{-1} \dashv f!$ between $\mathcal{P}(X)$ and $\mathcal{P}(Y)$ induced by a function $f: X \rightarrow Y$.
- **Constructions With Sets, Section 4.6.4** constructs a kind of “six functor formalism for (power)sets”.
- **Monoidal Structures on the Category of Sets** contains explicit proofs that product/coproduct of sets form a monoidal structure.
- **Monoidal Structures on the Category of Sets, Section 5.1.10** gives a completely 1-categorical proof of the universal property of $(\text{Sets}, \times, \text{pt})$.

Pointed Sets:

- **Tensor Products of Pointed Sets** constructs several tensor products of pointed sets, including a few unusual ones giving rise to skew monoidal structures on Sets_* .
- **Tensor Products of Pointed Sets, Section 7.5.10** gives a completely 1-categorical proof of the universal property of $(\text{Sets}_*, \wedge, S^0)$.
- **Tensor Products of Pointed Sets, Proposition 7.5.12.1.1** contains a description of comonoids in Sets_* with respect to \wedge .

Relations:

- **Relations, Section 8.5** contains a discussion of several properties of the 2-category of relations like descriptions of internal adjunctions and internal monads.
- **Relations, Sections 8.8 and 8.9** contains a discussion of two skew monoidal structures on the category $\mathbf{Rel}(A, B)$ of relations from a set A to a set B .
- **Constructions With Relations, ??** contains a description of left/right Kan extensions and lifts internal to the 2-category of relations.

01X6 1.1.6.3 Category Theory

- **Categories** contains a description of several properties of functors, including somewhat lesser known ones such as dominant functors or pseudoepic functors.

01X7 1.2 Project Overview

01X8 1.2.1 Content and Scope

In this section, we outline what content is expected to be covered in the Clowder Project.

01X9 1.2.1.1 Elementary Category Theory

First and foremost, the Clowder Project aims to cover the foundations of category theory. This comprises all the usual topics treated in basic textbooks in category theory, such as [Mac98] or [Rie16], like adjunctions, co/limits, Kan extensions, co/ends, monoidal categories, etc.

01XA 1.2.1.2 Variants of Category Theory

Second, the Clowder Project aims to cover variants of category theory such as internal, fibred, or enriched category theory. The literature on these topics is often quite scattered and scarce, and so having a comprehensive discussion of them in Clowder aims to fill a large gap in the literature. See also [Gap 1.3.4.1.14](#).

01XB 1.2.1.3 Higher Category Theory

Third, a detailed presentation of the theories of bicategories and double categories is planned, along with *some* material on tricategories.

Bicategories are another topic for which the literature is rather scattered, and, for some topics, scarce. As mentioned in the introduction, only recently has a proper textbook on bicategories appeared, [JY21]. Moreover, one finds several gaps in the literature, with a number of important results missing. As one particular example, one could look at the theory of 2-dimensional co/ends, in which case a comprehensive treatment based upon lax/oplax/pseudo dinatural transformations seems to be missing.

All of the elementary and not-so-elementary topics in the theory of bicategories are planned to appear in Clowder, and the same holds true for the theory of double categories.

01XC 1.2.1.4 ∞ -Categories

Lastly, some material on ∞ -categories is planned, although the precise scope of this remains to be defined. Ideally, this would include both model categories as well as synthetic and concrete models for ∞ -categories (e.g. quasi-categories, complete Segal spaces, cubical quasicategories, etc.).

In this way, we view Clowder as a good *complement* to [Lur25].

01XD 1.2.1.5 Other Topics

Occasionally, material on topics not a-priori related to category theory will be included. This may be done for a variety of reasons, including:

- Illustrating general theory.
- Comparison with classical concepts, such as e.g. ionads vs. topological spaces.
- Providing a more consistent and unified treatment of a particular topic, with hyperlinks to relevant concepts or examples.

01XE 1.2.2 Style

The Clowder Project makes several unusual stylistic choices, aligned with its goals.

01XF 1.2.2.1 Presentation of Topics

The presentation of topics is encyclopedic, non-linear, and sometimes idiosyncratic.

In particular, there's some amount of repetition throughout the project. This is a result of simultaneously wanting to cover as much material as possible while still allowing Clowder to be used as an online reference work/wiki.

01XG 1.2.2.2 Provable Items Come With Proofs

Every proposition, theorem, lemma, etc. needs to come with a proof. In case a proof has not been written yet, it shall read as "Omitted". This is to ensure results without proof are clearly labelled as such.

01XH 1.2.2.3 Proper Justification of Proofs

Every proof must read either "Omitted" or be properly justified, no matter how trivial the details are.

Expressions like "it is clear that", "it is straightforward to show that", "it is obvious", etc. inside proofs should not be used.

01XJ 1.2.3 Infrastructure and Technical Implementation**01XK 1.2.3.1 Removed Features (in Comparison With the Stacks Project)**

A few features present in the general infrastructure of the Stacks Project were removed in Clowder, including:

- 02CP** 1. The python back-end, in favour of static pages.
- 2. The comment system, as a result of the static nature of the website.

01XL 1.2.3.2 Gerby and the Tags System

Clowder is built using **Gerby**, similarly to the **Stacks Project**. However, a number of additional features and quality-of-life additions not implemented in plasTeX or Gerby were required by Clowder, including:

- 02CQ 1. Clowder uses `tcbtheorem`-like environments, which affects the placement of footnotes (which are often used).
- 02CR 2. Clowder implements a `dangerous bend` symbol to help visually highlight warnings ([example](#)).
- 02CS 3. There are a few aesthetic changes in Clowder’s HTML/CSS structure, including font selection as well as a dark mode.
- 02CT 4. `tikz-cd` diagrams are very frequently used, and they need to be separately compiled and converted to `svg` files.
- 02CU 5. Code in Clowder can be copied easily using a “Copy” button, with code for bibliography entries also having proper syntax highlighting ([example](#)).
- 02CV 6. Clowder is automatically built using `GitHub actions`.
- 02CW 7. Non-sectioning tags are rendered differently and shown in context ([example](#)).

These have been implemented using a `fork` of Gerby along with a few build scripts.

01XM 1.2.3.3 Placeholder Symbols and Future Style

Currently, a number of macros have been defined using placeholder symbols, and look very ugly as a result.

They will eventually be replaced with proper symbols coming from the math fonts of `Hundar`, a free and open-source typeface project currently being worked on.

Hundar

A free, open-source typeface optimized
for academic, scientific, and book writing.

You can find more details about Hundar at its [GitHub repository](#) or [website](#).

01XN 1.3 Lists

01CT 1.3.1 List of Omitted Proofs


Всё, что истинно, полезно, но не всё, что
полезно, истинно.

Truth does not do as much good in the
world as the appearance of truth does
evil.

Всё, что истинно, полезно

Daniil Dankovsky

There's a very large number of omitted proofs throughout these notes. In this section we list them in order of decreasing importance.


- If a proof relies on material that has yet to be developed on Clowder, we mark it by a  sign. If you're interested in contributing, please disregard those for now.
- The following chapters are undergoing revision. If you're interested in contributing, please disregard them for now:
 - [Relations](#)
 - [Constructions With Relations](#)

- Conditions on Relations
- Categories
- Constructions With Monoidal Categories
- Types of Morphisms in Bicategories
- This list is under construction.



01CU

REMARK 1.3.1.1.1 ► OMITTED PROOFS TO ADD

Proofs that *need* to be added at some point:

- Extra proof of **Tensor Products of Pointed Sets**, **Theorem 7.5.10.1.1** using the machinery of presentable categories, following Maxime Ranzi's answer to **MO 466593** .
- Horizontal composition of natural transformations is associative: **Categories**, **Item 2** of **Proposition 11.9.5.1.4**.
- Fully faithful functors are essentially injective: **Categories**, **Item 4** of **Proposition 11.6.3.1.2**.

Proofs that *would be very nice* to be added at some point:

- Properties of pseudomonadic functors: **Categories**, **Proposition 11.7.4.1.2** .
- Characterisation of fully faithful functors: **Categories**, **Item 1** of **Proposition 11.6.3.1.2**.
- The quadruple adjunction between categories and sets: **Categories**, **Proposition 11.3.1.1.1**.
- F_* faithful iff F faithful: **Categories**, **Item 2** of **Proposition 11.6.1.1.2**.
- Properties of groupoid completions: **Categories**, **Proposition 11.4.3.1.4**.
- Properties of cores: **Categories**, **Proposition 11.4.4.1.5**.
- \mathbf{Rel} is isomorphic to the category of free algebras of the powerset monad: **Relations**, **Proposition 8.5.20.1.1** .


- Non/existence of left Kan extensions in **Rel**:
 - **Constructions With Relations**, ?? of ??.
 - **Constructions With Relations**, ?? of ??.
- Non/existence of left Kan lifts in **Rel**:
 - **Constructions With Relations**, ?? of ??.
 - **Constructions With Relations**, ?? of ??.

Proofs that *would be nice* to be added at some point:

- Properties of posetal categories: **Categories**, **Proposition 11.2.7.1.2**.
- Injective on objects functors are precisely the isofibrations in \mathbf{Cat}_2 : **Categories**, **Item 1** of **Proposition 11.8.1.1.2** ⚠.
- Characterisations of monomorphisms of categories: **Categories**, **Item 1** of **Proposition 11.7.2.1.2**.
- Epimorphisms of categories are surjective on objects: **Categories**, **Item 2** of **Proposition 11.7.3.1.2**.
- Properties of pseudoepic functors: **Categories**, **Proposition 11.7.5.1.2** ⚠.

Proofs that *would be nice but not essential* to be added at some point:

- Proof that $(\mathbf{Sets}, \coprod, \emptyset, \times, \text{pt})$ is a symmetric bimonoidal category: **Constructions With Sets**, **Item 15** of **Proposition 4.1.3.1.4** ⚠.
- Proof that $(\mathbf{Sets}, \coprod, \emptyset, \times, \text{pt})$ is a symmetric bimonoidal category: **Monoidal Structures on the Category of Sets**, **Proposition 5.3.5.1.1** ⚠.
- Proof that $(\mathbf{Sets}, \times_X, X)$ is a symmetric monoidal category: **Constructions With Sets**, **Item 11** of **Proposition 4.1.4.1.7** ⚠.
- Proof that $(\mathbf{Sets}, \coprod, \emptyset)$ is a symmetric monoidal category: **Constructions With Sets**, **Item 6** of **Proposition 4.2.3.1.4** ⚠.

- Proof that $(\text{Sets}, \coprod_X, X)$ is a symmetric monoidal category: [Constructions With Sets, Item 8 of Proposition 4.2.4.1.8](#) .

Proofs that have been (temporarily) omitted because they are “clear”, “straightforward”, or “tedious”:

- Properties of pushouts of sets:
 - Associativity: [Constructions With Sets, Item 3 of Proposition 4.2.4.1.8](#).
 - Unitality: [Constructions With Sets, Item 5 of Proposition 4.2.4.1.8](#).
 - Commutativity: [Constructions With Sets, Item 6 of Proposition 4.2.4.1.8](#).
 - Pushout of sets over the empty set recovers the coproduct of sets: [Constructions With Sets, Item 7 of Proposition 4.2.4.1.8](#).
- Properties of coequalisers of sets:
 - Associativity: [Constructions With Sets, Item 1 of Proposition 4.2.5.1.7](#).
 - Unitality: [Constructions With Sets, Item 2 of Proposition 4.2.5.1.7](#).
 - Commutativity: [Constructions With Sets, Item 3 of Proposition 4.2.5.1.7](#).
 - Interaction with composition: [Constructions With Sets, Item 4 of Proposition 4.2.5.1.7](#).
- Properties of set differences:
 - [Constructions With Sets, Item 4 of Proposition 4.3.10.1.2](#).
 - [Constructions With Sets, Item 11 of Proposition 4.3.10.1.2](#).
 - [Constructions With Sets, Item 13 of Proposition 4.3.10.1.2](#).
 - [Constructions With Sets, Item 15 of Proposition 4.3.10.1.2](#).

- Complements and characteristic functions: **Constructions With Sets, Item 4 of Proposition 4.3.11.1.2.**
- Properties of symmetric differences:
 - **Constructions With Sets, Item 1 of Proposition 4.3.12.1.2.**
 - **Constructions With Sets, Item 16 of Proposition 4.3.12.1.2.**
- Properties of direct images:
 - Functoriality: **Constructions With Sets, Item 1 of Proposition 4.6.1.1.5.**
 - Interaction with coproducts: **Constructions With Sets, Item 15 of Proposition 4.6.1.1.5.**
 - Interaction with products: **Constructions With Sets, Item 16 of Proposition 4.6.1.1.5.**
- Properties of inverse images:
 - Functoriality: **Constructions With Sets, Item 1 of Proposition 4.6.2.1.3.**
 - Interaction with coproducts: **Constructions With Sets, Item 15 of Proposition 4.6.2.1.3.**
 - Interaction with products; **Constructions With Sets, Item 16 of Proposition 4.6.2.1.3.**
- Properties of codirect images:
 - Functoriality: **Constructions With Sets, Item 1 of Proposition 4.6.3.1.7.**
 - Lax preservation of colimits: **Constructions With Sets, Item 10 of Proposition 4.6.3.1.7.**
 - Interaction with coproducts: **Constructions With Sets, Item 14 of Proposition 4.6.3.1.7.**
 - Interaction with products: **Constructions With Sets, Item 15 of Proposition 4.6.3.1.7.**

- Left distributor of \times over \coprod is a natural isomorphism: **Monoidal Structures on the Category of Sets, Definition 5.3.1.1.1.**
- Right distributor of \times over \coprod is a natural isomorphism: **Monoidal Structures on the Category of Sets, Definition 5.3.2.1.1.**
- Left annihilator of \times is a natural isomorphism: **Monoidal Structures on the Category of Sets, Definition 5.3.3.1.1.**
- Right annihilator of \times is a natural isomorphism: **Monoidal Structures on the Category of Sets, Definition 5.3.4.1.1.**
- Properties of wedge products of pointed sets:
 - Associativity: **Pointed Sets, Item 2 of Proposition 6.3.3.1.4.**
 - Unitality: **Pointed Sets, Item 3 of Proposition 6.3.3.1.4.**
 - Commutativity: **Pointed Sets, Item 4 of Proposition 6.3.3.1.4.**
 - Symmetric monoidality: **Pointed Sets, Item 5 of Proposition 6.3.3.1.4.**
- Properties of pushouts of pointed sets:
 - Interaction with coproducts: **Pointed Sets, Item 5 of Proposition 6.3.4.1.4.**
 - Symmetric monoidality: **Pointed Sets, Item 6 of Proposition 6.3.4.1.4.**

01V7 1.3.2 List of Missing Examples

Adding new examples is always welcome! In this section, we list some subjects and sections which could do with more examples:

01V8 REMARK 1.3.2.1.1 ► MISSING EXAMPLES TO ADD

Potentially interesting examples to add include, but are definitely not limited to:

- Examples of 2-categorical monomorphisms in **Rel**, following [Relations, Section 8.5.11](#).
- Examples of 2-categorical epimorphisms in **Rel**, following [Relations, Section 8.5.13](#).
- Examples of left Kan extensions and left Kan lifts in **Rel**.
- Examples of functors satisfying the conditions described in [Categories](#).

01V9 1.3.3 List of Questions

There's a number of questions listed throughout this project. Here we collect them in a single place.

01VA REMARK 1.3.3.1.1 ► QUESTIONS TO ANSWER

On relations:

- [Relations, Question 8.5.11.1.3](#), on better characterisations of representably full morphisms in **Rel**. This question also appears as [\[MO 467527\]](#).
- [Relations, Question 8.5.13.1.3](#), on better characterisations of corepresentably full morphisms in **Rel**. This question also appears as [\[MO 467527\]](#).
- [Relations, ??](#), seeking a characterisation of which left Kan extensions exist in **Rel**. This question also appears as [\[MO 461592\]](#).
- [Relations, ??](#), seeking an explicit descriptions of left Kan extensions along relations of the form f^{-1} (which always exist in **Rel**). This question also appears as [\[MO 461592\]](#).
- [Relations, ??](#), seeking a characterisation of which left Kan lifts exist in **Rel**. This question also appears as [\[MO 461592\]](#).

- **Relations**, **??**, seeking an explicit descriptions of left Kan lifts along relations of the form $\text{Gr}(f)$ (which always exist in **Rel**). This question also appears as [MO 461592].

On categories:

- **Categories**, **Question 11.6.2.1.4**, seeking a better characterisation of necessary and sufficient conditions on F for F^* to always be full. This question also appears as [MO 468121b].
- **Categories**, **Question 11.6.4.1.4**, seeking a characterisation of necessary and sufficient conditions on F for F^* or F_* to be conservative. This question also appears as [MO 468121a].
- **Categories**, **Question 11.6.5.1.2**, seeking a characterisation of necessary and sufficient conditions on F for F^* or F_* to be essentially injective. This question also appears as [MO 468121a].
- **Categories**, **Question 11.6.6.1.2**, seeking a characterisation of necessary and sufficient conditions on F for F^* or F_* to be essentially surjective. This question also appears as [MO 468121a].
- **Categories**, **Question 11.7.1.1.4**, , seeking a characterisation of necessary and sufficient conditions on F for F^* or F_* to be dominant. This question also appears as [MO 468121a].
- **Categories**, **Question 11.7.2.1.4**, seeking a characterisation of necessary and sufficient conditions on F for F^* or F_* to be monic. This question also appears as [MO 468121a].
- **Categories**, **Question 11.7.3.1.4**, seeking a characterisation of necessary and sufficient conditions on F for F^* or F_* to be epic. This question also appears as [MO 468121a].
- **Categories**, **Question 11.7.5.1.6**, seeking a characterisation of necessary and sufficient conditions on F for F^* or F_* to be pseudoepic. This question also appears as [MO 468121a].
- **Categories**, **Question 11.7.5.1.4**, seeking a characterisation of pseudoepic functors. This question also appears as [MO 321971].

- **Categories, Question 11.7.5.1.5**, which asks whether a pseudomonadic and pseudoepic functor must necessarily be an equivalence of categories. This question also appears as [MO 468334].
- **Categories, Question 11.8.4.1.3**, seeking a characterisation of functors representably faithful on cores.
- **Categories, Question 11.8.5.1.3**, seeking a characterisation of functors representably full on cores.
- **Categories, Question 11.8.6.1.3**, seeking a characterisation of functors representably fully faithful on cores.
- **Categories, Question 11.8.7.1.3**, seeking a characterisation of functors corepresentably faithful on cores.
- **Categories, Question 11.8.8.1.3**, seeking a characterisation of functors corepresentably full on cores.
- **Categories, Question 11.8.9.1.3**, seeking a characterisation of functors corepresentably fully faithful on cores.

01XP 1.3.4 List of Gaps in the Category Theory Literature

The Clowder Project aims to address several significant gaps in the existing literature on category theory, as detailed below. See also [MO 494959].

01XQ GAP 1.3.4.1.1 ► THE TENSOR PRODUCT OF PRESENTABLE CATEGORIES

Even though its analogue for ∞ -categories has for years been a widely used tool¹, a comprehensive treatment of the tensor product of presentable categories seems to be currently missing.

¹See [MO 490557].

01XR GAP 1.3.4.1.2 ► EXPLICIT DESCRIPTIONS OF CO/LIMITS OF CATEGORIES

An exhaustive concrete description of the various limits and colimits of categories, including 2-dimensional ones, is missing.

01XS

There seems to be no unified presentation of dinatural transformation co/classifiers in the literature. These are characterised by isomorphisms of the form

$$\mathrm{Nat}(F, G) \cong \mathrm{DiNat}(\Gamma(F), G),$$

and were originally studied in Dubuc–Street’s paper introducing dinatural transformations, [DS06].

Even though these arguably form a fundamental piece of the framework of co/end calculus, it seems that all foundational treatments that followed after ended up not covering this concept.

01XT

GAP 1.3.4.1.4 ► THE TENSOR PRODUCT OF SYMMETRIC MONOIDAL CATEGORIES

The tensor product of symmetric monoidal categories had been a missing concept from the literature for years. Recently, [GJO24] covered the case of permutative categories. It would be nice, however, to also have a treatment of the non-strict case available.

01XU

GAP 1.3.4.1.5 ► A COMPREHENSIVE TREATMENT OF THE THEORY OF PROMONOIDAL CATEGORIES

A comprehensive and exhaustive treatment of the theory of promonoidal categories is currently missing. There are several important notions undefined, like:

- Promonoidal profunctors.
- Dualisability internal to a promonoidal category.
- Invertibility internal to a promonoidal category.

Moreover, it would be nice to record how promonoidal categories may be viewed as categorifications of “hypermonoids” (i.e. monoids in Rel).

01XV

GAP 1.3.4.1.6 ► A COMPREHENSIVE TREATMENT OF THE THEORY OF MULTICATEGORIES

A comprehensive and exhaustive treatment of the theory of multicategories is currently missing. There are several important notions unde-

fined, like:

- Co/limits internal to multicategories.

See [MO 484647].

01XW

GAP 1.3.4.1.7 ► A COMPENDIUM OF EXAMPLES OF 2-CATEGORICAL NOTIONS

It would be nice to have an extensive collection of examples of what a given 2-categorical notion looks like in a 2-category. For instance, it would be nice to explicitly list what internal adjunctions look like in **Rel**, **Span**, **Prof**, etc.

See **Relations**, **Section 8.5** for a concrete example of what is meant by this gap.

01XX

GAP 1.3.4.1.8 ► CENTRES AND TRACES OF CATEGORIES

The literature on centres and traces of categories is really small. There are lots of results missing¹ and very few worked examples².

¹E.g. There's a certain interaction between traces of categories and Leinster's eventual image.

²E.g. what is the trace of Connes's cycle category? Such a computation doesn't seem to be available.

01XY

GAP 1.3.4.1.9 ► NATURAL COTRANSFORMATIONS

Natural transformations satisfy an isomorphism of the form

$$\mathrm{Nat}(F, G) \cong \int_{A \in C} \mathrm{Hom}_{\mathcal{D}}(F_A, G_A).$$

It is then exceedingly natural to define *natural cotransformations* via an isomorphism of the form

$$\mathrm{CoNat}(F, G) \cong \int^{A \in C} \mathrm{Hom}_{\mathcal{D}}(F_A, G_A)$$

and study their properties. This generalises traces of categories, since we have

$$\mathrm{Tr}(C) = \mathrm{CoNat}(\mathrm{id}_C, \mathrm{id}_C),$$

much like $Z(C) = \text{Nat}(\text{id}_C, \text{id}_C)$.

01XZ

GAP 1.3.4.1.10 ► A COMPREHENSIVE TREATMENT OF ISBELL DUALITY

There are several results, notions, and examples in the theory of Isbell duality missing from the literature, and a truly comprehensive treatment is still lacking.¹

¹For instance, there appears to be no mention of the duality pairings

$$\begin{aligned}\text{Spec}(F) \boxtimes F &\rightarrow \text{Tr}(C), \\ \mathcal{F} \boxtimes \mathcal{O}(\mathcal{F}) &\rightarrow \text{Tr}(C)\end{aligned}$$

in the currently available literature.

01Y0

GAP 1.3.4.1.11 ► A COMPREHENSIVE THEORY OF 2-DIMENSIONAL CO/ENDS

The currently available treatments of 2-dimensional co/ends are unsatisfactory.¹

¹For instance, none of them define 2-dimensional co/ends via 2-dimensional dinatural transformations and then go on to develop a general theory from there.

01Y1

GAP 1.3.4.1.12 ► A COMPREHENSIVE TREATMENT OF FACTORISATION SYSTEMS

A comprehensive treatment of factorisation systems is currently missing; see [MO 495003].

02C5

GAP 1.3.4.1.13 ► PROOFS OF COHERENCE THEOREMS FOR STRING DIAGRAMS

Several proofs of coherence theorems for string diagrams currently have gaps; see [MO 497309].

02CX

GAP 1.3.4.1.14 ► A COMPREHENSIVE TREATMENT OF VARIANTS OF CATEGORY THEORY

The currently available treatments of variants of category theory such as fibred category theory, enriched category theory, or internal category theory are unsatisfactory for a number of reasons.

Ideally, there should be a comprehensive and (simultaneously) approachable treatment for these topics. See also [MO 497419].

Appendices

A Other Chapters

Preliminaries

1. Introduction
2. A Guide to the Literature

Sets

3. Sets
4. Constructions With Sets
5. Monoidal Structures on the Category of Sets
6. Pointed Sets
7. Tensor Products of Pointed Sets

Relations

8. Relations
9. Constructions With Relations

10. Conditions on Relations

Categories

11. Categories
12. Presheaves and the Yoneda Lemma

Monoidal Categories

13. Constructions With Monoidal Categories

Bicategories

14. Types of Morphisms in Bicategories

Extra Part

15. Notes

References

- [MO 321971] **Ivan Di Liberti**. *Characterization of pseudo monomorphisms and pseudo epimorphisms in Cat*. MathOverflow. url: <https://mathoverflow.net/q/321971> (cit. on p. 20).

- [MO 461592] **Emily**. *Existence and characterisations of left Kan extensions and liftings in the bicategory of relations II*. MathOverflow. url: <https://mathoverflow.net/q/461592> (cit. on pp. 19, 20).
- [MO 467527] **Emily**. *What are the 2-categorical mono/epimorphisms in the 2-category of relations?* MathOverflow. url: <https://mathoverflow.net/q/467527> (cit. on p. 19).
- [MO 468121a] **Emily**. *Characterisations of functors F such that F^* or F_* is [property], e.g. faithful, conservative, etc.* MathOverflow. url: <https://mathoverflow.net/q/468125> (cit. on p. 20).
- [MO 468121b] **Emily**. *Looking for a nice characterisation of functors F whose precomposition functor F^* is full.* MathOverflow. url: <https://mathoverflow.net/q/468121> (cit. on p. 20).
- [MO 468334] **Emily**. *Is a pseudomonadic and pseudoepimorphic functor necessarily an equivalence of categories?* MathOverflow. url: <https://mathoverflow.net/q/468334> (cit. on p. 21).
- [MO 484647] **Zhen Lin**. *Reference for Basic Multicategory Theory*. MathOverflow. url: <https://mathoverflow.net/q/484647> (cit. on p. 24).
- [MO 490557] **Maxime Ramzi**. *Answer to “What theorems or insights are well known for ∞ -categories but not well known for categories?”* MathOverflow. url: <https://mathoverflow.net/a/490557> (cit. on p. 21).
- [MO 494959] **Emily**. *Gaps in the category theory literature you’d like to see filled*. MathOverflow. url: <https://mathoverflow.net/q/494959> (cit. on p. 21).
- [MO 495003] **Fosco**. *Answer to “Gaps in the category theory literature you’d like to see filled”*. MathOverflow. url: <https://mathoverflow.net/a/495003> (cit. on p. 25).
- [MO 497309] **Noah Snyder**. *Answer to “Gaps in the category theory literature you’d like to see filled”*. MathOverflow. url: <https://mathoverflow.net/q/497309> (cit. on p. 25).

- [MO 497419] Nick Hu. Answer to “Gaps in the category theory literature you’d like to see filled”. MathOverflow. url: <https://mathoverflow.net/q/497419> (cit. on p. 26).
- [DS06] Eduardo Dubuc and Ross Street. “Dinatural Transformations”. In: *Reports of the Midwest Category Seminar IV*. Springer, 2006, pp. 126–137 (cit. on p. 23).
- [GJO24] Nick Gurski, Niles Johnson, and Angélica M. Osorno. “The Symmetric Monoidal 2-Category of Permutative Categories”. In: *High. Struct.* 8.1 (2024), pp. 244–320. issn: 2209-0606 (cit. on p. 23).
- [JY21] Niles Johnson and Donald Yau. *2-Dimensional Categories*. Oxford University Press, Oxford, 2021, pp. xix+615. isbn: 978-0-19-887138-5; 978-0-19-887137-8. doi: [10.1093/oso/9780198871378.001.0001](https://doi.org/10.1093/oso/9780198871378.001.0001). url: <https://doi.org/10.1093/oso/9780198871378.001.0001> (cit. on pp. 2, 10).
- [Lur25] Jacob Lurie. *Kerodon*. <https://kerodon.net>. 2025 (cit. on p. 10).
- [Mac98] Saunders Mac Lane. *Categories for the Working Mathematician*. Second. Vol. 5. Graduate Texts in Mathematics. Springer-Verlag, New York, 1998, pp. xii+314. isbn: 0-387-98403-8 (cit. on p. 9).
- [Rie16] Emily Riehl. *Category Theory in Context*. Aurora Dover Modern Math Originals. Dover Publications, Inc., Mineola, NY, 2016, pp. xvii+240. isbn: 978-0-486-80903-8; 0-486-80903-X (cit. on pp. 4, 9).