Constructions With Monoidal Categories

The Clowder Project Authors

July 22, 2025

O1UF This chapter contains some material on constructions with monoidal categories.

Contents

13		1
Catego	ry	17
		17
13.2 M	oduli Categories of Closed Monoidal Structures	17
	<u> </u>	17
	re	17
	ther Chapters	17
	Moduli Categories of Monoidal Structures	17
	13 Catego 13 a Categ 13.2 M 13.3 M	13.1.2 The Moduli Category of Braided Monoidal Structures on a Category 13.1.3 The Moduli Category of Symmetric Monoidal Structures on a Category 13.2 Moduli Categories of Closed Monoidal Structures 13.3 Moduli Categories of Refinements of Monoidal Structures 13.3.1 The Moduli Category of Braided Refinements of a Monoidal

01UJ

DEFINITION 13.1.1.1.1 ► THE MODULI CATEGORY OF MONOIDAL STRUCTURES ON A CATE-

The moduli category of monoidal structures on C is the category $\mathcal{M}_{\mathbb{E}_1}(C)$ defined by

$$\mathcal{M}_{\mathbb{E}_1}(C) \stackrel{\mathrm{def}}{=} \mathsf{pt} \times_{\mathsf{Cats}} \mathsf{MonCats}, \qquad \bigvee_{\mathsf{pt}} \bigvee_{\mathsf{Cl}} \mathsf{Cats}.$$

01UK

REMARK 13.1.1.1.2 ► UNWINDING DEFINITION 13.1.1.1.1, I

In detail, the moduli category of monoidal structures on C is the category $\mathcal{M}_{\mathbb{E}_1}(C)$ where:

- Objects. The objects of $\mathcal{M}_{\mathbb{E}_1}(C)$ are monoidal categories $(C, \otimes_C, \mathbb{1}_C, \alpha^C, \lambda^C, \rho^C)$ whose underlying category is C.
- *Morphisms*. A morphism from $(C, \otimes_C, \mathbb{1}_C, \alpha^C, \lambda^C, \rho^C)$ to $(C, \boxtimes_C, \mathbb{1}'_C, \alpha^{C,\prime}, \lambda^{C,\prime}, \rho^{C,\prime})$ is a strong monoidal functor structure

$$\operatorname{id}_{C}^{\otimes} \colon A \boxtimes_{C} B \xrightarrow{\sim} A \otimes_{C} B,$$
$$\operatorname{id}_{\mathbb{1}|C}^{\otimes} \colon \mathbb{1}'_{C} \xrightarrow{\sim} \mathbb{1}_{C}$$

on the identity functor $id_C : C \to C$ of C.

• *Identities*. For each $M \stackrel{\text{def}}{=} (C, \otimes_C, \mathbb{1}_C, \alpha^C, \lambda^C, \rho^C) \in \text{Obj}(\mathcal{M}_{\mathbb{B}_1}(C))$, the unit map

$$\mathbb{1}_{M,M}^{\mathcal{M}_{\mathbb{E}_1}(C)} \colon \mathsf{pt} \to \mathsf{Hom}_{\mathcal{M}_{\mathbb{E}_1}(C)}(M,M)$$

of $\mathcal{M}_{\mathbb{E}_1}(C)$ at M is defined by

$$\operatorname{id}_{M}^{\mathcal{M}_{\mathbb{B}_{1}}(C)} \stackrel{\operatorname{def}}{=} \left(\operatorname{id}_{C}^{\otimes}, \operatorname{id}_{\mathbb{1}|C}^{\otimes}\right),$$

where $(id_C^{\otimes}, id_{1|C}^{\otimes})$ is the identity monoidal functor of C of ??.

• Composition. For each $M, N, P \in \text{Obj}(\mathcal{M}_{\mathbb{E}_1}(C))$, the composition

$$\circ_{M,N,P}^{\mathcal{M}_{\mathbb{E}_1}(C)} \colon \operatorname{Hom}_{\mathcal{M}_{\mathbb{E}_1}(C)}(N,P) \times \operatorname{Hom}_{\mathcal{M}_{\mathbb{E}_1}(C)}(M,N) \to \operatorname{Hom}_{\mathcal{M}_{\mathbb{E}_1}(C)}(M,P)$$
 of $\mathcal{M}_{\mathbb{E}_1}(C)$ at (M,N,P) is defined by

$$\bigg(\operatorname{id}_{\mathcal{C}}^{\otimes,\prime},\operatorname{id}_{\mathbb{1}|\mathcal{C}}^{\otimes,\prime}\bigg)\circ_{M,N,P}^{\mathcal{M}_{\mathbb{B}_{1}}(\mathcal{C})}\bigg(\operatorname{id}_{\mathcal{C}}^{\otimes},\operatorname{id}_{\mathbb{1}|\mathcal{C}}^{\otimes}\bigg)\stackrel{\mathrm{def}}{=}\bigg(\operatorname{id}_{\mathcal{C}}^{\otimes,\prime}\circ\operatorname{id}_{\mathcal{C}}^{\otimes},\operatorname{id}_{\mathbb{1}|\mathcal{C}}^{\otimes,\prime}\circ\operatorname{id}_{\mathbb{1}|\mathcal{C}}^{\otimes}\bigg).$$

01UL REMARK 13.1.1.1.3 ► Unwinding Definition 13.1.1.1.1, II


In particular, a morphism in $\mathcal{M}_{\mathbb{E}_1}(C)$ from $(C, \otimes_C, \mathbb{1}_C, \alpha^C, \lambda^C, \rho^C)$ to $(C, \boxtimes_C, \mathbb{1}'_C, \alpha^{C,\prime}, \lambda^{C,\prime}, \rho^{C,\prime})$ satisfies the following conditions:

1. *Naturality.* For each pair $f: A \to X$ and $g: B \to Y$ of morphisms of C, the diagram

$$\begin{array}{cccc} A \boxtimes_C B & \xrightarrow{f \boxtimes_C g} & X \boxtimes_C Y \\ & & \downarrow^{\operatorname{id}_{A,B}^{\otimes}} & & \downarrow^{\operatorname{id}_{X,Y}^{\otimes}} \\ & A \otimes_C B & \xrightarrow{f \otimes_C g} & X \otimes_C Y \end{array}$$

commutes.

2. Monoidality. For each $A, B, C \in Obj(C)$, the diagram




01UM

01UN

commutes.

01UP

3. Left Monoidal Unity. For each $A \in Obj(C)$, the diagram



commutes.

01UQ

4. Right Monoidal Unity. For each $A \in Obj(C)$, the diagram

$$A \boxtimes_{C} \mathbb{1}_{C} \xrightarrow{\operatorname{id}_{A,\mathbb{1}'_{C}}^{\otimes}} A \otimes_{C} \mathbb{1}_{C}$$

$$\operatorname{id}_{A} \boxtimes_{C} \operatorname{id}_{\mathbb{1}}^{\otimes} \xrightarrow{\rho_{A}^{C}} A \otimes_{C} \mathbb{1}_{C}$$

$$A \boxtimes_{C} \mathbb{1}'_{C} \xrightarrow{\rho_{A}^{C,'}} A \otimes_{C} \mathbb{1}_{C}$$

commutes.

01UR

PROPOSITION 13.1.1.1.4 ► PROPERTIES OF THE MODULI CATEGORY OF MONOIDAL STRUC-TURES ON A CATEGORY

. . .

Let *C* be a category.

01US

- 1. Extra Monoidality Conditions. Let $(id_C^{\otimes}, id_{1|C}^{\otimes})$ be a morphism of $\mathcal{M}_{\mathbb{B}_1}(C)$ from $(C, \otimes_C, \mathbb{1}_C, \alpha^C, \lambda^C, \rho^C)$ to $(C, \boxtimes_C, \mathbb{1}'_C, \alpha^{C,\prime}, \lambda^{C,\prime}, \rho^{C,\prime})$.
- 01UT
- (a) The diagram

01UU

commutes.

(b) The diagram

$$A \boxtimes_{C} (B \boxtimes_{C} C) \xrightarrow{\operatorname{id}_{A} \boxtimes_{C} \operatorname{id}_{B,C}^{\otimes}} A \boxtimes_{C} (B \otimes_{C} C)$$

$$\operatorname{id}_{A,B\boxtimes_{C}^{C}}^{\otimes} \downarrow \qquad \qquad \qquad \downarrow \operatorname{id}_{A,B\otimes_{C}^{C}}^{\otimes}$$

$$A \otimes_{C} (B \boxtimes_{C} C) \xrightarrow{\operatorname{id}_{A} \otimes_{C} \operatorname{id}_{B,C}^{\otimes}} A \otimes_{C} (B \otimes_{C} C)$$

commutes.

01WB

- 2. Extra Monoidal Unity Constraints. Let $(id_C^{\otimes}, id_{\mathbb{1}|C}^{\otimes})$ be a morphism of $\mathcal{M}_{\mathbb{E}_1}(C)$ from $(C, \otimes_C, \mathbb{1}_C, \alpha^C, \lambda^C, \rho^C)$ to $(C, \boxtimes_C, \mathbb{1}'_C, \alpha^{C,\prime}, \lambda^{C,\prime}, \rho^{C,\prime})$.
- 01WC (a) The diagram

$$\mathbb{1}_{C} \otimes_{C} \mathbb{1}'_{C} \xrightarrow{\operatorname{id}_{\mathbb{1}_{C},\mathbb{1}'_{C}}^{\otimes,-1}} \mathbb{1}_{C} \boxtimes_{C} \mathbb{1}'_{C}$$

$$\downarrow^{C} \qquad \qquad \downarrow^{\rho_{\mathbb{1}_{C}}^{C,'}}$$

$$\mathbb{1}'_{C} \xrightarrow{\operatorname{id}_{\mathbb{1}}^{\otimes}} \mathbb{1}_{C}$$

commutes.

01WD

(b) The diagram

commutes.

01WE

(c) The diagram

commutes.

01WF

(d) The diagram

commutes.

01UV

3. Mixed Associators. Let $(C, \otimes_C, \mathbb{1}_C, \alpha^C, \lambda^C, \rho^C)$ and $(C, \boxtimes_C, \mathbb{1}'_C, \alpha^{C,\prime}, \lambda^{C,\prime}, \rho^{C,\prime})$ be monoidal structures on C and let

$$\mathrm{id}_{-_1,-_2}^{\otimes}\colon \mathrel{-_1}\boxtimes_{\mathcal{C}} \mathrel{-_2} \to \mathrel{-_1}\otimes_{\mathcal{C}} \mathrel{-_2}$$

be a natural transformation.

01UW

(a) If there exists a natural transformation

$$\alpha_{ABC}^{\otimes} : (A \otimes_C B) \boxtimes_C C \to A \otimes_C (B \boxtimes_C C)$$

making the diagrams

$$\begin{array}{c|c} (A \otimes_C B) \boxtimes_C C \xrightarrow{\alpha_{A,B,C}^{\otimes}} A \otimes_C (B \boxtimes_C C) \\ \downarrow \operatorname{id}_{A \otimes_C B,C}^{\otimes} & & & & \operatorname{id}_{A,C}^{\otimes} \\ (A \otimes_C B) \otimes_C C \xrightarrow{\alpha_{A,B,C}^{C}} A \otimes_C (B \otimes_C C) \end{array}$$

and

$$(A \boxtimes_{C} B) \boxtimes_{C} C \xrightarrow{\alpha_{A,B,C}^{C,\prime}} A \boxtimes_{C} (B \boxtimes_{C} C)$$

$$\downarrow^{\operatorname{id}_{A,B}^{\otimes} \boxtimes_{C} \operatorname{id}_{C}} \qquad \qquad \downarrow^{\operatorname{id}_{A,B \boxtimes_{C} C}}$$

$$(A \otimes_{C} B) \boxtimes_{C} C \xrightarrow{\alpha_{A,B,C}^{\otimes}} A \otimes_{C} (B \boxtimes_{C} C)$$

commute, then the natural transformation id^{\otimes} satisfies the monoidality condition of Item 2 of Remark 13.1.1.1.3.

(b) If there exists a natural transformation

$$\alpha_{ABC}^{\boxtimes}: (A \boxtimes_C B) \otimes_C C \to A \boxtimes_C (B \otimes_C C)$$

making the diagrams

$$(A \boxtimes_{C} B) \otimes_{C} C \xrightarrow{\alpha_{A,B,C}^{\boxtimes}} A \boxtimes_{C} (B \otimes_{C} C)$$

$$id_{A,B}^{\otimes} \otimes_{C} id_{C} \downarrow \qquad \qquad \downarrow id_{A,B \otimes_{C} C}^{\otimes}$$

$$(A \otimes_{C} B) \otimes_{C} C \xrightarrow{\alpha_{A,B,C}^{C}} A \otimes_{C} (B \otimes_{C} C)$$

and

$$\begin{array}{cccc} (A\boxtimes_{C}B)\boxtimes_{C}C & \xrightarrow{\alpha_{A,B,C}^{C,\prime}} A\boxtimes_{C}(B\boxtimes_{C}C) \\ \mathrm{id}_{A\boxtimes_{C}B,C}^{\otimes} & & & & & & & \\ (A\boxtimes_{C}B)\otimes_{C}C & \xrightarrow{\alpha_{A,B,C}^{\boxtimes}} A\boxtimes_{C}(B\otimes_{C}C) \end{array}$$

commute, then the natural transformation id^{\otimes} satisfies the monoidality condition of Item 2 of Remark 13.1.1.1.3.

(c) If there exists a natural transformation

$$\alpha_{ABC}^{\boxtimes,\otimes}: (A\boxtimes_C B)\otimes_C C \to A\otimes_C (B\boxtimes_C C)$$

01UX

01UY

making the diagrams

$$(A \boxtimes_{C} B) \otimes_{C} C \xrightarrow{\alpha_{A,B,C}^{\boxtimes,\otimes}} A \otimes_{C} (B \boxtimes_{C} C)$$

$$id_{A,B}^{\otimes} \otimes_{C} id_{C} \downarrow \qquad \qquad \downarrow id_{A} \otimes_{C} id_{B,C}^{\otimes}$$

$$(A \otimes_{C} B) \otimes_{C} C \xrightarrow{\alpha_{A,B,C}^{C}} A \otimes_{C} (B \otimes_{C} C)$$

and

$$(A \boxtimes_{C} B) \boxtimes_{C} C \xrightarrow{\alpha_{A,B,C}^{C,\prime}} A \boxtimes_{C} (B \boxtimes_{C} C)$$

$$\operatorname{id}_{A\boxtimes_{C}B,C}^{\otimes} \downarrow \qquad \qquad \operatorname{id}_{A,B\boxtimes_{C}C}^{\otimes}$$

$$(A \boxtimes_{C} B) \otimes_{C} C \xrightarrow{\alpha_{A,B,C}^{\boxtimes,\otimes}} A \otimes_{C} (B \boxtimes_{C} C)$$

commute, then the natural transformation id^{\otimes} satisfies the monoidality condition of Item 2 of Remark 13.1.1.1.3.

PROOF 13.1.1.1.5 ► PROOF OF PROPOSITION 13.1.1.1.4

Item 1: Extra Monoidality Conditions


We claim that Items 1a and 1b are indeed true:

- 1. Proof of Item 1a: This follows from the naturality of id^\otimes with respect to the morphisms $\mathrm{id}_{A,B}^\otimes$ and id_C .
- 2. *Proof of Item 1b*: This follows from the naturality of id^{\otimes} with respect to the morphisms id_A and $id_{B,C}^{\otimes}$.

This finishes the proof.


Item 2: Extra Monoidal Unity Constraints

We claim that Items 2a and 2b are indeed true:



- Subdiagram (1) commutes by the naturality of $\mathrm{id}_C^{\otimes,-1}$;
- Subdiagram (2) commutes trivially;
- Subdiagram (3) commutes by the naturality of λ^C , where the equality $\rho^C_{\mathbb{1}_C} = \lambda^C_{\mathbb{1}_C}$ comes from $\ref{eq:composition}$;
- Subdiagram (4) commutes by the right monoidal unity of $\left(\mathrm{id}_C,\mathrm{id}_C^\otimes,\mathrm{id}_{C|\mathbb{1}}^\otimes\right)$;

so does the boundary diagram, and we are done.



- Subdiagram (1) commutes by the naturality of $\mathrm{id}_C^{\otimes,-1}$;
- Subdiagram (2) commutes trivially;
- Subdiagram (3) commutes by the naturality of ρ^C , where the equality $\rho^C_{\mathbb{1}_C} = \lambda^C_{\mathbb{1}_C}$ comes from $\ref{eq:composition}$;
- Subdiagram (4) commutes by the left monoidal unity of $(id_C, id_C^{\otimes}, id_{C|1}^{\otimes});$

so does the boundary diagram, and we are done.

3. Proof of Item 2c: Indeed, consider the diagram

Since:

- The boundary diagram commutes trivially;
- Subdiagram (1) commutes by Item 1b;

it follows that the diagram

commutes. But since $\mathrm{id}_{\mathbb{1}_C,\mathbb{1}_C'}^{\otimes,-1}$ is an isomorphism, it follows that the diagram (†) also commutes, and we are done.

4. Proof of Item 2d: Indeed, consider the diagram

$$\mathbb{1}_{C} \otimes_{C} \mathbb{1}'_{C} \xrightarrow{\operatorname{id}_{\mathbb{1}_{C},\mathbb{1}'_{C}}^{\otimes,-1}} \mathbb{1}_{C} \boxtimes_{C} \mathbb{1}'_{C} \xrightarrow{\operatorname{id}_{\mathbb{1}_{C},\mathbb{1}'_{C}}^{\otimes,-1}} \mathbb{1}_{C} \otimes_{C} \mathbb{1}'_{C}$$

$$\downarrow^{C} \qquad \qquad \downarrow^{C} \qquad \qquad \downarrow^{C} \qquad \qquad \downarrow^{C} \qquad \downarrow^{C$$

Since:

- The boundary diagram commutes trivially;
- Subdiagram (1) commutes by Item 1a;

it follows that the diagram

$$\mathbb{1}_{C} \otimes_{C} \mathbb{1}'_{C} \xrightarrow{\operatorname{id}_{\mathbb{1}_{C},\mathbb{1}'_{C}}^{\otimes,-1}} \mathbb{1}_{C} \boxtimes_{C} \mathbb{1}'_{C} \xrightarrow{\operatorname{id}_{\mathbb{1}_{C},\mathbb{1}'_{C}}^{\otimes,-1}} \mathbb{1}_{C} \otimes_{C} \mathbb{1}'_{C}$$

$$\downarrow \qquad \qquad \downarrow \qquad \qquad \downarrow \lambda_{\mathbb{1}'_{C}}^{C}$$

$$\downarrow \qquad \qquad \downarrow \qquad \downarrow \lambda_{\mathbb{1}'_{C}}^{C}$$

$$\downarrow \qquad \qquad \downarrow \lambda_{\mathbb{1}'_{C}}^{C}$$

$$\downarrow \qquad \qquad \downarrow \lambda_{\mathbb{1}'_{C}}^{C}$$

commutes. But since $id_{1}^{\otimes,-1}$ is an isomorphism, it follows that the diagram (†) also commutes, and we are done.

This finishes the proof.


Item 3: Mixed Associators

We claim that Items 3a to 3c are indeed true:

1. *Proof of Item 3a*: We may partition the monoidality diagram for id^{\otimes}

01UZ

of Item 2 of Remark 13.1.1.1.3 as follows:



Since:


- Subdiagram (1) commutes by Item 1a of Item 1.
- Subdiagram (2) commutes by assumption.
- Subdiagram (3) commutes by assumption.

it follows that the boundary diagram also commutes, i.e. id^{\otimes} satisfies the monoidality condition of Item 2 of Remark 13.1.1.1.3.

2. Proof of Item 3b: We may partition the monoidality diagram for id^{\otimes}

01V0

of Item 2 of Remark 13.1.1.1.3 as follows:



Since:


- Subdiagram (1) commutes by assumption.
- Subdiagram (2) commutes by assumption.
- Subdiagram (3) commutes by Item 1b of Item 1.

it follows that the boundary diagram also commutes, i.e. id^{\otimes} satisfies the monoidality condition of Item 2 of Remark 13.1.1.1.3.

3. *Proof of Item 3c*: We may partition the monoidality diagram for id^{\otimes}

01V1

of Item 2 of Remark 13.1.1.1.3 as follows:



Since subdiagrams (1) and (2) commute by assumption, it follows that the boundary diagram also commutes, i.e. id^{\otimes} satisfies the monoidality condition of Item 2 of Remark 13.1.1.1.3.

This finishes the proof.

- 01V2 13.1.2 The Moduli Category of Braided Monoidal Structures on a Category
- 01V3 13.1.3 The Moduli Category of Symmetric Monoidal Structures on a Category
- 01V4 13.2 Moduli Categories of Closed Monoidal Structures
- o1V5 13.3 Moduli Categories of Refinements of Monoidal Structures
- 01V6 13.3.1 The Moduli Category of Braided Refinements of a Monoidal Structure

Appendices

A Other Chapters

Preliminaries

- 1. Introduction
- 2. A Guide to the Literature

Sets

- 3. Sets
- 4. Constructions With Sets
- 5. Monoidal Structures on the Category of Sets
- 6. Pointed Sets

7. Tensor Products of Pointed Sets

Relations

- 8. Relations
- 9. Constructions With Relations
- 10. Conditions on Relations

Categories

- 11. Categories
- 12. Presheaves and the Yoneda Lemma

Monoidal Categories

13. Constructions With Monoidal gories
Categories

Bicategories

Extra Part

14. Types of Morphisms in Bicate- 15. Notes