# Notes

# The Clowder Project Authors

# July 29, 2025

**01CR** This chapter contains some notes.

## **Contents**

15.1	FikZ Code for Commutative Diagrams	7
	15.1.1 Product Diagram With Circular Arrows	2
	15.1.2 Coproduct Diagram With Circular Arrows	4
	15.1.3 Cube Diagram	
	15.1.4 Cube Diagram With Labelled Faces	8
	15.1.5 Pentagon Diagram	1
	15.1.6 Hexagon Diagram	13
	15.1.7 Double Square Diagram	14
	15.1.8 Double Hexagon Diagram	16
15.2	Retired Tags	19
	15.2.1 Relations	19
	15.2.2 Pointed Sets	2
	15.2.3 Tensor Products of Pointed Sets	2
	15.2.3 Tensor Products of Pointed Sets      15.2.4 Categories	
	15.2.4 Categories	22
15.3	15.2.4 Categories	22
15.3	15.2.4 Categories	22
	15.2.4 Categories	22 22

## **15.1** TikZ Code for Commutative Diagrams

In this section we gather some useful examples of tikzcd code for commutative diagrams.


### 02C1 15.1.1 Product Diagram With Circular Arrows

Define

```
\newlength{\DL}
\setlength{\DL}{0.9em}
in the preamble, as well as
\tikzcdset{
   productArrows/.style args={#1#2#3}{
    execute at end picture={
        % FIRST ARROW
        % Step 1: Draw arrow body
        \begin{scope}
            \clip (\tikzcdmatrixname-1-2.east) -- (\tikzcdmatrixname-
2-2.center) -- (\tikzcdmatrixname-2-3.north) -- (\tikzcdmatrixname-
1-3.center) -- cycle;
            \path[draw,line width=rule_thickness] (\tikzcdmatrixname-
1-2) arc[start angle=90,end angle=0,radius=#1];
        \end{scope}
        % Step 2: Draw arrow head
        % Step 2.1: Find the point at which to place the arrowhead
        \path[name path=curve-1-a] (\tikzcdmatrixname-1-2.east) -- (\tikzcdmatrixn
2-2.center) -- (\tikzcdmatrixname-2-3.north) -- (\tikzcdmatrixname-
1-3.center) -- cycle;
        \path[name path=curve-1-b] (\tikzcdmatrixname-1-2) arc[start angle=90,end
        \fill [name intersections={of=curve-1-a and curve-1-b}] (intersection-
2);
        % Step 2.2: Find the angle at which to place the arrowhead
        \coordinate (arc-start) at (\tikzcdmatrixname-1-2.east);
        \coordinate (arc-center) at (\tikzcdmatrixname-2-2.center);
        \draw let
```

```
p1 = (\$(intersection-2) - (arc-center)\$), % <math>p1 is the vector from the
2 for the 2nd intersection)
            \ln 1 = {atan2(\y1, \x1)}, % \ln 1  is the angle of that vector in degrees
            \ln 2 = {\ln 1 - 90} \% \ln 2 is the angle of the tangent (90 degrees from the
          in [->] (intersection-2) -- ++(\n2:0.1pt);
        % SECOND ARROW
        % Step 1: Draw arrow body
        \begin{scope}
            \clip (\tikzcdmatrixname-1-2.west) -- (\tikzcdmatrixname-
2-2.center) -- (\tikzcdmatrixname-2-1.north) -- (\tikzcdmatrixname-
1-1.center) -- cycle;
            \path[draw,line width=rule_thickness] (\tikzcdmatrixname-
1-2) arc[start angle=90,end angle=180,radius=#1];
        \end{scope}
        % Step 2: Draw arrow head
        % Step 2.1: Find the point at which to place the arrowhead
        \path[name path=curve-2-a] (\tikzcdmatrixname-1-2.west) -- (\tikzcdmatrixn
2-2.center) -- (\tikzcdmatrixname-2-1.north) -- (\tikzcdmatrixname-
1-1.center) -- cycle;
        \path[name path=curve-2-b] (\tikzcdmatrixname-1-2) arc[start angle=90,end
        \fill [name intersections={of=curve-2-a and curve-2-b}] (intersection-
2);
        % Step 2.2: Find the angle at which to place the arrowhead
        \coordinate (arc-start) at (\tikzcdmatrixname-1-2.west);
        \coordinate (arc-center) at (\tikzcdmatrixname-2-2.center);
        \draw let
            p1 = (\sin(\pi - 2) - (\arccos(\pi - 2)))
2 for the 2nd intersection)
            \ln = \{atan2(y1, x1)\}, \% \ln is the angle of that vector in degrees
            \ln 2 = {\ln 1 - 90} \% \ln 2 is the angle of the tangent (90 degrees from the
          in [<-] (intersection-2) -- ++(\n2:0.1pt);
          % Labels
          \path (\tikzcdmatrixname-1-2) arc[start angle=90,end angle=180,radius=#1
          \path (\tikzcdmatrixname-1-2) arc[start angle=90,end angle=0,radius=#1]
    }
  }
The code
```

will then produce the following diagram:



### 02C2 15.1.2 Coproduct Diagram With Circular Arrows

Define

```
\newlength{\DL}
\setlength{\DL}{0.9em}


in the preamble, as well as

\tikzcdset{
    coproductArrows/.style args={#1#2#3}{
    execute at end picture={
        % FIRST ARROW
        % Step 1: Draw arrow body
```

```
\begin{scope}
           \clip (\tikzcdmatrixname-1-2.east) -- (\tikzcdmatrixname-
2-2.center) -- (\tikzcdmatrixname-2-3.north) -- (\tikzcdmatrixname-
1-3.center) -- cycle;
            \path[draw,line width=rule_thickness] (\tikzcdmatrixname-
1-2) arc[start angle=90,end angle=0,radius=#1];
       \end{scope}
       % Step 2: Draw arrow head
       % Step 2.1: Find the point at which to place the arrowhead
        \path[name path=curve-1-a] (\tikzcdmatrixname-1-2.east) -- (\tikzcdmatrixn
2-2.center) -- (\tikzcdmatrixname-2-3.north) -- (\tikzcdmatrixname-
1-3.center) -- cycle;
        \path[name path=curve-1-b] (\tikzcdmatrixname-1-2) arc[start angle=90,end
        \fill [name intersections={of=curve-1-a and curve-1-b}] (intersection-
1);
       % Step 2.2: Find the angle at which to place the arrowhead
        \coordinate (arc-start) at (\tikzcdmatrixname-1-2.east);
        \coordinate (arc-center) at (\tikzcdmatrixname-2-2.center);
        \draw let
            p1 = (\sin(\pi - 1) - (\arcsin(\pi - 1)))
2 for the 2nd intersection)
            \ln 1 = {atan2(\y1, \x1)}, % \ln 1  is the angle of that vector in degrees
            \ln 2 = {\ln - 90} \% \ln 2 is the angle of the tangent (90 degrees from the
         in [<-] (intersection-1) -- ++(\n2:0.1pt);</pre>
       % SECOND ARROW
        % Step 1: Draw arrow body
        \begin{scope}
           \clip (\tikzcdmatrixname-1-2.west) -- (\tikzcdmatrixname-
2-2.center) -- (\tikzcdmatrixname-2-1.north) -- (\tikzcdmatrixname-
1-1.center) -- cycle;
           \path[draw,line width=rule_thickness] (\tikzcdmatrixname-
1-2) arc[start angle=90,end angle=180,radius=#1];
       \end{scope}
       % Step 2: Draw arrow head
       % Step 2.1: Find the point at which to place the arrowhead
        \path[name path=curve-2-a] (\tikzcdmatrixname-1-2.west) -- (\tikzcdmatrixn
2-2.center) -- (\tikzcdmatrixname-2-1.north) -- (\tikzcdmatrixname-
1-1.center) -- cycle;
```

```
\path[name path=curve-2-b] (\tikzcdmatrixname-1-2) arc[start angle=90,end
        \fill [name intersections={of=curve-2-a and curve-2-b}] (intersection-
1);
        % Step 2.2: Find the angle at which to place the arrowhead
        \coordinate (arc-start) at (\tikzcdmatrixname-1-2.west);
        \coordinate (arc-center) at (\tikzcdmatrixname-2-2.center);
        \draw let
            \p1 = ($(intersection-1) - (arc-center)$), % \p1 is the vector from th
2 for the 2nd intersection)
            \ln = \{atan2(y1, x1)\}, \% \ln is the angle of that vector in degrees
            \ln 2 = {\ln 1 - 90} \% \ln 2 is the angle of the tangent (90 degrees from the
          in [->] (intersection-1) -- ++(\n2:0.1pt);
          % Labels
          \path (\tikzcdmatrixname-1-2) arc[start angle=90,end angle=180,radius=#1
          \path (\tikzcdmatrixname-1-2) arc[start angle=90,end angle=0,radius=#1]
    }
  }
}
The code
\begin{tikzcd}[row sep={4.5*}\the\DL,between origins}, column sep={4.5*}\the\DL,between origins}.
    {}% Don't remove this line, it's important!
    \&
    C
    \arrow[from=d,"\phi","\exists!"', dashed]
    {}% Don't remove this line, it's important!
    //
    Α
    \&
    A\icoprod B
    \arrow[from=1,"\inj_{1}"',hook]
    \arrow[from=r,"\inj_{2}",hook']
    \&
    В
\end{tikzcd}
```

will then produce the following diagram:



## 01VS 15.1.3 Cube Diagram

Define

 $\newlength{\DL} \\ \setlength{\DL}{0.9em}$ 

The code

١,

\&

\&

2

\&

\\

\&

1'

\&

\&

2'

\\

3

\&

\&

4

\&


\\

\&

31

```
\&
    \&
    41
    % 1-Arrows
    % First Square
    \arrow[from=1-1, to=3-1, "f"']%
    \arrow[from=3-1, to=3-3, "h"{description, pos=0.25}]%
    \arrow[from=1-1, to=1-3, "g"]%
    \arrow[from=1-3, to=3-3, "k"{description, pos=0.25}]%
    % Second Square
    \arrow[from=2-2, to=4-2, "f\"{description, pos=0.3}, crossing over]%
    \arrow[from=4-2, to=4-4, "h'"']%
    \arrow[from=2-2, to=2-4, "g'"{description, pos=0.3}, crossing over]%
    \arrow[from=2-4, to=4-4, "k'"]%
    % Connecting Arrows
    \arrow[from=1-1, to=2-2, "c_{1}"description]%
    \arrow[from=1-3, to=2-4, "c_{2}"]%
    \arrow[from=3-1, to=4-2, "c_{3}"']%
    \arrow[from=3-3,to=4-4,"c_{4}"description]%
\end{tikzcd}
```

will produce the following diagram:



### 01VT 15.1.4 Cube Diagram With Labelled Faces

Define

```
\newlength{\DL}
\left(DL\right) = 0.9em
The code
\begin{tikzcd}[row sep={4.0*\the\DL,between origins}, column sep={4.0*\the\DL,between origins}]
    \&
    \&
    2
    \&
    //
    \&
    1'
    \&
    \&
    2'
    //
    3
    \&
    \&
    \&
    //
    \&
    3'
    \&
    \&
    4'
    % 1-Arrows
    % First Square
    \arrow[from=1-1, to=3-1, "f"']%
    \arrow[from=1-1, to=1-3, "g"]%
    % Second Square
    \arrow[from=2-2,to=4-2,"f'"{description},crossing over]%
    \arrow[from=4-2,to=4-4,"h'"']%
    \arrow[from=2-2,to=2-4,"g\"{description},crossing over]%
    \arrow[from=2-4, to=4-4, "k'"]%
    % Connecting Arrows
    \arrow[from=1-1, to=2-2, "c_{1}"description]%
```


```
\arrow[from=1-3, to=2-4, "c_{2}"]%
    \arrow[from=3-1, to=4-2, "c_{3}"']%
    % Subdiagrams
    \arrow[from=2-2,to=1-3,"\scriptstyle(1)"{rotate=-0.3,xslant=-
0.903569337, yslant=0, xscale=7.0341, yscale=4.4454, xscale=0.225, yscale=0.225}, phanto
    \arrow[from=3-1,to=2-2,"\scriptstyle(2)"{rotate=-44.6,xslant=-
0.965688775, yslant=0, xscale=8.6931, yscale=8.2852, xscale=0.15, yscale=0.15}, phantom]
    \arrow[from=4-2,to=2-4,"\scriptstyle(3)"{rotate=0,xslant=0,yslant=0,xscale=1.5
\end{tikzcd}
\qquad
\begin{tikzed}[row sep={4.0*}\the\DL,between origins}, column sep={4.0*}\the\DL,between origins}.
    \&
    \&
    2
    \&
    //
    \&
    \&
    \&
    2'
    //
    3
    \&
    \&
    4
    \&
    //
    \&
    31
    \&
    \&
    41
    % 1-Arrows
    % First Square
    \arrow[from=1-1, to=3-1, "f"']%
    \arrow[from=3-1, to=3-3, "h"{description}]%
    \arrow[from=1-1, to=1-3, "g"]%
```

```
% Second Square
\arrow[from=4-2,to=4-4,"h'"']%
\arrow[from=2-4,to=4-4,"k'"]%
% Connecting Arrows
\arrow[from=1-3,to=2-4,"c_{2}"]%
\arrow[from=3-1,to=4-2,"c_{3}"']%
\arrow[from=3-3,to=4-4,"c_{4}"description]%
% Subdiagrams
\arrow[from=1-1,to=3-3,"\scriptstyle(4)"{rotate=0,xslant=0,yslant=0,xscale=1.5}
\arrow[from=3-3,to=2-4,"\scriptstyle(5)"{rotate=-44.6,xslant=-
0.965688775,yslant=0,xscale=8.6931,yscale=8.2852,xscale=0.15,yscale=0.15},phantom]\arrow[from=4-2,to=3-3,"\scriptstyle(6)"{rotate=-0.3,xslant=-
0.903569337,yslant=0,xscale=7.0341,yscale=4.4454,xscale=0.225,yscale=0.225},phantom
```

\arrow[from=1-3, to=3-3, "k"{description}]%

will produce the following diagram:

\end{tikzcd}



### 01VU 15.1.5 Pentagon Diagram


Define

\newlength{\ThreeCm}
\setlength{\ThreeCm}{3.0cm}

The code

```
\begin{tikzcd}[row sep={0*\the\DL,between origins}, column sep={0*\the\DL,between origins}]
   \&[0.30901699437\ThreeCm]
   \&[0.5\ThreeCm]
   A\otimes_{R}(A\otimes_{R}A)
   \&[0.5\ThreeCm]
   \&[0.30901699437\ThreeCm]
   \\[0.58778525229\ThreeCm]
   (A\circ R_{A})\circ R_{A}
   \&[0.30901699437\ThreeCm]
   \&[0.5\ThreeCm]
   \&[0.5\ThreeCm]
   \&[0.30901699437\ThreeCm]
   A \otimes_{R}A
   \\[0.95105651629\ThreeCm]
   \&[0.30901699437\ThreeCm]
   A\otimes_{R}A
   \&[0.5\ThreeCm]
   \&[0.5\ThreeCm]
   \&[0.30901699437\ThreeCm]
   % 1-Arrows
   % Left Boundary
   \arrow[from=2-1, to=1-3, "\alpha^{\Mod_{R}}_{A,A,A}"[pos=0.4125]]
   \arrow[from=2-5, to=3-4, "\mu^{\times}_{A}"{pos=0.425}]%
   % Right Boundary
   \arrow[from=2-1, to=3-2, "\mu^{\times}_{A}\otimes_{R}\in _{R}\in _{A}''\{pos=0.425\}]%
   \arrow[from=3-2, to=3-4, "\mu^{\times}_{A}"]%
\end{tikzcd}
```

will produce the following pentagon diagram:



To make the diagram larger, one could use e.g.

```
\newlength{\FourCm}
\setlength{\FourCm}{2.0cm}
```

and replace all instances of \ThreeCm with \FourCm in the code above.

### 01VV 15.1.6 Hexagon Diagram

Define

```
\newlength{\OneCmPlusHalf}
\setlength{\OneCmPlusHalf}{1.5cm}
```

The code

```
\begin{tikzcd}[row sep={0.0*\the\DL,between origins}, column sep={0.0*\the\DL,betw
\&[0.86602540378\OneCmPlusHalf]

1
\&[0.86602540378\OneCmPlusHalf]
\\[0.5\OneCmPlusHalf]
2
\&[0.86602540378\OneCmPlusHalf]
```


3

\&[0.86602540378\OneCmPlusHalf]

\\[\OneCmPlusHalf]

```
\&[0.86602540378\OneCmPlusHalf]
    \&[0.86602540378\OneCmPlusHalf]
    5
    \[0.5\OneCmPlusHalf]
    \&[0.86602540378\OneCmPlusHalf]
    \&[0.86602540378\OneCmPlusHalf]
    % 1-Arrows
   % Left Boundary
    \arrow[from=1-2, to=2-1, "L_{1}"']%
    \arrow[from=2-1, to=3-1, "L_{2}"']%
    \arrow[from=3-1, to=4-2, "L_{3}"']%
    % Right Boundary
    \arrow[from=1-2, to=2-3, "R_{1}"]%
    \arrow[from=2-3, to=3-3, "R_{2}"]%
    \arrow[from=3-3, to=4-2, "R_{3}"]%
\end{tikzcd}
```

will produce the following hexagon diagram:



To make the diagram larger, one could use e.g.

```
\newlength{\TwoCm}
\setlength{\TwoCm}{2.0cm}
```

and replace all instances of \OneCmPlusHalf with \TwoCm in the code above.


## 02C3 15.1.7 Double Square Diagram

Define

```
\newlength{\DL}
\setlength{\DL}{0.9cm}
The code
\begin{tikzcd}[row sep={10.0*}\the\DL,between origins}, column sep={10.0*}\the\DL,between origins}]
    \bullet
    \&
    \&
    \&
    \bullet
    //
    \&
    \bullet
    \&
    \bullet
    \&
    //
    \&
    \bullet
    \&
    \bullet
    \&
    //
    \bullet
    \&
    \&
    \&
    \bullet
    % Arrows
    % Outer Square
    \arrow[from=1-1, to=1-4]%
    \arrow[from=1-4, to=4-4]%
    %
    \arrow[from=1-1, to=4-1]%
    \arrow[from=4-1, to=4-4]%
    % Inner Square
    \arrow[from=2-2, to=2-3]%
    \arrow[from=2-3, to=3-3]%
```

```
%
  \arrow[from=2-2,to=3-2]%
  \arrow[from=3-2,to=3-3]%
  % Connecting Arrows
  \arrow[from=1-1,to=2-2]%
  \arrow[from=1-4,to=2-3]%
  \arrow[from=3-2,to=4-1]%
  \arrow[from=3-3,to=4-4]%
  % Subdiagrams
  \arrow[from=2-2,to=3-3,"\scriptstyle(1)",phantom,yshift=10.0*\the\DL]%
  \arrow[from=2-2,to=3-2,"\scriptstyle(2)",phantom,xshift=-5.0*\the\DL]%
  \arrow[from=2-2,to=3-3,"\scriptstyle(3)",phantom]%
  \arrow[from=2-3,to=3-3,"\scriptstyle(4)",phantom,xshift=5.0*\the\DL]%
  \arrow[from=2-2,to=3-3,"\scriptstyle(4)",phantom,xshift=5.0*\the\DL]%
  \arrow[from=2-2,to=3-3,"\scriptstyle(5)",phantom,yshift=-10.0*\the\DL]%
  \end{tikzcd}
```

will produce the following double square diagram:



### 01WH 15.1.8 Double Hexagon Diagram


Define

\newlength{\OneCm}
\setlength{\OneCm}{1.0cm}

The code

```
\begin{tikzcd}[row sep={0.0*}\the\DL,between origins}, column sep={0.0*}\the\DL,between origins}.
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}\{1-3\}
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    \\[2.0*\OneCm]
    \text{text}\{2-1\}
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}\{2-3\}
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}\{2-5\}
    \\[1.0*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}{3-2}
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}{3-4}
    \&[1.73205081*\OneCm]
    \\[2.0*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}\{4-2\}
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}\{4-4\}
    \&[1.73205081*\OneCm]
    \\[1.0*\OneCm]
    \text{text}\{5-1\}
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}{5-3}
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    \text{text}\{5-5\}
    \\[2.0*\OneCm]
    \&[1.73205081*\OneCm]
```

```
\&[1.73205081*\OneCm]
    \text{text}\{6-3\}
    \&[1.73205081*\OneCm]
    \&[1.73205081*\OneCm]
    % Arrows
    \arrow[from=1-3, to=2-1, "1"']%
    \arrow[from=2-1, to=5-1, "2"']%
    \arrow[from=5-1, to=6-3, "3"']%
    %
    \arrow[from=1-3, to=2-5, "4"]%
    \arrow[from=2-5, to=5-5, "5"]%
    \arrow[from=5-5, to=6-3, "6"]%
    %
    \arrow[from=2-3, to=3-2, "1'"description]%
    \arrow[from=3-2, to=4-2, "2'"description]%
    \arrow[from=4-2, to=5-3, "3'"description]%
    %
    \arrow[from=2-3, to=3-4, "4'"description]%
    \arrow[from=3-4, to=4-4, "5'"description]%
    \arrow[from=4-4, to=5-3, "6'"description]%
    \arrow[from=1-3, to=2-3, "a"description]%
    \arrow[from=2-1, to=3-2, "b"description]%
    \arrow[from=2-5, to=3-4, "c"description]%
    \arrow[from=5-1, to=4-2, "d"description]%
    \arrow[from=5-5, to=4-4, "e"description]%
    \arrow[from=5-3, to=6-3, "f"description]%
\end{tikzcd}
```



will produce the following double hexagon diagram:

To make the diagram larger, one could use e.g.

\newlength{\TwoCm}
\setlength{\TwoCm}{2.0cm}

and replace all instances of \OneCm with \TwoCm in the code above.

## **01VC 15.2 Retired Tags**

### **01VD 15.2.1 Relations**

- **Old Tag 15.2.1.1.1.** The content of this tag has been moved to Relations, Definition 8.1.1.1.
- **Old Tag 15.2.1.1.2.** The original statement of this tag was false.
- **OOQQ Old Tag 15.2.1.1.3.** The original statement of this tag was false.
- **Old Tag 15.2.1.1.4.** This was a question. Now an explicit description is available as Relations, ??.

15.2.1 Relations 20

**Old Tag 15.2.1.1.5.** This was a question. Now an explicit description is available as Relations, ??.

- **Old Tag 15.2.1.1.6.** This tag is obsolete; see Relations, Sections 8.5.13 to 8.5.16 instead.
- **Old Tag 15.2.1.1.7.** This tag is obsolete; see Relations, Sections 8.5.13 to 8.5.16 instead.
- **Old Tag 15.2.1.1.8.** This tag is obsolete; see Relations, Sections 8.5.13 to 8.5.16 instead.
- **Old Tag 15.2.1.1.9.** This was originally a question. It has been answered in Relations, ??
- **Old Tag 15.2.1.1.10.** This was originally a question. It has been answered in Relations, Section 8.5.11.
- **OOLE Old Tag 15.2.1.1.11.** Superseded by Relations, ??.
- **OOLJ Old Tag 15.2.1.1.12.** Superseded by Relations, ??.
- **OOLK Old Tag 15.2.1.1.13.** Superseded by Relations, ??.
- **OOLL Old Tag 15.2.1.1.14.** Superseded by Relations, ??.
- **OOLM Old Tag 15.2.1.1.15.** Superseded by Relations, ??.
- **OOLN Old Tag 15.2.1.1.16.** Superseded by Relations, ??.
- **OOLP Old Tag 15.2.1.1.17.** Superseded by Relations, ??.
- 00LQ Old Tag 15.2.1.1.18. Superseded by Relations, ??.
- **OOLR Old Tag 15.2.1.1.19.** Superseded by Relations, ??.
- **OOLS Old Tag 15.2.1.1.20.** Superseded by Relations, ??.
- **OOLT Old Tag 15.2.1.1.21.** Superseded by Relations, ??.
- **OOLU Old Tag 15.2.1.1.22.** Superseded by Relations, ??.
- 00LX Old Tag 15.2.1.1.23. Superseded by Relations, Section 8.5.11.
- 00M1 Old Tag 15.2.1.1.24. Superseded by Relations, Section 8.5.11.

15.2.2 Pointed Sets 21

- 00M2 Old Tag 15.2.1.1.25. Superseded by Relations, Section 8.5.11.
- 00M3 Old Tag 15.2.1.1.26. Superseded by Relations, Section 8.5.11.
- 00M4 Old Tag 15.2.1.1.27. Superseded by Relations, Section 8.5.11.
- 00M5 **Old Tag 15.2.1.1.28.** Superseded by Relations, Section 8.5.11.
- 00M6 Old Tag 15.2.1.1.29. Superseded by Relations, Section 8.5.11.
- 00M7 Old Tag 15.2.1.1.30. Superseded by Relations, Section 8.5.11.
- 00M8 Old Tag 15.2.1.1.31. Superseded by Relations, Section 8.5.11.
- 00M9 Old Tag 15.2.1.1.32. Superseded by Relations, Section 8.5.11.
- 00MA Old Tag 15.2.1.1.33. Superseded by Relations, Section 8.5.11.
- 00MB **Old Tag 15.2.1.1.34.** Superseded by Relations, Section 8.5.11.
- 00MC Old Tag 15.2.1.1.35. Superseded by Relations, Section 8.5.11.
- 029S **Old Tag 15.2.1.1.36.** Superseded by Relations, Section 8.5.11.
- 029T Old Tag 15.2.1.1.37. Superseded by Relations, Section 8.5.11.

### **01VF 15.2.2 Pointed Sets**

- **Old Tag 15.2.2.1.1.** The **underlying pointed set** of a semimodule  $(M, \alpha_M)$  is the pointed set  $(M, 0_M)$ .
- **Old Tag 15.2.2.1.2.** The **underlying pointed set** of a module  $(M, \alpha_M)$  is the pointed set  $(M, 0_M)$ .

### 01WG 15.2.3 Tensor Products of Pointed Sets

- 00H2 Old Tag 15.2.3.1.1. Absorbed into Tensor Products of Pointed Sets, Section 7.5.10.
- 00H4 Old Tag 15.2.3.1.2. Absorbed into Tensor Products of Pointed Sets, Section 7.5.10.
- **Old Tag 15.2.3.1.3.** Absorbed into Tensor Products of Pointed Sets, Section 7.5.10.
- 00H5 Old Tag 15.2.3.1.4. Absorbed into Tensor Products of Pointed Sets, Section 7.5.10.

### 01VJ 15.2.4 Categories

**Old Tag 15.2.4.1.1.** We denote natural transformations in diagrams as



(This tag has been removed and is now part of Categories, Definition 11.9.2.1.2.)

- **Old Tag 15.2.4.1.2.** (This Tag was an item of Categories, Definition 11.6.2.1.2, but has since been removed because its statement is incorrect. Naïm Camille Favier provided a counterexample, and the corrected statements now appear as Categories, Items 2 and 3 of Definition 11.6.2.1.2.)
- 1. Interaction With Postcomposition. The following conditions are equivalent:
- **01VN** (a) The functor  $F: C \to \mathcal{D}$  is full.
- 01VP (b) For each X ∈ Obj(Cats), the postcomposition functor

$$F_* : \operatorname{Fun}(\mathcal{X}, \mathcal{C}) \to \operatorname{Fun}(\mathcal{X}, \mathcal{D})$$

is full.

01VQ (c) The functor  $F: C \to \mathcal{D}$  is a representably full morphism in Cats<sub>2</sub> in the sense of Types of Morphisms in Bicategories, Definition 14.1.2.1.1.

## 02C4 15.3 Miscellany

## 01CV 15.3.1 List of Things To Explore/Add

Here we list things to be explored in or added to this work in the future. This is a very quick and dirty list; some items may not be fully intelligible.

- **01CW Remark 15.3.1.1.1.** Set Theory:
  - 1. https://math.stackexchange.com/questions/200389/show-tha
     t-the-set-of-all-finite-subsets-of-mathbbn-is-countable
  - 2. https://mathoverflow.net/a/479528

3. https://www.maths.ed.ac.uk/~tl/ast/ast.pdf

### Type Theory:

1. https://mathoverflow.net/questions/497570/universes-don
 t-need-to-be-indexed-by-natural-numbers

### Pointed sets:

- 1. Universal properties (plural!) of the left tensor product of pointed sets
- 2. Universal properties (plural!) of the right tensor product of pointed sets

#### Relations:

- 1. Internal fibrations in **Rel**, like discrete fibrations and Street fibrations
- 2. Return to Eilenberg–Moore and Kleisli objects in **Rel** once the general theory has been set up for internal monads

### Spans:

- 1. https://arxiv.org/abs/2505.22832
- 2. Spans: study certain compositions of spans like composing  $B \stackrel{f}{\leftarrow} A = A$  and  $A = A \stackrel{g}{\leftarrow} B$  into a span  $B \stackrel{f}{\leftarrow} A \stackrel{g}{\leftarrow} B$
- 3. Comparison double functor from Span to Rel and vice versa
- 4. Apartness composition for spans and alternate compositions for spans in general
- 5. non-Cartesian analogue of spans
  - (a) View spans as morphisms  $S \to A \times B$  and consider instead morphisms  $S \to A \otimes_C B$
- 6. Record the universal property of the bicategory of spans of https://ncatlab.org/nlab/show/span
- 7. https://ncatlab.org/nlab/show/span+trace
- 8. Cospans.

9. Multispans.

Un/Straightening for Indexed and Fibred Sets:

- Analogue of adjoints for Grothendieck construction for indexed and fibred sets
- 2. Write proper sections on straightening for lax functors from Sets to Rel or Span (displayed sets)
- 3. co/units for un/straightening adjunction

### Categories:

- 1. https://www.numdam.org/actas/SE/,https://www.numdam.org/j
  ournals/CTGDC/
- 2. https://www.numdam.org/item/CTGDC\_1966\_\_8\_\_A5\_0.pdf
- 3. https://mathoverflow.net/questions/493931/is-the-categor y-of-posets-locally-cartesian-closed
- 4. From Keith: Presheaves on a topological space X valued in  $\{t, f\}$ 
  - (a) They are the same as collections of open subsets of X
  - (b) They are sheaves iff that collection is closed under union
  - (c) Their sheafification is the closure of that collection under unions
- 5. https://arxiv.org/abs/2504.20949
- 6. Notion of equality that is weaker than equivalence but stronger than adjunction
- 7. Tangent categories, Beck modules, categorical derivations
- 8. Flat functors
- 9. Is the classifying space of a category isomorphic to  $Ex^{\infty}$  of the nerve of the category? If so, an intuition for having an initial/terminal object implying being homotopically contractible is that taking the free  $\infty$ -groupoid generated by that identifies every object with the terminal one.
- 10. https://en.wikipedia.org/wiki/Category\_algebra

- 11. simple objects
- 12. https://mathoverflow.net/questions/442212/properties-o
   f-categorical-zeta-function
- 13. Polynomial functors, https://ncatlab.org/nlab/show/polynomial+functor, https://arxiv.org/abs/2312.00990
- 14. https://ncatlab.org/nlab/show/simple+object
- 15. https://mathoverflow.net/questions/442212/properties-o
   f-categorical-zeta-function
- 16. https://arxiv.org/abs/2409.17489
- 17. https://mathoverflow.net/a/478644
- 18. Posetal category associated to a poset as a right adjoint
- 19. "Presetal category" associated to a preordered set
- 20. Vopenka's principle simplifies stuff in the theory of locally presentable categories. If we build categories using type theory or HoTT, what stuff from vopenka holds?
- 21. Are pseudoepic functors those functors whose restricted Yoneda embedding is pseudomonic and Yoneda preserves absolute colimits?
- 22. Absolutely dense functors enriched over  $\mathbb{R}^+$  apparently reduce to topological density
- 23. Is there a reasonable notion of category homology? It is very common for the geometric realisation of a category to be contractible (e.g. having an initial or terminal object), but maybe some notion of directed homology could work here
- 24. Nerves of categories:
  - (a) Dihedral and symmetric nerves of categories via groupoids (define them first for groupoids and then Kan extend along Grpd  $\hookrightarrow$  Cats)
    - i. Same applies to twisted nerves
  - (b) Cyclic nerve of a category

- (c) Crossed Simplicial Group Categorical Nerves, https://arxiv.org/ abs/1603.08768
- 25. Define contractible categories and add a discussion of universal properties as stating that certain categories are contractible. (Example of non-unique isomorphisms as e.g. being a group of order 5 corresponds to all objects being isomorphic but the category not being contractible)
- 26. Expand ?? and add a proof to it.
- 27. Sections and retractions; retracts, <a href="https://ncatlab.org/nlab/show/retract">https://ncatlab.org/nlab/show/retract</a>.
- 28. Groupoid cardinality
  - (a) https://mathoverflow.net/questions/376175/category-t heory-and-arithmetical-identities/376223#376223
  - (b) https://mathoverflow.net/questions/420088/groupoid-c ardinality-of-the-class-of-abelian-p-groups?rq=1
  - (c) https://mathoverflow.net/questions/363292/what-is-t he-groupoid-cardinality-of-the-category-of-vector-s paces-over-a-finite
  - (d) The groupoid cardinality of the core of the category of finite sets is e. What is the groupoid cardinality of the core of FinSets<sub>G</sub>?
  - (e) groupoid cardinality of the core of the category of finite G-sets, <a href="https://www.arxiv.org/pdf/2502.03585">https://www.arxiv.org/pdf/2502.03585</a>
  - (f) https://ncatlab.org/nlab/show/groupoid+cardinality
  - (g) https://arxiv.org/abs/2104.11399
  - (h) https://terrytao.wordpress.com/2017/04/13/counting-o bjects-up-to-isomorphism-groupoid-cardinality/
  - (i) https://arxiv.org/abs/0809.2130
  - (j) https://qchu.wordpress.com/2012/11/08/groupoid-cardinality/
  - (k) https://mathoverflow.net/questions/363292/what-is-t he-groupoid-cardinality-of-the-category-of-vector-s paces-over-a-finite

- 29. combinatorial species
  - (a) https://ncatlab.org/nlab/show/Schur+functor
    - i. Equivalence between twisted commutative algebras and algebras on categories of polynomial functors, https://mathweb.ucsd .edu/~ssam/talks/2014/ihp-tca.pdf
  - (b) https://mathoverflow.net/questions/22462/what-are-s ome-examples-of-interesting-uses-of-the-theory-of-c ombinatorial-specie
  - (c) https://en.wikipedia.org/wiki/Combinatorial\_species
- 30. Leinster's the eventual image, https://arxiv.org/abs/2210.00302
  - (a) Telescope notation  $\operatorname{tel}_{\phi}(X) \stackrel{\text{def}}{=} \operatorname{colim}(X \xrightarrow{\phi} X \xrightarrow{\phi} \xrightarrow{\phi} \cdots)$  introduced in https://arxiv.org/abs/2505.06979
- 31. https://ncatlab.org/nlab/show/separable+functor
- 32. Dagger categories:
  - (a) https://en.wikipedia.org/wiki/Dagger\_category
  - (b) https://ncatlab.org/nlab/show/dagger+category
  - (c) Dagger compact categories, https://en.wikipedia.org/wiki/ Dagger\_compact\_category
  - (d) https://mathoverflow.net/questions/220032/are-dagge r-categories-truly-evil
  - (e) generalisation of dagger categories to categories with duality, i.e. categories C together with a functor  $\dagger\colon C^{\mathsf{op}}\to C$ 
    - i. Perhaps with the additional condition that  $\dagger \circ \dagger = id$
    - ii. categories with involutions in general

### Regular Categories:

- 1. https://arxiv.org/pdf/2004.08964.pdf.
- 2. Internal relations

Types of Morphisms in Categories:

- https://mathoverflow.net/questions/490476/duality-of-inj ectivity-surjectivity-of-precomposition-map for motivation of monomorphisms/epimorphisms
- 2. Characterisation of epimorphisms in the category of fields, https://math.stackexchange.com/q/4941660
- 3. Strong epimorphisms
- 4. Behaviour in  $\operatorname{Fun}(C, \mathcal{D})$ , e.g. pointwise sections vs. sections in  $\operatorname{Fun}(C, \mathcal{D})$ .
- 5. Faithful functors from balanced categories are conservative
- 6. Natural cotransformations:
  - (a) If there is a natural transformation between functors between categories, taking nerves gives a homotopy equivalence (or something like that). What happens for natural cotransformations?
  - (b) Natural transformations come with a vertical composition map

$$\circ \colon \coprod_{G \in \mathsf{Fun}(C,\mathcal{D})} \mathsf{Nat}(G,H) \times \mathsf{Nat}(F,G) \to \mathsf{Nat}(F,H).$$

As Morgan Rogers shows here, there's no vertical cocomposition map of the form

$$\mathsf{CoNat}(F,H) \to \prod_{G \in \mathsf{Fun}(C,\mathcal{D})} \mathsf{CoNat}(G,H) \times \mathsf{CoNat}(F,G)$$

or of the form

$$\mathsf{CoNat}(F,H) \to \prod_{G \in \mathsf{Fun}(G,\mathcal{D})} \mathsf{CoNat}(G,H) \coprod \mathsf{CoNat}(F,G)$$

for natural cotransformations.

- (c) Cap product for CoNat and Nat
  - i. recovers map  $Z(G) \times Cl(G) \rightarrow Cl(G)$ .
- (d) What is the geometric realisation of CoTrans(F, G)?
  - i. Related: https://mathoverflow.net/questions/89753/g eometric-realization-of-hochschild-complex

- (e) What is the totalisation of Trans(F, G)?
  - i. If we view sets as discrete topological spaces, what are the homotopy/homology groups of it? The nLab says this (https://ncatlab.org/nlab/show/totalization):

The homotopy groups of the totalization of a cosimplicial space are computed by a Bousfield-Kan spectral sequence.

The homology groups by an Eilenberg-Moore spectral sequence.


(f) Abstract

### Adjunctions:

- 1. Relative adjunctions: message Alyssa asking for her notes
- 2. Adjunctions, units, counits, and fully faithfulness as in https://mathoverflow.net/questions/100808/properties-of-functors-and-their-adjoints.
- 3. Morphisms between adjunctions and bicategory Adj(C).
- 4. https://ncatlab.org/nlab/show/transformation+of+adjoints

#### Presheaves and the Yoneda Lemma:

- 1. https://mathoverflow.net/questions/498069/products-and-c oproducts-in-the-category-of-elements-of-a-presheaf
- 2. Yoneda extension along  $\mathcal{L}_{\mathcal{D}} \circ F \colon C \to \mathsf{PSh}(\mathcal{D})$ , giving a functor left adjoint to the precomposition functor  $F^* \colon \mathsf{PSh}(\mathcal{D}) \to \mathsf{PSh}(C)$ .
- 3. Consider the diagram



4. Does the functor tensor product admit a right adjoint ("Hom") in some sense?

- 5. Yoneda embedding preserves limits
- 6. universal objects and universal elements
- 7. adjoints to the Yoneda embedding and total categories
- 8. The co-Yoneda lemma: co/presheaves are colimits of co/representables
- 9. Properties of categories of copresheaves
- 10. Contravariant restricted Yoneda embedding
- 11. Contravariant Yoneda extensions
- 12. Make table of Lift  $_{\sharp}(\xi)$ , Ran  $_{\sharp}(\xi)$ , Ran  $_{\sharp}(\Upsilon)$ , etc.
- 13. Properties of restricted Yoneda embedding, e.g. if the restricted Yoneda embedding is full, then what can we conclude? Related: https://qchu.wordpress.com/2015/05/17/generators/
- 14. Tensor product of functors and relation to profunctors
- 15. rifts and rans and lifts and lans involving yoneda in Cats and Prof
- 16. Tensor product of functors and relation to rifts and rans of profunctors Isbell Duality:
  - 1. enriched Isbell over walking chain complex
  - 2. Isbell self-dual presheaves for Lawvere metric spaces; when

$$f(x) = \sup_{x \in X} \left| f(x) - \sup_{y \in X} (|f(y) - \mathsf{d}_X(y, x)|) \right|$$

holds.

- 3. https://ncatlab.org/nlab/show/Fr%C3%B6licher+spaces+and+
   Isbell+envelopes
- 4. https://ncatlab.org/nlab/show/envelope+of+an+adjunction
- 5. https://ncatlab.org/nlab/show/nucleus+of+a+profunctor

- 6. https://ncatlab.org/nlab/show/nuclear+adjunction
- 7. https://ncatlab.org/nlab/show/fixed+point+of+an+adjuncti on
- 8. **Important:** I should reconsider going with the notation O and Spec. Although a bit common in the (somewhat scarce) literature on Isbell duality, I have doubts regarding how useful/nice of a choice O and Spec are, and whether there are better choices of notation for them.
- 9. Interaction with  $\times$ , Hom,  $F_!$ ,  $F^*$ , and  $F_*$
- 10. Interactions between presheaves and copresheaves:
  - (a) Natural transformations from a presheaf to a copresheaf and vice versa
  - (b) Mixed Day convolution?
- 11. Isbell duality for monoids:
  - (a) Set up a dictionary between properties of  $\mathsf{Sets}^\mathsf{L}_A$  or  $\mathsf{Sets}^\mathsf{R}_A$  and properties of A
  - (b) Do the same for O given by  $A \mapsto \operatorname{Sets}^{\mathsf{L}}_A(X,A)$
  - (c) Do the same for Spec given by  $A \mapsto \operatorname{Sets}_A^R(X, A)$
  - (d) Do the same for O ∘ Spec
  - (e) Do the same for Spec  $\circ$  O
  - (f) Algebras for Spec ∘ O
  - (g) Coalgebras for O ∘ Spec
- 12. Properties of Spec (e.g. fully faithfulness) vs. properties of C
- 13. Properties of O (e.g. fully faithfulness) vs. properties of C
- 14. co/unit being monomorphism/epimorphism
- 15. reflexive completion
- 16. Isbell duality for simplicial sets; what's the reflexive completion?
- 17. Isbell envelope

- 18. What does Isbell duality look like, when Cat(Aop,Set) is identified with the category of discrete opfibrations over A, using A.5.14?
- 19. Generalizations of Isbell duality:
  - (a) Monoidal Isbell duality: monoidality for Isbell adjunction with day convolution (6.3 of coend cofriend)
  - (b) Isbell duality with sheaves
  - (c) Isbell duality with Lawvere theories, product preserving functors or whatever
  - (d) Isbell duality for profunctors
    - i. In view of ?? of ??, can we just use right Kan lifts/extensions?
    - ii. Right Kan lift/extension of Hom functors (there's probably a version of the Yoneda lemma here)
      - A. What is  $Rift_F(Hom_C)$
      - B. What is  $Ran_F(Hom_C)$
      - C. What is  $Rift_{Hom_C}(F)$
      - D. What is  $Ran_{Hom_{\mathcal{C}}}(F)$
      - E. What is Lift $_F(Hom_C)$
      - F. What is  $Lan_F(Hom_C)$
      - G. What is Lift<sub>Hom<sub>C</sub></sub> (F)
      - H. What is  $Lan_{Hom_C}(F)$
- 20. Tensor product of functors and Isbell duality
  - (a) What is  $\mathcal{F} \boxtimes_{\mathcal{C}} \mathsf{O}(\mathcal{F})$ ?
  - (b) What is  $Spec(F) \boxtimes_C F$ ?
  - (c) I think there is a canonical morphism

$$\mathcal{F} \boxtimes_{\mathcal{C}} \mathsf{O}(\mathcal{F}) \to \mathsf{Tr}(\mathcal{C}).$$

By the way, what is  $Tr(\triangle)$ ? What is Tr(BA)? What about  $Nat(id_C, id_C)$  for C = BA or  $C = \triangle$ 

- 21. Isbell with coends:
  - (a)  $Hom(F(A), h_A)$  but it's a coend

- (b) Conatural transformations and all that
- 22. Co/limit preservation for O/Spec
- 23. Isbell duality for N vs. N + N
- 24. What do we get if we replace  $O \stackrel{\text{def}}{=} \operatorname{Nat}(-, h_X)$  by  $\operatorname{Nat}^{[W]}(-, h_X)$ , and in particular by  $\operatorname{DiNat}(-, h_X)$ ?

### Species:

- 1. Joyal—Street's *q*-species; via promonoidal structures <a href="https://arxiv.org/pdf/1201.2991#page=22">https://arxiv.org/pdf/1201.2991#page=22</a>
- 2. associators, braidings, unitors;  $\mathbb{F}_q^n \to \mathbb{F}_q^n$  centre of  $\mathsf{GL}_n(\mathbb{F}_q)$  trick
- 3. group completion of  $\mathcal{GL}(\mathbb{F}_q)$  as algebraic k-theory

### **Constructions With Categories:**

- https://arxiv.org/abs/2504.21764
- 2. Comparison between pseudopullbacks and isocomma categories: the "evident" functor  $C \times_{\mathcal{E}}^{\mathsf{ps}} \mathcal{D} \to C \overset{\leftrightarrow}{\times}_{\mathcal{E}} \mathcal{D}$  is essentially surjective and full, but not faithful in general.
- 3. Quotients of categories by actions of monoidal categories
  - (a) Quotients of categories by actions of monoids BA
  - (b) Quotients of categories by actions of monoids  $A_{\text{disc}}$
  - (c) Lax, oplax, pseudo, strict, etc. quotients of categories
  - (d) lax Kan extensions along BC  $\rightarrow$  BD for  $C \rightarrow D$  a monoidal functor
- 4. Quotient of Fun(BA, C) by the A-action.
  - (a) This is used to build the cycle and p-cycle categories from the paracycle category.
  - (b) The quotient of Fun(BN, C) by the N-action should act as a kind of cyclic directed loop space of C
- 5. Fun(BN, C) as a homotopy pullback in Cats<sub>2</sub>

- (a) Fun(B $\mathbb{Z}$ , C) as a homotopy pullback in Grpd<sub>2</sub>
- (b) Free loop space objects

### Limits and colimits:

- 1. adjunction between co/product and diagonal; abstract version of ?? and ??
- 2. Examples of kan extensions along functors of the form FinSets  $\hookrightarrow$  Sets
- 3. Initial/terminal objects as left/right adjoints to  $!_C : C \to pt$ .
- 4. A small cocomplete category is a poset, https://mathoverflow.net/questions/108737/small-categories-and-completeness
- 5. Co/limits in BA, including e.g. co/equalisers in BA
- 6. Add the characterisations of absolutely dense functors given in ?? to ??.
- 7. Absolutely dense functors, https://ncatlab.org/nlab/show/absolutely+dense+functor. Also theorem 1.1 here: http://www.tac.mta.ca/tac/volumes/8/n20/n20.pdf.
- 8. Dense functors, codense functors, and absolutely codense functors.
- 9. van kampen colimits

### Completions and cocompletions:

- https://mathoverflow.net/questions/429003/manifolds-as-c auchy-completed-objects
- 2. what is the conservative cocompletion of smooth manifolds? Is it related to diffeological spaces?
- 3. what is the conservative completion of smooth manifolds? Is it related to diffeological spaces?
- 4. what is the conservative bicompletion of smooth manifolds? Is it related to diffeological spaces?
- 5. completion of a category under exponentials
- 6. https://mathoverflow.net/questions/468897/cocompletion-w ithout-cocontinuous-functors

- 7. The free cocompletion of a category;
- 8. The free completion of a category;
- 9. The free completion under finite products;
- 10. The free cocompletion under finite coproducts;
- 11. The free bicompletion of a category;
- 12. The free bicompletion of a category under nonempty products and nonempty coproducts (https://ncatlab.org/nlab/show/free+bicompletion);
- 13. Cauchy completions
- 14. Dedekind-MacNeille completions
- 15. Isbell completion (https://ncatlab.org/nlab/show/reflexive+co mpletion)
- 16. Isbell envelope

### Ends and Coends:

- 1. motivate co/ends as co/limits of profunctors
- 2. Ask Fosco about whether composition of dinatural transformations into higher dinaturals could be useful for https://arxiv.org/abs/2409.10237
- 3. Cyclic co/ends
  - (a) Try to mimic the construction given in Haugseng for the cycle, paracycle, cube, etc. categories
  - (b) cyclotomic stuff for cyclic co/ends
    - i. Check out Ayala–Mazel-Gee–Rozenblyum's Symmetries of the cyclic nerve
    - ii. isogenetic  $\mathbb{N}^{\times}$ -action (what the fuck does this mean?)

4. After stating the co/ends

$$\int_{A \in C}^{A \in C} h_A \odot \mathcal{F}^A, \qquad \int_{A \in C} \mathsf{Sets}(h_A, \mathcal{F}^A),$$

$$\int_{A \in C}^{A \in C} h^A \odot F_A, \qquad \int_{A \in C} \mathsf{Sets}(h^A, F_A)$$

in the co/end version of the Yoneda lemma, add a remark explaining what the co/ends

$$\int_{A \in C} h_A \odot \mathcal{F}^A, \qquad \int_{A \in C} \mathsf{Sets}(h_A, \mathcal{F}^A),$$

$$\int_{A \in C} h^A \odot F_A, \qquad \int_{A \in C} \mathsf{Sets}(h^A, F_A)$$

and the co/ends

$$\int_{A \in C}^{A \in C} \mathcal{G}^{A} \odot h_{A}, \qquad \int_{A \in C} \operatorname{Sets}(\mathcal{G}^{A}, h_{A}),$$

$$\int_{A \in C}^{A \in C} F_{A} \odot h^{A}, \qquad \int_{A \in C} \operatorname{Sets}(F_{A}, h^{A}),$$

$$\int_{A \in C} \mathcal{G}^{A} \odot h_{A}, \qquad \int_{A \in C} \operatorname{Sets}(\mathcal{G}^{A}, h_{A}),$$

$$\int_{A \in C} F_{A} \odot h^{A}, \qquad \int_{A \in C} \operatorname{Sets}(F_{A}, h^{A})$$

are.

- 5. ends  $C \to \mathcal{D}$  with  $\odot$  is a special case of ends for a certain enrichment over  $\mathcal{D}$
- 6. try to figure out what the end/coend

$$\int_{X \in C} h_X^A \times h_B^X, \qquad \int_{X \in C} h_X^A \times h_B^X$$

are for C = BA. (I think the coend is like tensor product of A as a left A-set with it as a right A-set)

7. Cyclic ends

- 8. Dihedral ends
- 9. Does Haugseng's constructions give a way to define cyclic co/homology with coefficients in a bimodule?
- 10. Category of elements of dinatural transformation classifier
- 11. Examples of co/ends: https://mathoverflow.net/a/461814
- 12. Cofinality for co/ends, https://mathoverflow.net/questions/35387
  6
- 13. "Fourier transforms" as in https://arxiv.org/pdf/1501.02503#pag e=168 or https://tetrapharmakon.github.io/stuff/itaca.pdf

Weighted/diagonal category theory:

- 1. co/ends as centre/trace-infused co/limits: compare the co/end of  $\operatorname{Hom}_C$  with the co/limit of  $\operatorname{Hom}_C$
- 2. Codensity W-weighted monads,  $Ran_F^{[W]}(F)$ ;
- 3. Codensity diagonal monads,  $DiRan_F(F)$ ;

#### Profunctors:

1. Apartness defines a composition for relations, but its analogue

$$\mathfrak{q} \square \mathfrak{p} \stackrel{\text{def}}{=} \int_{A \in \mathcal{C}} \mathfrak{p}_A^{-_1} \coprod \mathfrak{q}_{-_2}^A$$

fails to be unital for profunctors with the unit  $h_-^A$ . Is it unital for some other unit? Is there a less obvious analogue of apartness composition for profunctors? Or maybe does Prof equipped with  $\square$  and units  $h_-^A$  form a skew bicategory?

Is  $\Delta_{\emptyset}$  a unit?

- 2. Figure what monoidal category structures on Sets induce associative and unital compositions on Prof.
- 3. https://mathoverflow.net/questions/470213/a-distributor -between-categories-induces-a-distributor-between-their -categories

- 4. Different compositions for profunctors from monoidal structures on the category of sets (e.g. https://mathoverflow.net/questions/15593 9/what-other-monoidal-structures-exist-on-the-category-o f-sets)
- 5. Nucleus of a profunctor;
- 6. Isbell duality for profunctors:
  - (a) https://mathoverflow.net/questions/259525/isbell-dua lity-for-profunctors
  - (b) https://mathoverflow.net/questions/260322/the-mathf rak-l-functor-on-textsfprof
  - (c) https://mathoverflow.net/questions/262462/again-on-t he-mathfrak-l-functor-on-mathsfprof

# Centres and Traces of Categories:

- 1.  $K_0(\operatorname{Fun}(B\mathbb{N},C))$  vs.  $\pi_0(\operatorname{Fun}(B\mathbb{N},C))$  vs.  $\operatorname{Tr}(C)$ , and how these are generalisations of conjugacy classes for monoids
- 2. Explicitly work out the trace and  $\pi_0$ Fun(BN, -) for monoids with few elements.
- 3.  $[1_A]$  can contain more than one element. An example is  $\mathsf{Sets}(\mathbb{N},\mathbb{N})$  and the maps given by

$$\{0, 1, 2, 3, \ldots\} \mapsto \{0, 0, 1, 2, \ldots\},\$$
  
 $\{0, 1, 2, 3, \ldots\} \mapsto \{2, 3, 4, 5, \ldots\}.$ 

Show also that if  $c \in [1_A]$ , then c is idempotent.

- 4. Drinfeld centre
- 5. trace of the symmetric simplex category; it's probably different from that of FinSets
- 6. Trace of  $Rep_G$  and interaction with induction, restriction, etc.
- 7.  $\pi_0(B\mathbb{N}, BA), K(B\mathbb{N}, BA)$ , and  $Tr(B\mathbb{N}, BA)$  as concepts of conjugacy for monoids, their equivalents for categories, and comparison with traces

- 8. Comparison between  $\pi_0(\operatorname{Fun}(\mathsf{BN},\mathcal{C}))$  and  $K(\operatorname{Fun}(\mathsf{BN},\mathcal{C}))$
- 9. Lax, oplax, pseudo, and strict trace of simplex 2-category
- 10. duality over  $\Gamma$  might give a map from product of a monoid with a set to  $Tr(\Gamma)$
- 11. Studying the set  $Nat(id_C, F)$  as a notion of categorical trace:
  - (a) Ganter–Kapranov define the trace of a 1-endomorphism  $f: A \to A$  in a 2-category C to be the set  $\operatorname{Hom}_C(\operatorname{id}_A, f)$ ;
    - i. https://arxiv.org/abs/math/0602510
    - ii. https://golem.ph.utexas.edu/string/archives/0007
      57.html
    - iii. https://ncatlab.org/nlab/show/categorical+trace

We should study this notion in detail, and also study  $Nat(F, id_C)$  as well as  $CoNat(id_C, F)$  and  $CoNat(F, id_C)$ .

- 12. Centre of bicategories
- 13. Lax centres and lax traces
- 14. Examples of traces:
  - (a) Discrete categories
  - (b) Posets
    - i.  $\mathsf{Open}(X)$
  - (c) Trace of small but non-finite categories:
    - i. Sets
    - ii. Rep(G)
    - iii. category of finite groups
    - iv. category of finite abelian groups
    - v. category of finite p-groups for fixed p
    - vi. category of finite p-groups for all p
    - vii. category of finite fields
    - viii. category of finite topological spaces
    - ix. category of finite [insert a mathematical object here]

- 15. When is the trace of a groupoid just the disjoint sum of sets of conjugacy classes?
- 16. Set-theoretical issues when defining traces
  - (a) Sets is a large category, and yet we can speak of its centre

$$Z(\mathsf{Sets}) \stackrel{\text{def}}{=} \int_{A \in \mathsf{Sets}} \mathsf{Sets}(X, X)$$

$$\cong \mathsf{Nat}(\mathsf{id}_{\mathsf{Sets}}, \mathsf{id}_{\mathsf{Sets}})$$

$$\cong \mathsf{pt}.$$

Is there a way to do the same for the trace of sets, or otherwise work with traces of large categories?

- 17. Understand how traces are defined via universal properties in Xinwen Zhu's Geometric Satake, categorical traces, and arithmetic of Shimura varieties.
- 18. trace as an Obj(C)-indexed set
  - (a) properties, functoriality, etc.
- 19. Maybe actually call Fun(BN, C) the categorical directed loop space of C?
- 20. Cyclic version of Fun(BN, C)
- 21. Traces of categories, nerves of categories, and the cycle category

#### Categorical Hochschild Homology:

- 1. To any functor we have an associated natural transformation (??). Do we have sharp transformations associated to natural transformation?
- 2. build Hochschild co/simplicial set and study its homotopy groups
- 3. Fun(BN,  $X_{\bullet}$ ) vs. Fun( $\Delta^1/\partial\Delta^1, X_{\bullet}$ )
  - (a) Their  $\pi_0$ 's vs. the  $\pi_0$ 's of  $\operatorname{Hom}_{X_{\bullet}}(x,x)$ , of  $\operatorname{Hom}_{X_{\bullet}}^{\mathsf{L}}(x,x)$ , and  $\operatorname{Hom}_{X_{\bullet}}^{\mathsf{R}}(x,x)$ .

#### Monoidal Categories:

- 1. https://mathoverflow.net/questions/380302
- 2. Analogue of Picard rings for dualisable objects

- 3. Moduli of associators, braidings, etc. for species, *q*-species
- 4. When is the left Kan extension along a fully faithful functor of monoidal categories a strong monoidal functor?
- 5. Interaction between Day convolution and Isbell duality
- 6. general theory for lifting pseudomonads from Cat to Prof along the equipment embedding
- 7. definition of prostrength on a functor between promonoidal categories, differential 2-rigs fosco
- 8. Promonoidal structure in https://arxiv.org/pdf/1201.2991#page =22
- 9. Day convolution as a colimit over category of factorizations  $F(A) \otimes_C G(B) \to V$
- 10. Day convolution with respect to Cartesian monoidal structure is Cartesian monoidal. There's an easy proof of this with coend Yoneda
- 11. https://mathoverflow.net/questions/491234
- 12. https://mathoverflow.net/questions/488426/adjunction-o
   f-monoidal-closed-categories
- 13. https://arxiv.org/abs/2502.02532
- 14. Does the forgetful functor 忘:  $IdemMon(C) \rightarrow Mon(C)$  admit a left adjoint? What about 忘:  $IdemMon(C) \rightarrow C$ ?
- 15. Clifford algebras in monoidal categories
- 16. Exterior algebras in monoidal categories
  - (a) https://mathoverflow.net/questions/70607/exterior-p owers-in-tensor-categories
  - (b) https://mathoverflow.net/questions/127476/analogy-b etween-the-exterior-power-and-the-power-set
  - (c) https://mathoverflow.net/questions/182476/delignes-e xterior-power

- (d) martin brandenburg's phd thesis
- 17. Different monoidal products in Fun(C,C) and their distributivity
  - (a) Composition
  - (b) Pointwise product
  - (c) Day convolution
  - (d) Relative monad version of Day convolution
- 18. Classification of monoidal structures on  $\triangle$
- 19. Classification of monoidal structures on  $\Lambda$
- 20. Tensor Categories, 8.5.4
- 21. https://ncatlab.org/nlab/show/monoidal+action+of+a+monoi
   dal+category
- 22. https://arxiv.org/abs/2203.16351
- 23. Para construction
- 24. Drinfeld center; Symmetric center; JY's books on bimonoidal categories
- 25. Picard and Brauer 2-groups
  - (a) Differential Picard and Brauer Groups via  $Fun(B\mathbb{N}, Mod_R)$ .
  - (b) Brauer and Picard groups of  $(Fun(C, C), \circ, id_C)$
  - (c) Brauer and Picard groups of Rep(G)
  - (d) Brauer and Picard groups of Sets
  - (e) Brauer and Picard groups of  $Ch_{\mathbb{Z}}(R)$
  - (f) Brauer and Picard groups of Shv(X)
  - (g) Brauer and Picard groups of  $dgMod_R$
- 26. Explore examples in which Day convolution gives weird things, like Fun ( $B\mathbb{Z}_{/n}$ , Sets).
- 27. Day convolution is a left Kan extension; explore the right Kan extension
- 28. Further develop the theory of moduli categories of monoidal structures

# 29. Picard group

- (a) Picard group for Day convolution. A special case is one of Kaplansky's conjectures, https://en.wikipedia.org/wiki/Kaplansky%27s\_conjectures, about units of group rings
- 30. Day convolution between representable and an arbitrary presheaf  $\mathcal{F}$  can we prove something nice using the colimit formula for  $\mathcal{F}$  in terms of representables?
- 31. Notion of braided monoidal categories in which the braiding is not an isomorphism. Relation to https://arxiv.org/abs/1307.5969
- 32. Proving a certain diagram between free monoidal categories commutes involves Fermat's little theorem. Can we reverse this and prove Fermat's little theorem from the commutativty of that diagram?
- 33. https://nilesjohnson.net/notes/grPic-P2S.pdf
- 34. Proof that monoidal equivalences F of monoidal categories automatically admit monoidal natural isomorphisms  $\mathrm{id}_C \cong F^{-1} \circ F$  and  $\mathrm{id}_{\mathcal{D}} \cong F \circ F^{-1}$ .
- 35. Proof that category with products is monoidal under the Cartesian monoidal structure, [MO 382264].
- 36. Explore 2-categorical algebra:
  - (a) Find a construction of the free 2-group on a monoidal category. Apply it to the multiplicative structure on the category of finite sets and permutations, as well as to the multiplicative structure on the 1-truncation of the sphere spectrum, and try to figure out whether this looks like a categorification of  $\mathbb{Q}$ .
  - (b) What is the free 2-group on  $(\triangle, \oplus, [0])$ ?
- 37. Categorify the preorder  $\leq$  on  $\mathbb N$  to a promonad  $\mathfrak p$  on the groupoid of finite sets and permutations  $\mathbb F$ :
  - (a) A preorder is a monad in Rel
  - (b) A promonad is a monad in Prof.

(c) There's a promonad  $\mathfrak{p}$  in  $\mathbb{F}$  defined by

```
\mathfrak{p}(m,n) \stackrel{\text{def}}{=} \{ \text{surjections from } \{1,\ldots,m\} \text{ to } \{1,\ldots,n\} \}
```

- This promonad categorifies  $\leq$  in that its values are the witnesses to the fact that m is bigger than n (i.e. surjections).
- (d) Figure out whether this promonad extends to the 1-truncation of the sphere spectrum, and perhaps to other categorified analogues of monoid-s/groups/rings.
- 38. https://arxiv.org/abs/1307.5969
- 39. https://arxiv.org/abs/1306.3215
- 40. https://mathoverflow.net/questions/477219/reference-for
   -the-monoidal-category-structure-x-otimes-y-x-y-x-times
   -y
- 41. Include an explicit proof of ??
- 42. Include an explicit proof of ??
- 43. ??
- 44. obstruction theory for braided enhancements of monoidal categories, using the "moduli category of braided enhancements"
- 45. Define symmetric and exterior algebras internal to braided monoidal categories
  - (a) https://mathoverflow.net/questions/471372/is-there-a n-alternating-power-functor-on-braided-monoidal-cat egories
  - (b) https://arxiv.org/abs/math/0504155
- 46. https://mathoverflow.net/q/382364
- 47. https://mathoverflow.net/q/471490
- 48. Concepts of bicategories applied to monoidal categories (e.g. internal adjunctions lead to dualisable objects)

- 49. Involutive Category Theory
- 50. https://mathoverflow.net/questions/474662/the-analogy-b etween-dualizable-categories-and-compact-hausdorff-space s

# Bimonoidal Categories:

- 1. Bimonoidal structures on the category of species
- 2. Include an explicit proof of ??

#### Six Functor Formalisms:

1. Michael Shulman:

A lot of the "six functor formalism" makes sense in the context of an arbitrary indexed monoidal category (= monoidal fibration), particularly with cartesian base. In particular, I studied the external tensor product in this generality in my paper on Framed bicategories and monoidal fibrations.

The internal-hom of powersets in particular, with  $\emptyset$  as a dualizing object, is well-known in constructive mathematics and topos theory, where powersets are in general a Heyting algebra rather than a Boolean algebra.

#### Morgan Rogers:

I second this: you're discovering (and making pleasingly explicit, I might add) a special case of "thin category theory": a lot of what you've discovered will work for posets, with the powerset replaced with the frame of downsets:D

- 2. A six functor formalism for monoids
- 3. https://mathoverflow.net/questions/258159/yoga-of-six-f
  unctors-for-group-representations
- 4. Is the 1-categorical analogue of six functor formalisms given by Mann interesting?
  - (a) Mann defines:

A six functor formalism is an  $\infty$ -functor  $f : Corr(C, E) \rightarrow Cats_{\infty}$  such that  $- \otimes A$ ,  $f^*$ , and  $f_!$  admit right adjoints

(b) Is the notion

A 1-categorical six functor formalism is a (lax?) 2-functor  $f: Corr(C, E) \rightarrow Cats_2$  (or should Cats be the target?) such that  $- \otimes A$ ,  $f^*$ , and  $f_!$  admit right adjoints

interesting?

- 5. Interaction of the six functors with Kan extensions (e.g. how the left Kan extension of  $-\otimes A$  may interact with the other functors)
- 6. Contexts like Wirthmuller Grothendieck etc
- 7. formalisation by cisinski and deglise
- 8. How do the following examples fit?
  - (a) base change between  $C_{/X}$  and  $C_{/Y}$
  - (b)  $f_! \dashv f_* \dashv f^*$  adjunction between powersets
  - (c)  $f_! + f_* + f^*$  adjunction between Span(pt, A) and Span(pt, B)
  - (d) quadruple adjunction between powersets induced by a relation
  - (e) adjunctions between categories of presheaves induced by a functor or a profunctor
  - (f) Adjunction between left *A*-sets and left *B*-sets

Do they have exceptional f!? Is there a notion of Fourier–Mukai transform for them? What kind of compatibility conditions (proper base change, etc.) do we have?

# Skew Monoidal Categories:

- 1. https://arxiv.org/abs/2506.06847
- 2. Try to come up with examples of skew monoidal categories by twisting a tensor product  $A \otimes B$  into  $T(A) \otimes B$ . Related idea: product of G-sets but twisted on the left by an automorphism of G, so that  $(ag,b) \sim (a,gb)$  becomes  $(a\phi(g),b) \sim (a,gb)$ .
- 3. Skew monoidal category induced from G-sets in analogy to Rel

- 4. Free monoidal category on a skew monoidal category
- 5. Skew monoidal structures associated to a locally Cartesian closed category
- 6. Does the  $\mathbb{E}_1$  tensor product of monoids admit a skew monoidal category structure?
- 7. Is there a (right?) skew monoidal category structure on  $Fun(C, \mathcal{D})$  using right Kan extensions instead of left Kan extensions?
- 8. Similarly, are there skew monoidal category structures on the subcategory of  $\mathbf{Rel}(A, B)$  spanned by the functions using left Kan extensions and left Kan lifts?
- 9. Add example: C with coproducts, take  $C_{X/}$  and define

$$(X \xrightarrow{f} A) \oplus (X \xrightarrow{g} B) \stackrel{\mathsf{def}}{=} [X \to X \coprod X \xrightarrow{f \coprod g} A \coprod B]$$

#### 10. Duals:

- (a) Dualisable objects in monoidal categories and traces of endomorphisms of them, including also examples for monoidal categories which are not autonomous/rigid, such as  $(Fun(C, C), \circ, id_C)$ .
- (b) compact closed categories
- (c) star autonomous categories
- (d) Chu construction
- (e) Balanced monoidal categories, https://ncatlab.org/nlab/sho w/balanced+monoidal+category
- (f) Traced monoidal categories, https://ncatlab.org/nlab/show/ traced+monoidal+category
- 11. Invertible objects and Picard groupoids
- 12. https://mathoverflow.net/questions/155939/what-other-mon oidal-structures-exist-on-the-category-of-sets
- 13. Free braided monoidal category with a braided monoid: https://ncatlab.org/nlab/show/vine

14. https://golem.ph.utexas.edu/category/2024/08/skew\_monoid al\_categories\_throu.html

# Fibred Category Theory:

- https://arxiv.org/abs/2402.11644
- 2. https://categorytheory.zulipchat.com/#narrow/channel/229
  136-theory.3A-category-theory/topic/A.20.22change.20of.2
  0variables.22.20for.20the.20Grothendieck.20construction/
  near/495776958
- 3. Internal Hom in categories of co/Cartesian fibrations.
- 4. Tensor structures on fibered categories by Luca Terenzi: https://arxiv.org/abs/2401.13491. Check also the other papers by Luca Terenzi.
- 5. https://ncatlab.org/nlab/show/cartesian+natural+transfor mation (this is a cartesian morphism in  $Fun(C, \mathcal{D})$  apparently)
- 6. CoCartesian fibration classifying Fun(F,G), https://mathoverflow.net/questions/457533/cocartesian-fibration-classifying-mathrmfunf-g

# Operads and Multicategories:

1. Simplicial lists in operad theory I

# Monads:

- 1. Relative monads: message Alyssa asking for her notes
- 2. https://ncatlab.org/nlab/show/adjoint+monad
- Kantorovich monad (https://ncatlab.org/nlab/show/Kantorovic h+monad) and probability monads in general, https://ncatlab.org/nl ab/show/monads+of+probability%2C+measures%2C+and+valuati ons.

# **Enriched Categories:**

1. V-matrices

#### Bicategories:

- 1. Bicategories of Lax Fractions, https://arxiv.org/abs/2507.12044
- 2. Linear bicategories, https://ncatlab.org/nlab/show/linear+bicategory
  - (a) Linearly distributive category, https://ncatlab.org/nlab/show/linearly+distributive+category
  - (b) Diagrammatic Algebra of First Order Logic
  - (c) Constructing linear bicategories
  - (d) Introduction to linear bicategories
- 3. Allegories, https://ncatlab.org/nlab/show/allegory
- 4. Skew bicategories
- 5. Bigroupoid cardinality
- 6. Bicategory where objects are groups and a morphism  $G \to H$  is a representation of  $G^{op} \times H$ . (I.e. functors  $BG^{op} \times BH \to Vect_k$ ).
- 7. Relative monads internal to a bicategory
- 8. Bicategory of monoid actions
- 9. https://arxiv.org/abs/0809.1760
- 10.  $Rel_G \stackrel{\text{def}}{=} Fun(BG, Rel)$
- 11. Rel but for Ab, where morphisms are pairings of the form  $A \otimes_{\mathbb{Z}} B \to \mathbb{Z}$ .
- 12. 2-dimensional co/limits in 2-category of categories and adjoint functors
- 13. Category of equivalence classes
  - (a) Given a category C, we have a set  $K_0(C)$  of isomorphism classes of objects
  - (b) Given a bicategory C, there should be a category  $K_0(C)$  with  $Hom_{K_0(C)}(A, B) \stackrel{\text{def}}{=} K_0(Hom_C(A, B))$
  - (c) The set  $\mathrm{K}_0^{\mathrm{eq}}(C)$  of equivalence classes of objects of C should then satisfy

$$\mathsf{K}_0^{eq}(\mathcal{C}) \cong \mathsf{K}_0(\mathsf{K}_0(\mathcal{C})).$$

- 14. bicategory of chain complexes, section "Second Example: Differential Complexes of an Abelian Category" on Gabriel–Zisman's calculus of fractions
- 15. 2-vector spaces
- 16. Morita equivalence is equivalence internal to bimod
- 17. https://mathoverflow.net/questions/478867/2-category-str
   ucture-on-modr
- 18. Bicategories of matrices, as in Street's Variation through enrichment, also https://arxiv.org/abs/2410.18877
- 19. https://mathoverflow.net/a/86933
- 20. What are the internal 2-adjunctions in the fundamental 2-groupoid of a space?
- 21. 2-category structure on  $\mathsf{Mod}_R$ , where a 2-morphism is a commutative square. Characterisation of adjuntions therein
- 22. Cook up a very large list of examples of bicategories, like the ones I made for the AI problems. In particular, find an interesting bicategory of representations qualitatively different from the one I described in the Epoch AI problem
- 23. 2-category structure on category of R-algebras as enriched  $Mod_R$ -categories
- 24. Let C be a bicategory, let  $A, B \in \mathsf{Obj}(C)$ , and let  $F, G \in \mathsf{Obj}(\mathsf{Hom}_C(A, B))$ .
  - (a) Does precomposition with  $\lambda_{A|F}^C$ :  $\mathrm{id}_A \circ F \Rightarrow F$  induce an isomorphism of sets

$$\mathsf{Hom}_{\mathsf{Hom}_{\mathcal{C}}(A,B)}(F,G) \cong \mathsf{Hom}_{\mathsf{Hom}_{\mathcal{C}}(A,B)}(F \circ \mathsf{id}_A,G)$$

for each 
$$F, G \in \mathsf{Obj}(\mathsf{Hom}_C(A, B))$$
?

(b) Similarly, do we have an induced isomorphism of the form

$$\operatorname{Hom}_{\operatorname{Hom}_{C}(A,B)}(F,G) \cong \operatorname{Hom}_{\operatorname{Hom}_{C}(A,B)}(F,\operatorname{id}_{B} \circ G)$$

and so on?

25. Are there two Duskin nerve functors? (lax/oplax/etc.?)

- 26. Interaction with cotransformations:
  - (a) Can we abstract the structure provided to Cats<sub>2</sub> by natural cotransformations?
  - (b) Are there analogues of cotransformations for **Rel**, Span, BiMod, MonAct, etc.?
  - (c) Perhaps this might also make sense as a 1-categorical definition, e.g. comorphisms of groups from A to B as Sets(A, B) quotiented by  $f(ab) \sim f(a)f(b)$ .
- 27. Consider developing the analogue of traces for endomorphisms of dualisable objects in monoidal categories to the setting of bicategories, including e.g. the trace of a category as a trace internal to Prof.
- 28. Centres of bicategories (lax, strict, etc.)
- 29. Concepts of monoidal categories applied to bicategories (e.g. traces)
- 30. Internal adjunctions in Mod as in [JY21, Section 6.3]; see [JY21, Example 6.2.6].
- 31. Comonads in the bicategory of profunctors.
- 32. 2-limit of id, id: Sets ⇒ Sets is BZ, https://mathoverflow.net/que
   stions/209904/van-kampen-colimits?rq=1#comment520288\_209
   904
- 33. https://mathoverflow.net/questions/473527/universal-pro perty-of-2-presheaves-and-pseudo-lax-colax-natural-trans formations
- 34. https://mathoverflow.net/questions/473526/free-cocomplet ion-of-a-2-category-under-pseudo-colimits-lax-colimits-a nd-colax

# Types of Morphisms in Bicategories:

 Behaviour in 2-categories of pseudofunctors (or lax functors, etc.), e.g. pointwise pseudoepic morphisms in vs. pseudoepic morphisms in 2-categories of pseudofunctors.

- 2. Statements like "coequifiers are lax epimorphisms", Item 2 of Examples 2.4 of https://arxiv.org/abs/2109.09836, along with most of the other statements/examples there.
- 3. Dense, absolutely dense, etc. morphisms in bicategories

# Internal adjunctions:

- 1. https://www.google.com/search?q=mate+of+an+adjunction
- 2. Moreover, by uniqueness of adjoints (Internal Adjunctions, ?? of ??), this implies also that  $S = f^{-1}$ .
- 3. define bicategory Adj(C)
- 4. walking monad
- 5. proposition: 2-functors preserve unitors and associators
- 6. https://ncatlab.org/nlab/show/2-category+of+adjunctions. Is there a 3-category too?
- 7. https://ncatlab.org/nlab/show/free+monad
- 8. https://ncatlab.org/nlab/show/CatAdj
- 9. https://ncatlab.org/nlab/show/Adj
- 10. Adj(Adj(C))
- 11. Examples of internal adjunctions
  - (a) Internal adjunctions in Mod.
  - (b) Internal adjunctions in PseudoFun(C,  $\mathcal{D}$ ).
  - (c) Internal adjunctions in LaxFun(C,  $\mathcal{D}$ ).
  - (d) Internal adjunctions in 2-categories related to fibrations.

#### 2-Categorical Limits:

1. https://sorilee.github.io/posts/strict-bilimit-and-its-p
 roper-examples

#### Double Categories:

- 1. Ehresmann
- 2. https://arxiv.org/abs/2505.08766
- 3. https://arxiv.org/abs/2504.18065
- 4. https://arxiv.org/abs/2504.11099
- 5. Pinwheel/Yojouhan diagrams and compositionality, section on nLab at ht tps://ncatlab.org/nlab/show/double+category

# Homological Algebra:

- 1. https://arxiv.org/abs/2505.08321
- 2. https://mathoverflow.net/questions/418676/derived-functor
  -of-functor-tensor-product
- 3. https://math.stackexchange.com/questions/3665036/highe
   r-chain-homotopies

#### Topos theory:

- 1. https://arxiv.org/abs/2505.08766
- 2. https://arxiv.org/abs/2304.05338
- 3. https://arxiv.org/abs/2503.20664
- 4. https://arxiv.org/abs/2204.08351
- 5. https://arxiv.org/abs/2404.12313
- 6. https://www.teses.usp.br/teses/disponiveis/45/45131/td e-31082023-163143/en.php
- 7. https://teses.usp.br/teses/disponiveis/45/45131/tde-240
  42019-195658/pt-br.php
- 8. https://mathoverflow.net/q/479496
- 9. Grothendieck topologies on BA
- 10. Enriched Grothendieck topologies

- (a) Borceux—Quintero, https://www.numdam.org/item/CTGDC\_1996
   \_\_37\_2\_145\_0/
- (b) https://arxiv.org/abs/2405.19529
- 11. Cotopos theory:
  - (a) Copresheaves and copresheaf cotopoi
  - (b) Elementary cotopoi
    - i. https://mathoverflow.net/questions/474287/intuit ion-for-the-internal-logic-of-a-cotopos
    - ii. https://mathoverflow.net/questions/394098/what-i
      s-a-cotopos

In case you haven't seen it yet, Grothendieck studies (pseudo) cotopos in pursuing stacks

# Formal category theory:

1. Yosegi boxes https://arxiv.org/abs/1901.01594

# Homotopical Algebra:

1. https://arxiv.org/abs/2109.07803

#### Simplicial stuff:

- 1. https://arxiv.org/abs/2507.15341
- 2. https://arxiv.org/abs/2503.13663
- 3. https://www.math.univ-paris13.fr/~harpaz/quasi\_unital.p
  df
  - (a) slogan: geometric definition of ∞-categories should be geometric for identities too
  - (b) In an  $\infty$ -category, define a **quasi-unit** to be a 1-morphism f such that

```
[f]_*: \mathsf{Hom}_{\mathsf{Ho}(\mathsf{Spaces})}(\mathsf{Hom}_{\mathcal{C}}(X,A)\,\mathsf{Hom}_{\mathcal{C}}(X,B)),
[f]^*: \mathsf{Hom}_{\mathsf{Ho}(\mathsf{Spaces})}(\mathsf{Hom}_{\mathcal{C}}(B,X)\,\mathsf{Hom}_{\mathcal{C}}(A,X))
```

are the identity in Ho(Spaces). Explore equivalent conditions,

- (c) https://arxiv.org/abs/1606.05669
- (d) https://arxiv.org/abs/1702.08696
- 4. https://arxiv.org/abs/math/0507116,https://arxiv.org/abs/
  2503.11338
- 5. https://arxiv.org/abs/2302.02484 and https://arxiv.org/abs/2411.19751
- 6. Internal adjunctions in  $\triangle$  are the same as Galois connections between [n] and [m].
- 7. https://mathoverflow.net/q/478461
- 8. draw coherence for lax functors using the diagram for  $\Delta^2$
- 9. characterisation of simplicial sets such that left, right, and two-sided homotopies agree
- 10. every continuous simplicial set arises as the nerve of a poset.
- 11. Functorsd is convolution of  $\mathcal{L}_{\triangle}$  with itself; see https://arxiv.org/pdf/1501.02503.pdf#page=109
- 12. Extra degeneracies
  - (a) https://www.google.com/search?client=firefox-b-d&q=a ugmented+simplicial+objects+with+extra+degeneracies
  - (b) https://leanprover-community.github.io/mathlib\_docs/ algebraic\_topology/extra\_degeneracy.html
- 13. Comparison between  $\Delta^1/\partial\Delta^1$  and BN

# $\infty$ -Categories:

- 1. https://arxiv.org/abs/2505.22640
- 2. https://arxiv.org/abs/2410.17102
- 3. https://arxiv.org/abs/2410.02578,https://scholar.colorado
   .edu/concern/graduate\_thesis\_or\_dissertations/st74cr650,
   https://arxiv.org/abs/2206.00849

- 4. https://mathoverflow.net/questions/479716/non-strictly-u nital-functors-of-infinity-categories
- 5. https://mathoverflow.net/questions/472253/whats-the-loc alization-of-the-infty-category-of-categories-under-inv erting-f

#### Condensed Mathematics:

- 1. https://golem.ph.utexas.edu/category/2020/03/pyknoticity
   \_versus\_cohesivenes.html#c057724
- 2. https://golem.ph.utexas.edu/category/2020/03/pyknoticity
   \_versus\_cohesivenes.html#c057810
- 3. https://maths.anu.edu.au/news-events/events/universal-p
   roperty-category-condensed-sets
- 4. https://grossack.site/2024/07/03/life-in-johnstones-top
   ological-topos
- 5. https://grossack.site/2024/07/03/topological-topos-2-alg ebras
- 6. https://grossack.site/2024/07/03/topological-topos-3-bon
   us-axioms
- 7. https://terrytao.wordpress.com/2025/04/23/stonean-space s-projective-objects-the-riesz-representation-theorem-a nd-possibly-condensed-mathematics/

#### Monoids:

- 1. https://mathoverflow.net/questions/278429/
- 2. Homological algebra of *A*-sets, https://arxiv.org/abs/1503.02309
- 3. Catalan monoids, https://arxiv.org/abs/1309.6120
- 4. https://mathoverflow.net/questions/438305/grothendieck-g
   roup-of-the-fibonacci-monoid
- 5. https://math.stackexchange.com/questions/2662005/how-muc h-of-a-group-g-is-determined-by-the-category-of-g-sets

- 6. https://math.stackexchange.com/a/4996051/603207,https: //arxiv.org/abs/1006.5687
- 7. Six functor formalism for monoids, following Constructions With Sets, Section 4.6.4, but in which  $\cap$  and [-, -] are replaced with Day convolution.
- 8. Monoid  $(\{1,\ldots,n\}\cup\infty,\gcd)$ . The element  $\infty$  can be replaced by  $p_1^{\min(e_1^1,\ldots,e_1^m)}\cdots p_k^{\min(e_k^1,\ldots,e_k^m)}$ .
- 9. Universal property of localisation of monoids as a left adjoint to the forgetful functor  $C \to \mathcal{D}$ , where:
  - · C is the category whose objects are pairs (A, S) with A a monoid and S a submonoid of A.
  - $\mathcal{D}$  is the category whose objects are pairs (A, S) with A a monoid and S a submonoid of A which is also a group.

Explore this also for localisations of rings

Explore if we can define field spectra with an approach like this

- 10. Adjunction between monoids and monoids with zero corresponding to  $(-)^- \dashv (-)^+$
- 11. Rock paper scissors as an example of a non-associative operation
- 12. https://mathoverflow.net/questions/438305/grothendieck-g
   roup-of-the-fibonacci-monoid
- 13. Witt monoid, https://www.google.com/search?q=Witt+monoid
- 14. semi-direct product of monoids, https://ncatlab.org/nlab/show/se
   midirect+product+group
- 15. morphisms of monoids as natural transformation between left A-sets over A and  $B_A$ .
- 16. Figure out if 2-morphisms of monoids coming from Fun $^{\otimes}(A_{\text{disc}}, B_{\text{disc}})$ , PseudoFun(BA, BB), etc. are interesting
- 17. Write sections on the quotient and set of fixed points of a set by a monoid action

- 18. Isbell's zigzag theorem for semigroups: the following conditions are equivalent:
  - (a) A morphism  $f: A \to B$  of semigroups is an epimorphism.
  - (b) For each  $b \in B$ , one of the following conditions is satisfied:
    - · We have f(a) = b.
    - · There exist some  $m \in \mathbb{N}_{\geq 1}$  and two factorisations

$$b = a_0 y_1,$$
  
$$b = x_m a_{2m}$$

connected by relations

$$a_0 = x_1 a_1,$$
  
 $a_1 y_1 = a_2 y_2,$   
 $x_1 a_2 = x_2 a_3,$   
 $a_{2m-1} y_m = a_{2m}$ 

such that, for each  $1 \le i \le m$ , we have  $a_i \in \text{Im}(f)$ .

Wikipedia says in https://en.wikipedia.org/wiki/Isbell%27s\_zigzag\_theorem:

For monoids, this theorem can be written more concisely:

- 19. Representation theory of monoids
  - (a) https://mathoverflow.net/questions/37115/why-arent-representations-of-monoids-studied-so-much
  - (b) Representation theory of groups associated to monoids (groups of units, group completions, etc.)

#### Monoid Actions:

- 1. https://link.springer.com/book/10.1007/978-3-642-11297-3
- 2. https://ncatlab.org/schreiber/files/EquivariantInfinit yBundles\_220809.pdf has some interesting things, like a fully faithful embedding of Mon(Sets<sup>L</sup><sub>A</sub>) into Mon<sub>/A</sub> whose essential image is given by those monoids of the form  $X \bowtie_{\alpha} A$ .

- 3.  $f_1 \dashv f^* \dashv f_*$  adjunction
  - (a) Is it related to the Kan extensions adjunction for  $f: BA \to BB$  and the categories  $Sets_A^L \cong PSh(BA^{op}, Sets)$  and  $Sets_B^L \cong PSh(BB^{op}, Sets)$ ?
  - (b) Is it related to the cobase change adjunction of https://ncatlab.org/nlab/show/base+change? Maybe we can take a morphism of monoids  $f: A \to B$  and consider  $B_A^L$  as a left A-set, and then  $(\operatorname{Sets}_A^L)_{A/A}$  and  $(\operatorname{Sets}_A^L)_{B_A^L/A}$
- 4. https://arxiv.org/abs/2112.10198
- 5. double category of monoid actions
- 6. Analogue of Brauer groups for A-sets
- 7. Hochschild homology for *A*-sets

# Group Theory:

- 1. https://mathoverflow.net/questions/45651/is-there-a-q-a
   nalog-to-the-braid-group
- 2. https://johncarlosbaez.wordpress.com/2025/03/27/the-mcg
  ee-group/
- 3. https://bookstore.ams.org/memo-1-2/
- 4. https://link.springer.com/book/10.1007/978-3-662-59144-4
- 5. https://en.wikipedia.org/wiki/Tits\_group
- 6. https://en.wikipedia.org/wiki/Group\_of\_Lie\_type
- 7. https://mathoverflow.net/questions/251769/what-meaning s-does-chevalley-group-have
- 8. https://encyclopediaofmath.org/wiki/Chevalley\_group
- 9. https://en.wikipedia.org/wiki/Group\_of\_Lie\_type
- 10. MO: cardinality of  $Cl(Aut(GL_n(\mathbb{F}_q)))$
- 11. https://math.stackexchange.com/questions/4419869/do-the

- $-\texttt{groups-operatornamesl-operatornamepgl-and-operatornamep} \\ sl$
- 12. https://groupprops.subwiki.org/wiki/Order\_formulas\_for\_l
   inear\_groups
- 13. https://groupprops.subwiki.org/wiki/Order\_of\_semidirect\_
   product\_is\_product\_of\_orders
- 14. https://groupprops.subwiki.org/wiki/Central\_automorphism
   \_group\_of\_general\_linear\_group
- 15. https://groupprops.subwiki.org/wiki/Automorphism\_group\_o
   f\_general\_linear\_group\_over\_a\_field
- 16. https://groupprops.subwiki.org/wiki/Inner-centralizing\_ automorphism
- 17. https://math.stackexchange.com/questions/2519372/number-of-conjugacy-classes-for-the-modular-group
- 18.  $GL_n(K)$  for K a skew field
- 19. https://arxiv.org/abs/1212.6157,https://arxiv.org/abs/07
   08.1608,https://en.wikipedia.org/wiki/Wild\_problem,https:
   //www.google.com/search?q=matrix+pair+problem,https://ar
   xiv.org/abs/2007.09242,https://mathoverflow.net/questions
   /291815/rational-canonical-form-over-mathbbz-pk-mathbbz,
   https://mathoverflow.net/questions/291815/rational-canon
   ical-form-over-mathbbz-pk-mathbbz
- 20. https://link.springer.com/book/10.1007/978-981-13-2895-4
- 21. https://ysharifi.wordpress.com/2022/09/14/automorphism s-of-dihedral-groups/
- 22. https://en.wikipedia.org/wiki/PSL(2,7)
- 23. https://arxiv.org/abs/2304.08617
- 24. https://johncarlosbaez.wordpress.com/2016/03/22/the-involute-of-a-cubical-parabola/#comment-78884

- 25. https://arxiv.org/abs/0904.1876
- 26. finite subgroups of SU(2), and viewing them as groups of rotations and such
- 27. https://arxiv.org/abs/1201.2363
- 28. https://ncatlab.org/nlab/show/group+extension#SchreierTh eory,https://ncatlab.org/nlab/show/nonabelian+cohomology, https://ncatlab.org/nlab/show/nonabelian+group+cohomology
- 29. https://en.wikipedia.org/wiki/Fibonacci\_group
- 30. Study the functoriality properties of  $G \mapsto \operatorname{Aut}(G)$  via functoriality of ends
- 31. Is  $\sum_{[g] \in Cl(G)} \frac{1}{|g|}$  an interesting invariant of G?
- 32. Idempotent endomorphism  $f : A \to A$  is the same as a decomposition  $A \cong B \oplus C$  via  $B \cong \operatorname{Im}(f)$  and  $C \cong \operatorname{Ker}(f)$ .
  - (a) https://mathstrek.blog/2015/03/02/idempotents-and-d ecomposition/
- 33. https://math.stackexchange.com/questions/34271/order-o
   f-general-and-special-linear-groups-over-finite-fields

# Linear Algebra:

1. Size of conjugacy class [A] of  $A \in GL_n(\mathbb{F}_q)$  is given by  $\#GL_n(\mathbb{F}_q)$  divided by the centralizer  $Z_{GL_n(\mathbb{F}_q)}(A)$  of A in  $GL_n(\mathbb{F}_q)$ , whose order is given by

$$\begin{split} \# \mathsf{Z}_{\mathsf{GL}_{n}(\mathbb{F}_{q})}(A) &= \prod_{i=1}^{k} \# \mathsf{GL}_{r_{i}}(\mathbb{F}_{q}) \\ &= q^{\sum_{i=1}^{k} \binom{r_{i}}{2}} \prod_{i=1}^{k} \prod_{j=0}^{r_{i}-1} (q^{r_{i}-j} - 1) \end{split}$$

if A is diagonalisable with eigenvalues  $\lambda_1,\ldots,\lambda_k$  having multiplicities  $r_1,\ldots,r_k$ . More generally, see https://groupprops.subwiki.org/wiki/Conjug acy\_class\_size\_formula\_in\_general\_linear\_group\_over\_a\_finite\_field

2. https://en.wikipedia.org/wiki/Semilinear\_map

- 3. conjugacy for  $GL_n(\mathbb{F}_q)$ , https://mathoverflow.net/a/104457
- 4. https://en.wikipedia.org/wiki/Dieudonn%C3%A9\_determinant, https://ncatlab.org/nlab/show/Dieudonn%C3%A9+determinant #Dieudonne
- 5. https://ncatlab.org/nlab/show/Pfaffian
- 6. https://math.stackexchange.com/questions/1715249/the-number-of-subspaces-over-a-finite-field
- 7. https://math.stackexchange.com/questions/70801/how-man y-k-dimensional-subspaces-there-are-in-n-dimensional-vec tor-space-over
- 8. https://en.wikipedia.org/wiki/Gaussian\_binomial\_coeffici
  ent
- 9. https://en.wikipedia.org/wiki/List\_of\_q-analogs

# Noncommutative Algebra:

- https://arxiv.org/abs/1608.08140
- 2. https://arxiv.org/abs/2401.12884
- 3. https://ncatlab.org/nlab/show/dihedral+homology
- 4. https://www.sciencedirect.com/science/article/pii/002240
  4995000836
- 5. https://arxiv.org/abs/2008.11569,https://www.lakeheadu.ca/sites/default/files/uploads/77/docs/Cox%20Daniel.pdf

# Commutative Algebra:

- 1. If  $M \in Pic(R)$ , then  $Aut(M) \cong R^{\times}$ .
- 2. https://math.stackexchange.com/questions/637918/
- 3. https://categorytheory.zulipchat.com/#narrow/stream/4112
  57-theory.3A-mathematics/topic/Big.20Witt.20ring

- 4. https://math.stackexchange.com/questions/535623/how-man y-irreducible-factors-does-xn-1-have-over-finite-field
- 5. Derivations between morphisms of *R*-algebras, after https://mathoverflow.net/questions/434488
  - (a) Namely, a derivation from a morphism  $f:A\to B$  of R-algebras to a morphism  $g\colon A\to B$  of R-algebras is a map  $D\colon B\to B$  such that we have

$$D(ab) = q(a)D(b) + D(a)f(b)$$

for each  $a, b \in B$ .

# Hyper Algebra:

- 1. https://arxiv.org/abs/2205.02362
- 2. http://www.numdam.org/item/SD\_1959-1960\_\_13\_1\_A9\_0/
- 3. https://www.worldscientific.com/worldscibooks/10.1142/13
  652#t=aboutBook

# Coalgebra:

1. https://mathoverflow.net/questions/483668/textrepd-4-and
 -its-three-fiber-functors

#### Topological Algebra:

- 1. https://golem.ph.utexas.edu/category/2014/08/holy\_crap\_d
   o\_you\_know\_what\_a\_c.html
- 2. https://categorytheory.zulipchat.com/#narrow/channel/411
  257-theory.3A-mathematics/topic/topological.20rings.20a
  nd.20fields
- 3. https://mathoverflow.net/q/477757
- 4. https://math.stackexchange.com/questions/2593556/galoi
  s-theory-for-topological-fields

#### Differential Graded Algebras:

 https://mathoverflow.net/questions/476150/constructing-a n-adjunction-between-algebras-and-differential-graded-a lgebras

# Topology:

- 1. https://arxiv.org/abs/2507.18418
- 2. Topologies on  $\mathcal{P}(\mathcal{P}(X))$ , https://mathoverflow.net/questions/4 96630/topological-analogues-of-gromov-hausdorff-convergence
- 3. https://mathoverflow.net/questions/255912/what-is-the-s
   tructure-associated-to-almost-everywhere-convergence
- 4. https://arxiv.org/abs/2504.12965
- 5. https://mathoverflow.net/questions/485669/exponential-law -for-topological-spaces-for-the-topology-of-pointwise-c onvergence and comments therein
- This paper has some cool references on convergence spaces: https://ar xiv.org/abs/2410.18245
- 7. https://arxiv.org/abs/2402.12316
- 8. Write about the 6-functor formalism for sheaves on topological spaces and for topological stacks, with lots of examples.
  - (a) MO question titled 6-functor formalism for topological stacks: https://mathoverflow.net/q/471758

#### Measure Theory:

- 1. https://mathoverflow.net/questions/126994/beck-chevalley
   -for-measures
- 2. https://mathoverflow.net/questions/483726
- 3. https://en.wikipedia.org/wiki/Valuation\_%28measure\_theor
  y%29

4. There's a theorem saying that there does not exist an infinite-dimensional "Lebesgue" measure, i.e. (from https://en.wikipedia.org/wiki/Infinite-dimensional\_Lebesgue\_measure):

Let X be an infinite-dimensional, separable Banach space. Then, the only locally finite and translation invariant Borel measure  $\mu$  on X is a trivial measure. Equivalently, there is no locally finite, strictly positive, and translation invariant measure on X.

What kind of measures exist/not exist that satisfy all conditions above except being locally finite?

- 5. https://ncatlab.org/nlab/show/categories+of+measure+theory
- 6. Functions  $f_!$ ,  $f^*$ , and  $f_*$  between spaces of (probability) measures on probability/measurable spaces, mimicking how a map of sets  $f: X \to Y$  induces morphisms of sets  $f_!$ ,  $f^*$ , and  $f_*$  between  $\mathcal{P}(X)$  and  $\mathcal{P}(Y)$ .
- 7. Analogies between representable presheaves and the Yoneda lemma on the one hand and Dirac probability measures on the other hand
  - (a) Universal property of the embedding of a space X into the space of probability measures on X
  - (b) Same question but for distributions
  - (c) non-symmetric metric on space of probability measures where we define  $d(\mu, \nu)$  to be the measure given by

$$U \mapsto \int_{U} \rho_{\mu} \, \mathrm{d} \nu,$$

where  $\rho_{\mu}$  is the probability density of  $\mu$ . Can we make this idea work?

- 8. https://arxiv.org/abs/0801.2250
- 9. https://mathoverflow.net/questions/325861

In particular, I came across a PhD thesis by Martial Agueh. I thought it was interesting because it explicitly investigated the geodesics of Wasserstein space to produce solutions to a type of parabolic PDE.

**Probability Theory:** 

- 1. https://en.wikipedia.org/wiki/Wiener\_sausage
- 2. https://link.springer.com/book/10.1007/978-3-319-20828-2
- 3. https://arxiv.org/abs/2406.10676
- 4. Lévy's forgery theorem
- 5. https://www.epatters.org/wiki/stats-ml/categorical-probability-theory
- 6. https://ncatlab.org/nlab/show/category-theoretic+approac
  hes+to+probability+theory
- 7. Categorical probability theory
- 8. https://golem.ph.utexas.edu/category/2024/08/introductio n\_to\_categorical\_pr.html
- 9. https://arxiv.org/abs/1109.1880
- Connection between fractional differential operators and stochastic processes with jumps

#### Statistics:

1. https://towardsdatascience.com/t-test-from-application-t
 o-theory-5e5051b0f9dc

# Metric Spaces:

- 1. Lawvere metric spaces: object of  $\mathcal V$ -natural transformations corresponds to  $\inf(\mathsf d(f(x),g(x)))$ .
- 2. Does the assignment  $d(x,y) \mapsto d(x,y)/(1+d(x,y))$  constructing a bounded metric from a metric be given a universal property?
- 3. Explore Lawvere metric spaces in a comprehensive manner
- 4. metric lcm(x,y)/gcd(x,y) on  $\mathbb{N}$ , https://mathoverflow.net/questions/461588/. What shape do balls on  $\mathbb{N} \times \mathbb{N}$  have with respect to this metric?

- 5. https://golem.ph.utexas.edu/category/2023/05/metric\_spac es\_as\_enriched\_categories\_ii.html
- 6. Simon Willerton's work on the Legendre–Fenchel transform:
  - (a) https://golem.ph.utexas.edu/category/2014/04/enrichm
     ent\_and\_the\_legendrefen.html
  - (b) https://golem.ph.utexas.edu/category/2014/05/enrichm
     ent\_and\_the\_legendrefen\_1.html
  - (c) https://arxiv.org/abs/1501.03791

# **Special Functions:**

- https://en.wikipedia.org/wiki/Dickson\_polynomial
   p-Adic Analysis:
  - 1. https://arxiv.org/abs/2503.08909
  - 2. Analysis of functions  $\mathbb{Z}_p \to \mathbb{Q}_q$ ,  $\mathbb{Q}_p \to \mathbb{Q}_q$ ,  $\mathbb{Z}_p \to \mathbb{C}_q$ , etc.
    - (a) https://siegelmaxwellc.wordpress.com/publications-p
       re-prints/

# Partial Differential Equations:

- 1. Moduli of PDEs
  - (a) https://arxiv.org/abs/2312.05226,https://arxiv.org/abs/2406.16825
  - (b) https://arxiv.org/abs/2304.08671, https://arxiv.org/abs/2404.07931
  - (c) https://arxiv.org/abs/2507.07937
- 2. https://en.wikipedia.org/wiki/Homotopy\_principle
- 3. https://mathoverflow.net/questions/125166/wild-solutions
   -of-the-heat-equation-how-to-graph-them
- 4. https://math.stackexchange.com/questions/2112841/differe nce-between-linear-semilinear-and-quasilinear-pdes/5036 699#5036699

- 5. Proof of the smoothing property of the heat equation via:
  - (a) Feynman–Kac formula
  - (b) Radon-Nikodym + Wiener process has Gaussian as PDF
  - (c) Convolution of locally integrable with smooth is smooth
- 6. Geometry of PDEs:
  - (a) https://mathoverflow.net/questions/457268/pdes-and-a lgebraic-varieties
  - (b) Can we build a kind of algebraic geometry of PDEs starting with the notion of the zero locus of a differential operator?
    - i. https://ncatlab.org/nlab/show/diffiety

# Functional Analysis:

- 1. https://www.numdam.org/item/SE\_1957-1958\_\_1\_A3\_0/
- 2. https://thenumb.at/Functions-are-Vectors/
- 3. Tate vector spaces
- 4. Analytic sheaves, https://mathoverflow.net/questions/484408/literature-on-fr%c3%a9chet-quasi-coherent-sheaves
- 5. https://mathscinet.ams.org/mathscinet/article?mr=1257171
- 6. Vidav-Palmer theorem
- 7. In the Hilbert space  $\ell^2(\mathbb{N};\mathbb{C})$ , the operator  $(x_n)_{n\in\mathbb{N}}\mapsto (x_{n+1})_{n\in\mathbb{N}}$  admits  $(x_n)_{n\in\mathbb{N}}\mapsto (0,x_0,x_1,\ldots)$  as its adjoint.
- 8. https://arxiv.org/abs/2110.06300

# Lie algebras:

- 1. Pre-Lie algebras
- 2. Post-Lie algebras
- 3. https://arxiv.org/abs/2504.05929

#### Modular Representation Theory:

- https://en.wikipedia.org/wiki/Deligne%E2%80%93Lusztig\_th eory
- 2. https://math.stackexchange.com/questions/167979/represen tation-of-cyclic-group-over-finite-field
- 3. https://math.stackexchange.com/questions/153429/irreduci ble-representations-of-a-cyclic-group-over-a-field-of-p rime-order

# Homotopy theory:

- 1. https://mathoverflow.net/questions/495229
- 2. https://ncatlab.org/nlab/show/Moore+path+category,https:
  //mathoverflow.net/questions/486905/has-the-path-categor
  y-of-a-topological-space-been-studied/487212#487212
- 3. https://ncatlab.org/nlab/show/group+actions+on+spheres,
  https://www.maths.ed.ac.uk/~v1ranick/papers/wall7.pdf,ht
  tps://math.stackexchange.com/questions/1575798/which-gro
  ups-act-freely-on-sn,https://arxiv.org/abs/math/0212280.
- 4. Pascal's triangle via homology of *n*-tori, https://topospaces.subwiki.org/wiki/Homology\_of\_torus
- 5. Conditions on morphisms of spaces  $f: X \to Y$  such that  $f^*: [Y, K] \to [X, K]$  or  $f_*: [K, X] \to [K, Y]$  are injective/surjective (so, epi/monomorphisms in  $Ho(\pi)$ ) or other conditions.

# Algebraic Geometry:

- Galois points, https://bdtd.ibict.br/vufind/Record/USP\_c5e663 8812a74657c40fcd402a894514
- 2. https://arxiv.org/abs/2407.09256

#### Differential Geometry:

https://en.wikipedia.org/wiki/Spherical\_3-manifold

2. functor of points approach to differential geometry

# Number Theory:

- 1. https://math.stackexchange.com/questions/10233/uses-of-q
   uadratic-reciprocity-theorem/10719#10719
- 2. https://mathoverflow.net/questions/120067/what-do-theta
  -functions-have-to-do-with-quadratic-reciprocity

#### Classical Mechanics:

- 1. Koopman-von Neumann formalism
- 2. Relativistic Lagrangian and Hamiltonian mechanics

#### Quantum Mechanics:

1. https://ncatlab.org/nlab/show/geometrical+formulation+of
+quantum+mechanics

#### Quantum Field Theory:

- https://arxiv.org/abs/2309.15913 and https://arxiv.org/abs/2311.09284
- 2. The current ongoing work on higher gauge theory, specially Christian Saemann's
- 3. The recent work about determining the value of the strong coupling constant in the long-distance range, some pointers and keywords for this are available at this scientific american article.

#### Combinatorics:

Catalan numbers, https://mathstrek.blog/2012/02/19/power-series-and-generating-functions-ii-formal-power-series/

#### Other:

- https://arxiv.org/abs/2202.00084
- 2. Are sedenions and higher useful for anything?

- 3. https://mathstodon.xyz/@pschwahn/113388126188923908
- 4. Tambara functors, https://arxiv.org/abs/2410.23052
- 5. 2-vector spaces
- 6. 2-term chain complexes. They form a 2-category and middle-four exchange holds, the proof using the fact that we have

$$h_1 \circ \alpha + \beta \circ g_2 = k_1 \circ \alpha + \beta \circ f_2$$
,

which uses the chain homotopy identities

$$d_V \circ \alpha = g_2 - f_2,$$
  
$$-\beta \circ d_V = h_1 - k_1.$$

Can we modify this to work for usual chain complexes, seeking an answer to <a href="https://mathoverflow.net/questions/424268">https://mathoverflow.net/questions/424268</a>? What seems to make things go wrong in that case is that the chain homotopy identities are replaced with

$$\alpha_{n+1} \circ d_n^V + d_{n-1}^W \circ \alpha_n = g_n - f_n,$$
  
 $\beta_{n+1} \circ d_n^V + d_{n-1}^W \circ \beta_n = k_n - h_n.$ 

- 7. https://arxiv.org/abs/1402.2600
- 8. https://grossack.site/blog
- 9. Classifying space of  $\mathbb{Q}_p$
- 10. https://www.valth.eu/proc.htm
- 11. Construction of  $\mathbb{R}$  via slopes:
  - (a) http://maths.mq.edu.au/~street/EffR.pdf
  - (b) https://arxiv.org/abs/math/0301015
  - (c) Pierre Colmez's comment "Et si on remplace  $\mathbb Z$  par  $\mathbb Q$ , on obtient les adèles."
  - (d) I wonder if one could apply an analogue of this construction to the sphere spectrum and obtain a kind of spectral version of the real numbers, as in e.g. following the spirit of <a href="https://mathoverflow.net/questions/443018">https://mathoverflow.net/questions/443018</a>.

- 12. https://arxiv.org/abs/2406.04936
- 13. https://mathoverflow.net/a/471510
- 14. https://mathoverflow.net/questions/279478/the-category-t
   heory-of-span-enriched-categories-2-segal-spaces/448523
  #448523
- 15. The works of David Kern, https://dskern.github.io/writings
- 16. https://qchu.wordpress.com/
- 17. https://aroundtoposes.com/
- 18. https://ncatlab.org/nlab/show/essentially+surjective+and
  +full+functor
- 19. https://mathoverflow.net/questions/415363/objects-whose
   -representable-presheaf-is-a-fibration
- 20. https://mathoverflow.net/questions/460146/universal-pro
   perty-of-isbell-duality
- 21. http://www.tac.mta.ca/tac/volumes/36/12/36-12abs.html ( Isbell conjugacy and the reflexive completion )
- 22. https://ncatlab.org/nlab/show/enrichment+versus+internal
   isation
- 23. The works of Philip Saville, https://philipsaville.co.uk/
- 24. https://golem.ph.utexas.edu/category/2024/02/from\_cartes ian\_to\_symmetric\_mo.html
- 25. https://mathoverflow.net/q/463855 (One-object lax transformations)
- 26. https://ncatlab.org/nlab/show/analytic+completion+of+a+r
   ing
- 27. https://en.wikipedia.org/wiki/Quaternionic\_analysis
- 28. https://arxiv.org/abs/2401.15051 (The Norm Functor over Schemes)

- 29. https://mathoverflow.net/questions/407291/ (Adjunctions with respect to profunctors)
- 30. https://mathoverflow.net/a/462726 (Prof is free completion of Cats under right extensions)
- 31. there's some cool stuff in https://arxiv.org/abs/2312.00990 (Polynomial Functors: A Mathematical Theory of Interaction), e.g. on cofunctors.
- 32. https://ncatlab.org/nlab/show/adjoint+lifting+theorem
- 33. https://ncatlab.org/nlab/show/Gabriel%E2%80%93Ulmer+dual
   ity

#### General TODO:

- https://arxiv.org/abs/2108.11952
- 2. https://mathoverflow.net/questions/483243/is-there-a-the ory-of-completions-of-semirings-similar-to-i-adic-compl etions-of
- 3. https://mathoverflow.net/questions/9218/probabilistic-p
   roofs-of-analytic-facts
- 4. https://x.com/cihanpoststhms
- 5. Special graded rings, https://mathoverflow.net/questions/40344 8/in-search-of-lost-graded-rings
  - (a) https://arxiv.org/abs/1209.5122
- 6. Counterexamples in category theory
- 7. https://math.stackexchange.com/questions/279347/countere xample-math-books
- 8. Browse MO questions/answers for interesting ideas/topics
- 9. Change Longrightarrow to Rightarrow where appropriate
- 10. Try to minimize the amount of footnotes throughout the project. There should be no long footnotes.

# **Appendices**

# **A** Other Chapters

40		m		2		00
re				110		>
-	•		•		•••	

1. Introduction

2. A Guide to the Literature

#### Sets

3. Sets

4. Constructions With Sets

Monoidal Structures on the Category of Sets

6. Pointed Sets

7. Tensor Products of Pointed Sets

# **Relations**

8. Relations

9. Constructions With Relations

10. Conditions on Relations

# **Categories**

11. Categories

12. Presheaves and the Yoneda Lemma

# **Monoidal Categories**

Constructions With Monoidal Categories

# **Bicategories**

 Types of Morphisms in Bicategories

# **Extra Part**

15. Notes

# References

[]Y21]

[MO 382264] Neil Strickland. Proof that a cartesian category is monoidal. MathOverflow. URL: https://mathoverflow.net/q/382264 (cit. on

p. 43).

Niles Johnson and Donald Yau. 2-Dimensional Categories. Oxford University Press, Oxford, 2021, pp. xix+615. ISBN: 978-0-19-887138-5; 978-0-19-887137-8. DOI: 10.1093/oso/9780198871378. 001. 0001. URL: https://doi.org/10.1093/oso/9780198871378.

001.0001 (cit. on p. 51).