Rhino Machine Specifications & Measurements

Remaining questions only

This revision removes questions already answered in the completed team worksheet and groups the remaining work by machine. Please answer only what you know today.

Use [ ] Confirm when the proposed value is correct, [ ] Correct when it needs a change, and [ ] Unknown when you cannot support an answer. Unknown is safe - please do not guess.

Reviewer(s) / role	Technical (Kevin/Vejdi) + Operations for packing/measurements
Review date	_____

One shared unit question ✓

When Rhino documents say gallons for machine reservoirs or oil fill, which gallon is intended?

[ ] U.S. gallon [ ] Imperial gallon [ ] Mixed / depends on machine [ ] Unknown

---

Exploded = unknown

Shopify = US

BeadMaster 6 - current machine page

Already confirmed - do not answer again

- Current electrical supply: 110 V / 60 Hz.
- Primary motor shaft speed: 3000 rpm.

Remaining technical questions

Motor power

Current evidence proposes 0.55 kW. Is that the current motor rating?

[ ] Confirm 0.55 kW [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-026

Wheel size

Current catalog evidence proposes a 6 in wheel and a 1 in wheel arbor. Are both current?

[ ] Confirm both [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-028

Remaining packing / measurement questions

Packing / measurement check

The current packing evidence proposes:

NET machine weight: 103 lb (packing workbook) vs 70 lb (older catalog)
Assembled dimensions: 29 1/2 x 20 x 15 3/4 in; other sources differ
Crate dimensions: 29 1/2 x 23 1/2 x 22 in (Admin-only if approved)

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [ ] No - correct below [ ] Unknown

weight: 90 lbs, 120 w/ box

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[ ] L x W x H + one package [ ] Different - explain below [ ] Unknown

---

EM-1 - current machine page

Already confirmed - do not answer again

- Current input voltage: 110 V.
- Motor power: 1 hp.
- Wheel operating range: 0-3000 rpm.
- Flexible-shaft range was marked ~~500-5000~~ rpm. 3000-5000
- Wheel diameter: 6 in.
- Wheel arbor diameter: 1 in.
- Reservoir capacity was marked 3.5 gal.
- Water system was described as reservoir filtration with adjustable water outlets.

Remaining technical questions

Rated supply frequency

The prior worksheet did not answer frequency. The machine is printed "50-60 Hz." Which ratings should we store?

[ ] 50 Hz only [✓] 60 Hz only [ ] Both 50 and 60 Hz [ ] Unknown

Reference: B3B-D03 / E-MUT-026

Primary motor speed

The prior worksheet wrote "<= 5000 rpm," but Shopify needs an exact rated motor-shaft speed if we publish one. What is the rated motor speed?

[ ] Enter exact rpm below [ ] Leave unknown

adjustable speed motor

Reference: B3B-D03 / E-MUT-027

Blade capacity

Current evidence proposes a maximum 6 in blade. Is that current?

[✓] Confirm 6 in max [ ] Correct below [ ] Not applicable [ ] Unknown

Reference: B3B-D03 / E-MUT-028

Blade arbor

No reliable value is currently approved. If the EM-1 has a blade arbor specification that should be published, enter it below; otherwise mark Unknown.

[ ] Unknown [✓] Not applicable [ ] Enter below

Reference: B3B-D03 / E-MUT-028

Water-system vocabulary

Does the reservoir filtration system recirculate filtered water back through the machine?

[ ] Yes - recirculating filtered [ ] No [ ] Unknown

Reference: B3B-D03 / E-MUT-029

Remaining packing / measurement questions

Packing / measurement check

No current packing measurements are approved for this machine.

If current measurements are known

Write the NET machine weight, assembled Length x Width x Height, crate Length x Width x Height, and the current packing revision. If you cannot support them, mark Unknown.

[ ] Enter supported values below [ ] Unknown / defer

60 lbs

ass.: 14.5 x 33.5 x 18

crate: 49 x 24 x 44

LapMaster 12 - current machine page

Already confirmed - do not answer again

- Current electrical supply: 110 V / 60 Hz.

Remaining technical questions

Motor power

Evidence conflicts between 0.75 kW and 1 hp. Which is current?

[ ] 0.75 kW [ ] 1 hp [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-026

Motor speed

Current evidence proposes 1400 rpm. Is that current?

[ ] Confirm 1400 rpm [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-027

Remaining packing / measurement questions

Packing / measurement check

The current packing evidence proposes:

NET machine weight: 122 lb (packing workbook) vs 90 lb (older sources)
Assembled dimensions: 26 3/8 x 20 x 16 1/2 in; other sources differ
Crate dimensions: 29 1/2 x 23 1/2 x 22 in (Admin-only if approved)

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [ ] No - correct below [ ] Unknown

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[ ] L x W x H + one package [ ] Different - explain below [ ] Unknown

---

H x L x W

LapMaster 18 - current machine page ✓

Already confirmed - do not answer again

- Current electrical supply: 110 V / 60 Hz.
- Motor power: 1 hp.
- NET machine weight was corrected to 105 lb.
- Packed/shipping observation was corrected to 200 lb; native Shopify shipping weight remains a separate task.

Remaining technical questions

Motor speed

Current evidence proposes 1400 rpm. Is that current?

[✓] Confirm 1400 rpm [ ] Correct below [ ] Unknown

Variable speed variant needed

Reference: B3B-D03 / E-MUT-027

Remaining packing / measurement questions

Packing / measurement check

The current packing evidence proposes:

Assembled dimensions: 33 1/2 x 25 1/2 x 21 1/2 in; other sources differ

Crate dimensions: 25 1/2 x 33 1/2 x 21 1/2 in (Admin-only if approved)

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [✓] No - correct below [ ] Unknown

crate: 37.5 x 29 x 29

90 lbs assemb
180 crate

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[ ] L x W x H + one package [✓] Different - explain below [ ] Unknown

H x L x W ← assemb.

correct Crate → L x W x H

SawMaster 18 - current machine page

Already confirmed - do not answer again

- Current electrical supply: 110 V / 60 Hz.
- Current main motor: 1.8 kW at 1700 rpm.
- 450 mm and 18 in were confirmed as the same nominal blade size.

Remaining technical questions

Blade range

The manual proposes support from 12 in through 18 in. Is the full 12-18 in range current, or should we publish only an 18 in maximum?

[ ] 12-18 in range [ ] 18 in maximum only [ ] Correct below [ ] Unknown

---

Reference: B3B-D03 / E-MUT-028

Blade arbor

The manual proposes a 1 in blade arbor. Is that current?

[ ] Confirm 1 in [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-028

Operating oil fill

The manual proposes 8-10 gal. Is that the current operating fill range?

[ ] Confirm 8-10 gal [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-029

Remaining packing / measurement questions

Packing / measurement check

The current packing evidence proposes:

NET machine weight: 426 lb (packing workbook) vs 287 lb (older catalog)
Assembled dimensions: 55 x 37 1/2 x 41 1/4 in; other sources differ
Crate dimensions: 58 3/5 x 41 1/4 x 47 1/4 in (Admin-only if approved)

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [ ] No - correct below [ ] Unknown

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[ ] L x W x H + one package [ ] Different - explain below [ ] Unknown

_____

SawMaster 24 - current machine page

Already confirmed - do not answer again

- Current electrical supply: 110 V / 60 Hz.
- Current main motor: 1.8 kW at 1700 rpm.
- 600 mm and 24 in were confirmed as the same nominal blade size.

Remaining technical questions

Blade arbor

No reliable current blade-arbor value is approved. If known, enter it below.

[ ] Enter below [ ] Unknown

1" arbor 16" - 24" blades compat.

Reference: B3B-D03 / E-MUT-028

Operating oil fill

No reliable current oil-fill value is approved. If known, enter the operating fill or range below.

[ ] Enter below [ ] Unknown

12 gal.

Reference: B3B-D03 / E-MUT-029

Remaining packing / measurement questions

Packing / measurement check

The current packing evidence proposes:

NET machine weight: 454 lb (packing workbook) vs 340 lb (older catalog)
Assembled dimensions: 57 x 37 1/2 x 41 1/4 in; other sources differ
Crate dimensions: 60 1/4 x 41 1/4 x 47 1/4 in (Admin-only if approved)

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [ ] No - correct below [ ] Unknown

Ass. 52 x 39 x 42
Crate 61 x 42 x 47

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[ ] L x W x H + one package [ ] Different - explain below [ ] Unknown

ShapeMaster 6 - current machine page

Already confirmed - do not answer again

- Current electrical supply: 110 V / 60 Hz.
- Primary motor shaft speed: 3000 rpm.

Remaining technical questions

Motor power

Current evidence proposes 0.55 kW. Is that current?

[ ] Confirm 0.55 kW [ ] Correct below [ ] Unknown

1 HP

Reference: B3B-D03 / E-MUT-026

Wheel size

Current catalog evidence proposes a 6 in wheel and a 1 in wheel arbor. Are both current?

[ ] Confirm both [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-028

Remaining packing / measurement questions

Packing / measurement check

The current packing evidence proposes:

NET machine weight: 135 lb (packing workbook) vs 100 lb (older catalog)
Assembled dimensions: 29 1/2 x 20 x 15 3/4 in; other sources differ
Crate dimensions: 29 1/2 x 23 1/2 x 22 in (Admin-only if approved)

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [ ] No - correct below [ ] Unknown

Fully assemb. = 29 1/2 x 20 x 21

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[ ] L x W x H + one package [ ] Different - explain below [ ] Unknown

TrimMaster 8 - current machine page

Already confirmed - do not answer again

- Current electrical supply: 110 V / 60 Hz.
- Primary motor shaft speed: 3000 rpm.

Remaining technical questions

Motor power

Evidence conflicts between 0.55 kW and 0.37 kW. Which is current?

[ ] 0.55 kW [ ] 0.37 kW [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-026

Blade range

Older catalog evidence proposes 6-8 in blades. Is that current?

[ ] Confirm 6-8 in [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-028

Blade arbor

Older catalog evidence proposes a 1 in blade arbor. Is that current?

[ ] Confirm 1 in [ ] Correct below [ ] Unknown

Reference: B3B-D03 / E-MUT-028

Remaining packing / measurement questions

Packing / measurement check

The current packing evidence proposes:

NET machine weight: 71 lb (packing workbook) vs 50 lb (older catalog)
Assembled dimensions: 24 3/4 x 15 x 13 in; other sources differ
Crate dimensions: 28 3/4 x 33 1/2 x 21 1/2 in (Admin-only if approved)

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [ ] No - correct below [ ] Unknown

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[x] L x W x H + one package [ ] Different - explain below [ ] Unknown

_____

JadeMaster 14 - lower priority / currently excluded page

Technical facts

No governed electrical or motor candidates are currently reliable. If you know the current voltage, frequency, motor power, or motor speed, record them below. Otherwise mark Unknown.

[ ] Enter supported values below [ ] Unknown / defer

3/4 HP 1725 rpm

1" arbor 8gal

Packing / measurements

Packing / measurement check

The current packing evidence proposes:

- **NET machine weight:** 154 lb
- **Assembled dimensions:** 40 1/2 x 23 1/2 x 21 in
- **Crate dimensions:** 40 1/2 x 27 x 27 in

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [x] No - correct below [ ] Unknown

crate: 48 x 29 x 32

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[x] L x W x H + one package [ ] Different - explain below [ ] Unknown

SawMaster 36 - lower priority / currently excluded page

Already confirmed - do not answer again

- The first assembled-dimension value was corrected from 72 ft to 72 in.

Technical facts

No governed electrical or motor candidates are currently reliable. If you know the current voltage, frequency, motor power, or motor speed, record them below. Otherwise mark Unknown.

[ ] Enter supported values below [ ] Unknown / defer

3 HP 110V 60 Hz 1760 rpm

27 gal reservoir

Packing / measurements

Packing / measurement check

The current packing evidence proposes:

- **NET machine weight:** 662 lb
- **Assembled dimensions:** 72 x 44 x 47 in (first value already corrected)
- **Crate dimensions:** 79 x 51 x 52 1/2 in

Please confirm the physical state

Is this packing method still current, and do the machine dimensions mean the fully assembled sellable machine?

[ ] Yes [x] No - correct below [ ] Unknown

crate : 81 x 51 x 56

Axis order and package count

Are the dimensions ordered Length x Width x Height, and is the machine shipped in one crate/package?

[x] L x W x H + one package [ ] Different - explain below [ ] Unknown

we have the 14 gal Tumbler, but 40 gal TumbleMaster will be separate product

TumbleMaster - lower priority / currently excluded page

Technical facts

No reliable governed technical or measurement values are currently available. Fill in only facts you can support today; otherwise leave them Unknown.

[ ] Enter supported values below [ ] Unknown / defer

110V 60Hz

Packing / measurements

Packing / measurement check

No current packing measurements are approved for this machine.

If current measurements are known

Write the NET machine weight, assembled Length x Width x Height, crate Length x Width x Height, and the current packing revision. If you cannot support them, mark Unknown.

[ ] Enter supported values below [ ] Unknown / defer

Weight: 180 lbs
Assemb.: 23 x 32 x 31
Crate: 41 x 33 x 56

What happens after this worksheet

Only exact, supported answers will be migrated. Unanswered fields stay hidden. Crate dimensions remain Admin-only, and native Shopify shipping weights are handled separately.

Please return the completed worksheet with reviewer name/role and review date.