

Additional Functionality

- Home
- Documentation
- <> API Reference
- Code Samples
- Announcements
- Models
- Release Notes
- FAQ
- GitHub
- Videos

- GET STARTED
- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview >

- Terminology
- Frequently Asked Questions >

- CHANGELOG
- SP-API Release Notes
- SP-API Deprecation Schedule

Additional Functionality

Learn about the additional functionalities of the Fulfillment Inbound API.

The Fulfillment Inbound API v2024-03-20 also includes several operations that are not mandatory for every shipment creation. This section describes these operations.

Retrieve a list of existing inbound plans

Retrieve a list of existing inbound plans by using the `listInboundPlans` operation. This can be used to retrieve inbound plan information for multiple inbound plans based on criteria that the seller specifies. By calling the `listInboundPlans` operation, a seller can filter by state (for example, whether the `InboundPlans` are `ACTIVE`, `SHIPPED`, or `VOIDED`) and by the date that the inbound plan was created or last updated. The seller can also indicate a page size to limit the responses per request and a pagination token if needed.

Important

`listInboundPlans` is a paginated call. When you make follow-up calls to get more pages of data, you must pass the same filters as you did in the original call to get the correct response.

Retrieve a list of items in an inbound plan

Retrieve a list of items within an inbound plan with the `listInboundPlanItems` operation. This can be used to retrieve item information for an inbound and can be filtered by package grouping

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview

Developer Registration Request Status

Third-Party Provider Registration

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications

Renew Authorizations

Revoke Authorizations

Authorization Limits

Additional Functionality

ID (that is, the `ShipmentID` or the `PackingGroupId` , depending on whether `confirmPlacementOption` has been called).

A successful response includes item information such as MSKU, ASIN, FNSKU, label owner, quantity, expiration date, manufacturing lot code, prep instructions, and packing group.

Retrieve a list of pallets associated with inbound plans

Retrieve a list of pallets within an inbound plan with the `listInboundPlanPallets` operation. This can be used to retrieve pallet information for an inbound plan and can be filtered by package grouping ID (that is, the `ShipmentID` or the `PackingGroupId` , depending on whether `confirmPlacementOption` has been called).

A successful response includes pallet dimensions, weight, whether the pallets can be stacked, package ID, pallet quantities, and associated shipment IDs.

Cancel an Inbound Plan

Cancel an inbound plan and all of the associated shipments by using the `cancelInboundPlan` operation. This also cancels the fees associated with the transportation options selected by the seller, if this operation is called within the void window. The void window is 24 hours after you confirm a Small Parcel shipment transportation request or one hour after you confirm a Less Than Truckload / Full Truckload (LTL/FTL) shipment transportation request. After this deadline passes, the seller's account is charged for the shipping cost.

A successful response includes the `operationId` that can be used to determine the status of the operation using `getInboundOperationStatus` . Alternatively, a seller can confirm that their inbound plan has been voided by retrieving its status by calling `getInboundPlan` .

Update shipment name

Update the name of a shipment using the `updateShipmentName` operation. The user might want to use this to link the shipment ID from the given identifier with a string provided by the user. The shipment ID is preserved after updating this name, and is used to identify the shipment using other operations. To update a shipment name,

Special Authorization Types

- > pass the new name as a string per the request body schema.

A successful response provides an `operationID` that you can use to check the status of the corresponding operation with `getInboundOperationStatus`. The name can be used to find and navigate shipments.

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs

- >

Update inbound plan name

Update the name of an existing inbound plan using the `updateInboundPlanName` operation. The user might want to use this to link the shipment ID from the given identifier with a string provided by the user. To update an inbound plan name, post the new name as a string per the request body schema.

A successful response gives you an operation ID you can use to check the status of the corresponding operation with `getInboundOperationStatus`. The name can be used to find and navigate inbound plans.

List shipment pallets

View a paginated list of pallets associated with a shipment by calling the `listShipmentPallets` operation. An inbound plan contains pallet information after the user has provided the pallet details while generating Less Than Truckload (LTL) carrier shipments using the `generateTransportationOptions` operation.

A successful response contains a paginated list of the previously input pallets and their weights, dimensions, and stackability. The response also contains an identifier for the pallet, which can be used to match a pallet with its labels.

List shipment boxes

View a paginated list of box packages in a shipment by calling the `listShipmentBoxes` operation. Shipping boxes must first be generated with the `setPackingInformation` operation before becoming available.

A successful response includes information about the boxes in the shipment and the items in the boxes. Each box has a corresponding package ID which can be used to match box labels to boxes. The response also includes details about each box such as its weight / dimensions and what items are inside each box. The response includes the following for each item:

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

- >

Call Structure

- >

Development Tools

- >

Performance Management

- >

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

- MSKU
- ASIN
- FNSKU
- Manufacturer lot code
- Label owner
- Prep instruction
- Prep type
- Prep owner

If the items have expiration dates, those are included in the response. This API gives a detailed list of information that users need to create a pack list that can be used to help ensure the shipment is complete before sending to the fulfillment centers.

Create marketplace item labels

The `createMarketplaceItemLabels` operation provides labels for a list of MSKUs for a given marketplace. Using this operation you can get item labels in the marketplace language. This is useful for dynamic sellers who operate in multiple marketplaces, and allows you to easily identify which items are planned for which markets.

List shipment items

View a paginated list of items in a shipment by calling the `listShipmentItems` operation. Sellers need this information to learn which items are in each shipment split if they didn't input the carton-level information.

A successful response contains a paginated list of the products the user previously entered using the `createInboundPlan` operation. The response contains the prep instructions for their ASINs, such as prep type and owner. This allows users to conveniently check what items and prep requirements are in a given shipment. The response also lists the product's MSKU, ASIN, FNSKU, Manufacturer Code, quantity, and expiration date if needed. This can be used to generate a pick list that they can use to pull certain items from their inventory and group them into a shipment. The seller then uses the `listShipmentBoxes` operation to create a pack list of which items go in which boxes.

Retrieve preparation instructions for an MSKU

[Edit Your Appstore Listing](#)[Check Listing Status](#)[Appstore Ratings and Reviews](#)[Press Releases and Promotions](#)**SERVICE PROVIDER NETWORK**[List Your Service](#)**SECURITY AND COMPLIANCE**[SP-API Security and Compliance Overview](#)[Amazon Selling Partner API Guard Implementation Guide](#)

Call the [listPrepDetails](#) operation to retrieve preparation instructions for shipping an MSKU into Amazon's fulfillment network in a specific marketplace.

You can use `listPrepDetails` to determine which `prepOwner` and `labelOwner` values can be used in the [createInboundPlan](#) operation. Appropriate `prepOwner` values are returned in `prepOwnerConstraint` and appropriate `labelOwner` values are returned in `labelOwnersConstraint`. If these fields are empty in the response, you can select `AMAZON` or `SELLER`. If `allOwnersConstraint` is `MUST_MATCH`, `prepOwner` and `labelOwner` must match. If `allOwnerConstraint` is empty, then `prepOwner` and `labelOwner` do not need to match.

 Warning

Inventory that arrives at a fulfillment center without proper preparation or labeling might incur a preparation fee. For more information, refer to [Unplanned services](#). A unit that falls under multiple categories must be prepped according to all applicable prep types. For example, if you sell bottles of shampoo and conditioner as a set, both units must meet the prep requirements for liquid products and be labeled with a "Sold as set" sticker so they are not separated.

[VAT Calculation Service](#)[Amazon Seller Data Access](#)[Best Practices](#)

You can also use this operation to retrieve the current `prepCategory` and `prepTypes` for an MSKU (if they are already set), which indicates how each MSKU must be prepared. If `prepCategory` is `FC_PROVIDED`, then Amazon has established a `prepCategory` for this MSKU and it cannot be changed. For information about preparing items for shipment, refer to the [Seller Central help page for your marketplace](#).

 Note

If you observe a discrepancy in the prep category returned by this operation and what is displayed on Send to Amazon, refresh the Send to Amazon page to ensure that the correct prep category is shown.

Set preparation instructions for an MSKU

A+ CONTENT API

A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

Call the `setPrepDetails` operation to provide information related to how an MSKU is prepared for shipment. Sellers must provide this information once for each MSKU in a marketplace. Amazon saves this information for future shipments that include this MSKU. The `prepCategory` you select using this operation can affect what values you can select for prep and label owners, which are required inputs for `createInboundPlan`. Use the `listPrepDetails` operation to retrieve the available prep and label owners.



Caution

If `PrepType` is `ITEM_NO_PREP`, you may still need to include a prep owner or label owner when you call `createInboundPlan`. If `prepCategory` is `NONE`, you might need to include a label owner in `createInboundPlan`. In both situations, you can identify the list of available prep and label owners with the `listPrepDetails` operation.

When you call `setPrepDetails`, you must pass the `prepCategory` and `prepTypes` for each MSKU and marketplace ID. For more information about the relationship between prep category and prep types, refer to [Prep guidance](#). For information about preparing items for shipment, refer to the [Seller Central help page for your marketplace](#).



Caution

If you change the `prepCategory` for an MSKU after you use `createInboundPlan` to create a plan that includes this MSKU, use the `prepOwner` and `labelOwner` that are associated with that plan as the `setPackingInformation` value for that inbound plan. You can get `prepOwner` and `labelOwner` by using `listInboundPlanItems` or `listInboundPlanBoxes`. The `prepCategory` information that you updated by using `setPrepDetails`

DATA KIOSK

Data Kiosk API

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API

EASY SHIP API

Easy Ship API

EXTERNAL FULFILLMENT

External Fulfillment Inventory API

External Fulfillment Returns API

External Fulfillment Shipping API

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Additional Functionality

carries over to subsequent inbound plans.

Update information in a shipment

Update the contents of an existing shipment with the following operations:

- [generateShipmentContentUpdatePreviews](#)
- [listShipmentContentUpdatePreview](#)
- [confirmShipmentContentUpdatePreview](#)

These operations help sellers update the quantity of their shipments, add and remove boxes, and remove SKUs before Amazon receives them.

You can only call these operations after you confirm transportation options and before the shipment is in **Receiving** status. Before the shipment arrives at the fulfillment center, you can edit the number of units in a shipment by up to five percent or six units per SKU per shipment, whichever is greater. You can also remove a SKU from a shipment, as long as the original quantity is six units or fewer per SKU per shipment. You can't remove all SKUs in a shipment or make a shipment empty. To make changes beyond these limits, you must cancel the inbound plan and create a new one.

Step 1. Update the contents of the shipment

To update the contents of a shipment, call the [generateShipmentContentUpdatePreviews](#) operation and pass the boxes and items that will be present in the shipment after the update. A successful response contains the `inboundPlanID` and the `operationId`, which you can use to retrieve the request status.

Step 2. Review the changes and quotes

Next, review the proposed changes and updated transportation quotes with [listShipmentContentUpdatePreview](#).

Step 3. Confirm updates

Confirm the updates to the shipment with [confirmShipmentContentUpdatePreview](#). Call this operation with the following values from the [listShipmentContentUpdatePreview](#) response:

- `inboundPlanID`

Feeds API >

- shipmentID
- contentUpdatePreviewId

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Create an inbound shipment

Create a shipment with an Amazon-partnered carrier (PCP)

Create a shipment with a non-partnered carrier

Inbound Shipments with the Pack Later workflow

Ship Inventory to Amazon Fulfillment Centers in India

Additional Functionality

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Prerequisite step. Create a listing and convert it to FBA

If a product already exists in the Amazon catalog, you can create a listing by associating a unique seller-defined SKU with the unique Amazon-defined ASIN (Amazon Standard Item Number) for the product.

If a product does not exist in the Amazon catalog, to create a listing you must provide descriptive information about the product so Amazon can build a record and assign an ASIN to the product. You can create listings with the Listings Items API or the Feeds API.

! Important

Before you can convert a listing to FBA, you must provide additional information on any products that are batteries, contain or are sold with batteries, or might be considered dangerous goods. Any attempt to convert a listing to FBA without providing battery and dangerous goods information will fail. For more information, refer to [FBA product restrictions](#).

Create a listing with the Listings Items API

If **the product already exists** in the Amazon catalog, refer to [List an item that already exists in the Amazon catalog](#).

If **the product does not exist** in the Amazon catalog, refer to [List an item that does not already exist in the Amazon catalog](#).

In both cases, list the items with the fulfillment availability as follows:

JSON

```
"fulfillment_availability": [
  {
    "fulfillment_channel_code":
    "AMAZON_NA"
  }
]
```


Set `fulfillment_channel_code` to `AMAZON_NA` , `AMAZON_EU` , `AMAZON_IN` , or `AMAZON_JP` , depending on the seller's marketplace.

Create a listing with the Feeds API

Bulk submissions are optimal for processing 1500 items or more. Refer to [Create and update listings items in bulk](#).

Convert Fulfilled by Merchant (FBM) to Fulfilled by Amazon (FBA)

If you already have an existing listing with FBM, you can convert it to FBA with the Listings Items API or the Feeds API:

To use the Listings Items API, call the `patchListingsItem` operation:

JSON

```
PATCH https://sellingpartnerapi-na.amazon.com/listings/2021-08-01/items/AXXXXXXXXXXXXX/ABC123?marketplaceIds=ATVPDKIKX0DER&issueLocale=en_US
{
  "productType": "PRODUCT",
  "patches": [
    {
      "op": "add",
      "path": "/attributes/fulfillment_availability",
      "value": [
        {
          "fulfillment_channel_code": "AMAZON_NA" // as per region
        }
      ]
    },
    {
      "op": "delete",
      "path": "/attributes/fulfillment_availability",
      "value": [
        {
          "fulfillment_channel_code": "DEFAULT"
        }
      ]
    }
  ]
}
```

To use the Feeds API, call the `createFeed` operation with the `JSON_LISTINGS_FEED` :

JSON

```
{
  "header": {
```

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API

Invoices API FAQ

LISTINGS

Listings Items API

```
"sellerId": "xxxxxxxxxx",
"version": "2.0",
"issueLocale": "en_US"
},
"messages": [
  {
    "messageId": 1,
    "sku": "xx-xxx-xxxx",
    "operationType": "PATCH",
    "productType": "PRODUCT",
    "patches": [
      {
        "op": "add",
        "path":
"/attributes/fulfillment_availability",
        "value": [
          {
            "fulfillment_channel_code": "AMAZON_NA"
// as per region
          }
        ]
      },
      {
        "op": "delete",
        "path":
"/attributes/fulfillment_availability",
        "value": [
          {
            "fulfillment_channel_code": "DEFAULT"
          }
        ]
      }
    ]
  }
]
```

Set fulfillment_channel_code to AMAZON_NA ,
AMAZON_EU , AMAZON_IN , or AMAZON_JP ,
depending on the seller's marketplace.

 Updated 19 days ago

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API

←

Ship Inventory to Amazon Fulfillment Centers in India

Fulfillment Inbound API FAQ →

Did this page help you? ☐ Yes ☐ No

MESSAGING API

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >