

GET STARTED

- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview >

- Terminology
- Frequently Asked Questions >

CHANGELOG

- SP-API Release Notes
- SP-API Deprecation Schedule
- SP-API Product Metadata Updates

DIRECTORIES

- SP-API Models
- SP-API Seller Use Cases

Authorize Private Applications

Self-authorize a private SP-API application.

Before your private application can call the Selling Partner API (SP-API) on behalf of your organization, you must authorize the application to access your account information. This process is called *self-authorization*. You can self-authorize your application in draft status because there is no reason to publish a private application.

This topic explains how to self-authorize your private application. If your application is public, a selling partner must authorize your application. In this case, refer to [Authorize Public Applications](#).

Self-authorization workflow

The following table shows the authorization flow when you self-authorize your private application.

Step	Actor	Action	Additional details
1	You	Review authorization limits. (You can't add authorizations to an application after it reaches the maximum authorization limit.)	Authorization limits
2	You	Sign in to Solution Provider Portal, Seller Central, or Vendor Central.	Tool sign-in details
3	You	Locate your application and choose Authorize app for each account that you want to authorize. This process generates a refresh token for each authorized account.	Generate a refresh token
4	You	Store the refresh tokens securely.	Token storage details
5	Your application	(During runtime) Exchanges refresh tokens for access tokens to call the SP-API.	Runtime token exchange

Authorization details

The following sections provide additional information about specific elements of the authorization process.

Tool sign-in details

To begin the self-authorization process, sign in to one of the following tools:

- [Solution Provider Portal](#): To authorize a Seller Central account, use the sign-in link on the **Manage Authorizations** page.
- [Seller Central](#): Choose **Apps and Services**, and then choose [Develop Apps](#).

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Authorize Public Applications >

Authorize Private Applications

Renew Authorizations

Revoke Authorizations

Authorization Limits

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

- [Vendor Central](#): Choose **Integration**, and then choose [API Integration](#). Administrators can also [authorize apps for each vendor group](#).

Generate a refresh token

A refresh token is a long-lived credential that your application uses to get new access tokens when you call the SP-API. To generate a refresh token, take the following steps:

1. Navigate to the **Authorize application** page of the Solution Provider Portal, Seller Central, or Vendor Central.
2. Choose **Authorize app** for each selling partner account that you want your application to access. Each time you choose **Authorize app**, a new refresh token appears. Generating a new refresh token doesn't invalidate previous refresh tokens.

For selling partner accounts that are merged with accounts in other regions: The **Authorize app** button appears for each of your merged accounts.

 Note

To self-authorize a Seller Central account, you must be the Primary User of that account.

Token storage details

When you store refresh tokens, follow these security best practices:

- Store tokens in a secure, encrypted database.
- Never store tokens in client-side code or logs.
- Never share or expose tokens in URLs.
- Implement secure backup and recovery procedures for your token database.
- Create an access control system that restricts token access to only the necessary parts of your application.
- Implement a process to handle token rotation and revocation.

Runtime token exchange details

During runtime, unless the operation is [grantless](#) or accesses [restricted data](#), your application exchanges a refresh token for an access token. To exchange a refresh token for an access token, your application sends a `POST` request to the Login with Amazon (LWA) authorization server (`https://api.amazon.com/auth/o2/token`) with the following parameters:

Parameter	Description
<code>grant_type</code>	The type of access grant requested. Must be <code>refresh_token</code> .
<code>refresh_token</code>	The refresh token you received and stored during the authorization process.
<code>client_id</code>	Your application's client ID, which you can view in Seller Central, Vendor Central, or the Solution Provider Portal. For details, refer to View your Application Information and Credentials .
<code>client_secret</code>	Your application's client secret, which you can view in Seller Central, Vendor Central, or the Solution Provider Portal. For details, refer to View your Application Information and Credentials .

Example request to exchange a refresh token for an access token:

HTTP

```
POST /auth/o2/token HTTP/1.1
Host: api.amazon.com
```

```
Content-Type: application/x-www-form-urlencoded; charset=UTF-8
grant_type=refresh_token&refresh_token=Atzr|IQEBLzAtAexample&client_id=foodev&
```

The LWA server returns a JSON response with the following parameters:

Parameter	Description
access_token	The access token to use in SP-API calls.
token_type	Token type. Set to <code>bearer</code> .
expires_in	Number of seconds until this access token expires (typically 3600).

Example response that contains an access token:

```
HTTP
{
  "access_token": "Atza|IQEBLjAsAexampleHpi0U-Dme37rR6CuUpSR",
  "token_type": "bearer",
  "expires_in": 3600
}
```

Use the returned access token in the authorization header of your SP-API requests. For more information about making SP-API calls, refer to [Connect to the Selling Partner API](#).

You can also use an SDK to help you with this step. For details, refer to [SP-API SDK](#).

Updated 19 days ago

Website Authorization Workflow Renew Authorizations

Did this page help you? Yes No

Policies and Agreements Privacy notice | Conditions of use

SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK

[Tutorial: Automate your SP-API Calls Using a Java SDK](#)

[Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js](#)

[Tutorial: Automate your SP-API Calls Using a Python SDK](#)

[Tutorial: Automate your SP-API Calls using a prebuilt C# SDK](#)

[Tutorial: Automate your SP-API Calls using prebuilt Java SDK](#)

[Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK](#)

[Tutorial: Automate your SP-API Calls using prebuilt PHP SDK](#)

[Tutorial: Automate your SP-API calls using a prebuilt Python SDK](#)

[Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application](#)

[Tutorial: Retrieve Merchant Shipping Templates](#)

[Tutorial: Grant the SP-API Permission to an Amazon SQS Queue](#)

[Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier](#)

TROUBLESHOOTING

[Troubleshoot SP-API Errors](#)

[URL Encoding](#)

[Resolve Common HTTP and Authorization Error Codes](#)

[External Fulfillment Errors](#) ↗

[Listings Items API Issues Troubleshooting](#) ↗

SELLING PARTNER APPSTORE

[What is the Selling Partner Appstore?](#)

[List Your App on the Selling Partner Appstore](#)

[Edit Your Appstore Listing](#)

[Check Listing Status](#)

[Appstore Ratings and Reviews](#)

[Press Releases and Promotions](#)

SERVICE PROVIDER NETWORK

[List Your Service](#)

SECURITY AND COMPLIANCE

[SP-API Security and Compliance Overview](#)

[Amazon Selling Partner API Guard Implementation Guide](#) >

VAT Calculation Service >

Amazon Seller Data Access
Best Practices >

A+ CONTENT API
A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API
Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09
Reference

APP INTEGRATIONS API
App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide
Data Kiosk Query Processing Finished Notification
Building Data Kiosk workflows guide
Vendor Analytics Dataset Use Case Guide
Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API	>
External Fulfillment Shipping API	>
External Fulfillment Errors	
External Fulfillment APIs Rate Limits	
FULFILLMENT BY AMAZON (FBA)	
FBA Inventory API	>
FBA Inventory Dynamic Sandbox Guide	
FEEDS API	
Feeds API	>
Feed Type Values	>
Feeds JSON Schemas	↗
Feeds API Best Practices	
Feeds API FAQ	
Feeds API Rate Limits	
FINANCES	
Finances API	>
Transfers API	>
FULFILLMENT INBOUND API	
Fulfillment Inbound API	>

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

**VENDOR RETAIL PROCUREMENT TRANSACTION STATUS
API**

Vendor Retail Procurement Transaction Status API >

