

Authorize Public Applications 

English

 Home Documentation

&lt;&gt; API Reference

 Code Samples Announcements

Models

Release Notes

FAQ

GitHub

Videos

## GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview &gt;

Terminology

Frequently Asked Questions &gt;

# Authorize Public Applications

Learn how authorization works for public seller and vendor applications.

Before your public application can call the Selling Partner API (SP-API) on behalf of a selling partner, the selling partner must grant permission to your application.

To grant permission, selling partners follow an authorization flow based on [Login with Amazon](#) (LWA), which is Amazon's implementation of [OAuth 2.0](#). In the context of the SP-API, this authorization flow involves the following steps:

1. The selling partner grants your application permission by starting from either the Selling

Partner Appstore or through an **Authorize** button on your website.

2. Amazon provides an authorization code that your application exchanges for refresh tokens.
3. During runtime, your application uses these tokens to make SP-API calls on behalf of the selling partner.

This topic provides an overview of the authorization methods for public applications and tips for when you implement authorization.

## Authorization workflows

Depending on your implementation, selling partners can authorize your public application in two ways. Both workflows use OAuth 2.0 to ensure secure authorization, but they differ in where the selling partner starts the process:

- **Selling Partner Appstore authorization workflow:** In this workflow, selling partners find your application in the

### CHANGELOG

SP-API Release Notes  
 SP-API Deprecation Schedule  
 SP-API Product Metadata Updates

### DIRECTORIES

SP-API Models  
 SP-API Seller Use Cases  
 SP-API Vendor Use Cases  
 Seller Central URLs  
 Vendor Central URLs

### REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

[Policies and Agreements](#)[About Facial Data](#)**AUTHORIZATION**[Authorize Applications](#) >[Authorize Public Applications](#) >[Selling Partner Appstore Authorization Workflow](#)[Website Authorization Workflow](#)[Authorize Private Applications](#)[Renew Authorizations](#)[Revoke Authorizations](#)[Authorization Limits](#)[Special Authorization Types](#) >**INTEGRATION**[Building Robust Amazon SP-API Applications](#)[SP-API SDKs](#) >**Authorize Public Applications**

Selling Partner Appstore and choose **Authorize Now** from your application's detail page. For details, refer to [Selling Partner Appstore Authorization Workflow](#).

- **Website authorization workflow:** In this workflow, selling partners visit your website and authorize your application through an **Authorize** button that you configure. For details, refer to [Website Authorization Workflow](#).

For testing purposes, you can also self-authorize your public application through the [private application authorization](#) workflow.

## About URIs in the authorization flow

OAuth authorization flows use the following URIs; each URI serves a specific purpose. For details about how to construct the URIs, refer to the documentation for the

Delete an Application From Your Developer Account

## CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

## SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

## TUTORIALS

Tutorial: Subscribe to the ORDER\_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

flow that you choose:  
the [Selling Partner Appstore Authorization Workflow](#) or the [Website Authorization Workflow](#).

## Log-in URI

- **Who owns this endpoint:** You.
- **How you get this URI:** You specify this URI as the **OAuth Login URI** when you [register your application](#).
- **How you use it:** This URI is where selling partners log in to your website after they grant permission to your application. This log-in step lets you associate the authorized selling partner with their account in your system. After the selling partner logs in at the log-in URI, you redirect them to the Amazon callback URI.
- **Required for:** Both the website authorization flow and the Selling Partner Appstore authorization flow.

- **Example:**

```
https://example.com/auth/login
```

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

## TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

## SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

## SERVICE PROVIDER NETWORK

List Your Service

## SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide 

## Redirect URI

- **Who owns this endpoint:** You.
- **How you get this URI:** You specify this URI as the **OAuth Redirect URI** when you [register your application](#). You can specify multiple redirect URIs.
- **How you use it:** Amazon redirects selling partners to this URI on your website after they complete the authorization process. You can include this URI as a parameter when you load the Amazon callback URI. Otherwise, Amazon uses the first redirect URI that you specified during registration.
- **Required for:** Both the website authorization flow and the Selling Partner Appstore authorization flow.
- **Example:**

```
https://example.com/landing.html
```

## Authorization URI

- **Who owns this endpoint:** Amazon.

- **How you get this URI:** You construct it by combining:

- The Seller Central or Vendor Central URL for the specific marketplace
- `/apps/authorize/consent`
- Your application ID as a query parameter

- **How you use it:** You redirect selling partners to this URI to show them Amazon's consent page.

- **Required for:** The website authorization workflow and for testing the Selling Partner Appstore authorization workflow.

- **Example:**  
`https://sellercentral.amazon.com/apps/authorize/consent?application_id=amzn1.sellerapps.app.12345-36a6-4942-a13e-EXAMPLEfcd28`

VAT Calculation Service



Amazon Seller Data Access

Best Practices



A+ CONTENT API

A+ Content API



# Amazon callback URI

- **Who owns this endpoint:** Amazon.
- **How you get this URI:** You receive this URI as the `amazon_callback_uri` query parameter when Amazon calls your log-in URI.
- **How you use it:** You redirect selling partners to this URI so that they can continue Amazon's authorization workflow.
- **Required for:** The Selling Partner Appstore authorization workflow only. Not used in the website authorization workflow.
- **Example:**  
`https://amazon.com/apps/authorize/confirm/amzn1.sellerapps.app.12345-67a-8bcd-b16c-474EXAMPLE57?redirect_uri=https://example.com/landing.html&amazon_state=amazonstateexample&state=-37131022`

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits  
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

**DATA KIOSK**

Data Kiosk API &gt;

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

**DELIVERY BY AMAZON API**

Delivery by Amazon API &gt;

**EASY SHIP API**

Easy Ship API &gt;

**EXTERNAL FULFILLMENT**

External Fulfillment Inventory API &gt;

External Fulfillment Returns API &gt;

External Fulfillment Shipping API &gt;

External Fulfillment Errors

External Fulfillment APIs Rate Limits

## Authorization implementation tips

When you implement OAuth 2.0 authorization, consider the following aspects:

- **Token handling**
  - Authorization codes expire after five minutes, so exchange authorization codes for refresh tokens promptly.
  - Access tokens are short-lived (typically one hour).
  - Refresh tokens are long-lived. The selling partner must re-authorize your application (a process that generates a new refresh token) every 365 days. Amazon sends a reminder email 30 days prior to a refresh token's expiration date. For details about the re-authorization process, refer



|                                     |   |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------------------|---|-------------------------------------------------------------------------------------|-------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| FULFILLMENT BY AMAZON (FBA)         |   |                                                                                     |                                                 | to <a href="#">Renew Authorizations</a>                                                                                                                                                                                                                                                                                                         |
| FBA Inventory API                   | > |                                                                                     |                                                 | .                                                                                                                                                                                                                                                                                                                                               |
| FBA Inventory Dynamic Sandbox Guide |   |                                                                                     |                                                 | <ul style="list-style-type: none"><li>• Use refresh tokens to get new access tokens during runtime.</li></ul>                                                                                                                                                                                                                                   |
| FEEDS API                           |   |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
| Feeds API                           | > |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
| Feed Type Values                    | > |                                                                                     |                                                 | <ul style="list-style-type: none"><li>• <b>User consent</b><ul style="list-style-type: none"><li>• Request only the necessary permissions.</li><li>• Explain why each permission is needed.</li></ul></li></ul>                                                                                                                                 |
| Feeds JSON Schemas                  | ↗ |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
| Feeds API Best Practices            |   |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
| Feeds API FAQ                       |   |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
| Feeds API Rate Limits               |   |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
| FINANCES                            |   |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
| Finances API                        | > |                                                                                     |                                                 | <ul style="list-style-type: none"><li>• <b>Regional considerations</b><ul style="list-style-type: none"><li>• Use the correct regional endpoints.</li><li>• Use the correct regional <a href="#">Seller Central URL</a> or <a href="#">Vendor Central URL</a> for both authorization URIs and selling partner interactions.</li></ul></li></ul> |
| Transfers API                       | > |                                                                                     |                                                 |  Updated 19 days ago                                                                                                                                                                                                                                         |
| FULFILLMENT INBOUND API             |   |                                                                                     |                                                 |                                                                                                                                                                                                                                                                                                                                                 |
| Fulfillment Inbound API             | > |  | <div>Autho<br/>rize<br/>Applic<br/>ations</div> | <div>Sellin<br/>g<br/>Partn<br/>er<br/>Appst<br/>ore<br/>Autho<br/>rization</div>                                                                                                                                                                          |

Workf  
low

- Fulfillment Inbound API FAQ
- Migrating Fulfillment Inbound workflows
- Fulfillment Inbound API Rate Limits

Did this page  
help you?  
👍 Yes    👎 No

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API



[Privacy notice](#) | [Conditions of use](#)

Fulfillment Outbound API Rate Limits

MCF Best Practices

## INVOICING

Invoices API >

Invoices API FAQ

## LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER\_CHANGE Notification ↗

ORDERS API

Orders API



Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

#### PRODUCT FEES API

Product Fees API



#### PRODUCT PRICING API

Product Pricing API



Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

#### REPLENISHMENT API

Replenishment API



REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

## Seller Wallet API Rate Limits

### SELLERS API

Sellers API >

### SERVICES API

Services API >

### SHIPMENT INVOICING API

Shipment Invoicing API >

### SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

### SOLICITATIONS API

Solicitations API >

### SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

#### TOKENS API

Tokens API >

#### UPLOADS API

Uploads API >

#### VEHICLES API

Vehicles API >

Vehicles API Rate Limits

#### VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

#### VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

#### VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >



**VENDOR DIRECT FULFILLMENT ORDERS API**

Vendor Direct Fulfillment Orders API >

**VENDOR DIRECT FULFILLMENT SHIPPING API**

Vendor Direct Fulfillment Shipping API >

**VENDOR DIRECT FULFILLMENT PAYMENTS API**

Vendor Direct Fulfillment Payments API >

**VENDOR RETAIL PROCUREMENT INVOICES API**

Vendor Retail Procurement Invoices API >

**VENDOR RETAIL PROCUREMENT ORDERS API**

Vendor Retail Procurement Orders API >

**VENDOR RETAIL PROCUREMENT SHIPMENTS API**

Vendor Retail Procurement Shipments API >

## VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

