

GET STARTED

- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview

- Terminology
- Frequently Asked Questions

CHANGELOG

- SP-API Release Notes
- SP-API Deprecation Schedule
- SP-API Product Metadata Updates

DIRECTORIES

- SP-API Models
- SP-API Seller Use Cases

Browse Tree Reports

Browse Tree Reports for the Selling Partner Reports API.

Browse Tree Report

reportType Value: GET_XML_BROWSE_TREE_DATA

Schema: [BrowseTreeReport.xsd](#)

Role: [Product Listing](#), [Pricing](#), [Inventory and Order Tracking](#), [Direct to Consumer Shipping \(Restricted\)](#)

Requested/scheduled: This report can be requested or scheduled.

Availability: Sellers

Report output type: XML

Contains browse tree hierarchy information and node refinement information for the Amazon retail website in any marketplace.

This report accepts the following **reportOptions** values:

- MarketplaceId** – Specifies the marketplace from which you want browse tree information. If **MarketplaceId** is not included in the **reportOptions** parameter, the report contains browse tree information from the seller's default marketplace.

 Note:

The seller must be registered in any marketplace that you specify using the **MarketplaceId** value. Also, your request must be sent to an endpoint that corresponds to the **MarketplaceId** that you specify. Otherwise, the service returns an error.

- RootNodesOnly** - A string value that must be either **true** or **false** . When you set **RootNodesOnly** to **true** , the report contains only the root nodes from the marketplace that you specify using **MarketplaceId** (or from your default marketplace if you do not specify **MarketplaceId**). When you set **RootNodesOnly** to **false** , or if you do not include **RootNodesOnly** in the **ReportOptions** parameter, the value of **BrowseNodeId** determines the content of the report.
- BrowseNodeId** – Specifies the top node of the browse tree hierarchy in the report. If **BrowseNodeId** is not included in the **ReportOptions** parameter, and if **RootNodesOnly** is **false** or is not included in the **ReportOptions** parameter, then the report contains the entire browse node hierarchy from the marketplace specified using **MarketplaceId** (or from the seller's default marketplace, if **MarketplaceId** is not specified). Note that if you include an invalid **BrowseNodeId** in your request, the service returns a report that contains no data.

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

 Note:

If `RootNodesOnly` and `BrowseNodeId` are both included in the `reportOptions` parameter, `RootNodesOnly` takes precedence.

 Note:

Amazon recommends that you do not include the `MarketplaceId` parameter with calls to the `createReport` operation that request the **Browse Tree Report**. If there is ever a conflict between a `MarketplaceId` parameter value and the `MarketplaceId` value of the `reportOptions` parameter, the `MarketplaceId` value takes precedence.

To keep track of which browse nodes change over time, Amazon recommends that each time you request this report you compare it to the last report you requested using the same `reportOptions` values.

Example: `"reportOptions":`

```
{"MarketplaceId": "ATVPDKIKX0DER", "BrowseNodeId": "15706661"}
```

 Note:

Amazon may update the `BrowseTreeReport.xsd` schema. Keep this in mind if you choose to use this schema for validation.

XML

```
<Result>
  <query>000000001</query>
  <Node>
    <browseNodeId>000000001</browseNodeId>
    <browseNodeAttributes count="1">
      <attribute name="item_type_keyword">blue-product</attribute>
    </browseNodeAttributes>
    <browseNodeName>Items: Blue</browseNodeName>
    <browseNodeStoreContextName>Powersports
Condensers</browseNodeStoreContextName>

    <browsePathById>10000001,10000002,10000003,10000004,10000005,10000006</browsePa
    <browsePathByName>Items, Blue &
Aqua,Royal,Teal,Azure</browsePathByName>
    <hasChildren>>false</hasChildren>
    <childNodes count="0" />
    <productTypeDefinitions>BLUE_PRODUCT_ITEM</productTypeDefinitions>
    <refinementsInformation count="0">
    </refinementsInformation>
  </Node>
</Result>
```

 Updated 19 days ago

< Invoice Data Reports

Easy Ship Reports >

 Did this page help you?  Yes  No

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide 

VAT Calculation Service >

Amazon Seller Data Access
Best Practices >

A+ CONTENT API
A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API
Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09
Reference

APP INTEGRATIONS API
App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide
Data Kiosk Query Processing Finished Notification
Building Data Kiosk workflows guide
Vendor Analytics Dataset Use Case Guide
Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API	>
External Fulfillment Shipping API	>
External Fulfillment Errors	
External Fulfillment APIs Rate Limits	
FULFILLMENT BY AMAZON (FBA)	
FBA Inventory API	>
FBA Inventory Dynamic Sandbox Guide	
FEEDS API	
Feeds API	>
Feed Type Values	>
Feeds JSON Schemas	↗
Feeds API Best Practices	
Feeds API FAQ	
Feeds API Rate Limits	
FINANCES	
Finances API	>
Transfers API	>
FULFILLMENT INBOUND API	
Fulfillment Inbound API	>

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Payment Reports

Analytics Reports

Inventory Reports

Order Reports

Returns Reports

Performance Reports

Settlement Reports

Fulfillment by Amazon (FBA) Reports

Tax Reports

Invoice Data Reports

[Browse Tree Reports](#)

Easy Ship Reports

Amazon Business Reports

B2B Product Opportunities Reports

Regulatory Compliance Reports

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

**VENDOR RETAIL PROCUREMENT TRANSACTION STATUS
API**

Vendor Retail Procurement Transaction Status API >

