

- GET STARTED
- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview

- Terminology
- Frequently Asked Questions

- CHANGELOG
- SP-API Release Notes
- SP-API Deprecation Schedule

Building Listings Management Workflows Guide

Integrate with SP-API to build and manage listings workflows.

This guide describes the steps you can take to build listings creation and management workflows by integrating with the Selling Partner API. By following the recommended steps, you can reduce complexity for selling partners' experience while creating and managing their listings on Amazon.

Note

As a supplement to this guide, the [SellingPartnerAPIListingSampleApplication](#) instructions on GitHub provide an optional solution that demonstrates how to use the APIs in this guide to construct common listings management workflows using a simple UI with AWS services.

API versions

This guide references operations in the following Selling Partner API sections. For more detailed information about the individual API operations listed, follow the referenced links.

API reference	API Version	Use Case Guide
Catalog Items API	2022-04-01	Catalog Items API Use Case Guide
Feeds API	2021-06-30	Feeds API Use Case Guide
Listings Items API	2021-08-01	Listings Items API Use Case Guide
Listings Restrictions API	2021-08-01	Listings Restrictions API Use Case Guide

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

API reference	API Version	Use Case Guide
Notifications API	v1	Notifications API Use Case Guide
Product Type Definitions API	2020-09-01	Product Type Definitions API Use Case Guide
Reports API	2021-06-30	Reports API Use Case Guide

To learn more about the terms that are used on this page, refer to [Terminology](#).

Listing items on Amazon

Listing items on Amazon can take multiple forms, depending on your specific use case. The steps described here provide examples of how the API and notification building blocks can be composed for commonly used listings workflows.

Product types

Amazon is in the process of migrating product types to enable their support in the [Listings Items API](#) and the [Product Type Definitions API](#). For product types not yet launched for these APIs, you can create new offer-only listings items, edit sales terms for listings items, or delete listings items. However, you cannot create new listings items with product facts until the appropriate product type is launched in these APIs. You can use the `searchDefinitionsProductTypes` operation and the `PRODUCT_TYPE_DEFINITIONS_CHANGE` notification to keep up-to-date with the available product types. Refer to the [Notifications API v1 Use Case Guide](#) for information about setting up a destination and creating subscriptions.

Subscribe to listings notifications

Each of the workflows described here can result in asynchronous status changes or issues on your listings items. By subscribing to and monitoring the [LISTINGS_ITEM_STATUS_CHANGE](#) and [LISTINGS_ITEM_ISSUES_CHANGE](#) notifications, you are empowered to build event-driven workflows that react in realtime as these changes occur. Refer to the [Notifications API v1 Use Case Guide](#) for information about setting up a destination and creating subscriptions.

List an item that does not already exist in the Amazon catalog


The following diagram provides an overview of the workflow steps to create a listing for an item that does not already exist in the Amazon catalog.

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >



Follow these steps to identify if an item exists in the Amazon catalog, retrieve the data requirements for listing a new item, submit a new item, and receive notifications generated as a result.

1. Call the `searchCatalogItems` operation to search for existing items in the Amazon catalog by product identifiers (for example, UPC, EAN) or keywords. If an exact match is found, follow the steps in [List an offer for an item that already exists in the Amazon catalog](#) guide to create an offer-only listings item. If an exact match is not found, continue to the next step.
2. Call the `searchDefinitionsProductTypes` operation to retrieve the applicable product type for your item. If the product title is available, you can retrieve a high-confidence recommendation for the correct product title by passing `itemName` , or you can use `keywords` to search through product types. You can pass an empty parameter to return the entire list of available product types. Refer to the [Product Type Definitions API v2020-09-01 Use Case Guide](#) for additional details.
3. Call the `getDefinitionsProductType` operation to return the JSON Schema describing the attributes and constraints for the product type.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

Listing requirements

Listing items on Amazon can be done with or without providing offer details (sales terms) at the time of creation. This enables you to create items that are purchasable or procurable in one submission or to create inactive items with sales terms provided later. To list an item with both product facts and sales terms, use the `LISTING` as the value for the `requirements` parameter to retrieve a JSON Schema with both product and offer attributes. To list an item with product facts only, use the `LISTING_PRODUCT_ONLY` as the value for the

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

`requirements` parameter to retrieve a JSON Schema with product attributes only.

4. Prepare the listing submission with attributes adhering to the JSON Schema for the product type.
5. Check that the listing data meets requirements prior to submission by using JSON Schema validation utilities. Refer to [Amazon Product Type Definition Meta-Schema \(v1\)](#) for more details on validating data with the product type JSON Schemas. You must ensure that the required attributes are provided, all values are valid, any conditional rules are accounted for, and all schema requirements are met.
6. Call the `putListingsItem` operation to submit the listings item.
7. Inspect the response to identify if the submission status was `ACCEPTED` or `INVALID`. If accepted, initial validations have passed and the data has been submitted for further processing with the Amazon catalog. If invalid, one or more validation issues prevented acceptance; refer to [Handling listings item issues](#) for more information. Correct the validation issues and resubmit.
8. Wait for the `LISTINGS_ITEM_STATUS_CHANGE` or `LISTINGS_ITEM_ISSUES_CHANGE` asynchronous notifications sent when the new item has been created or processing issues have occurred. Call the `getListingsItem` operation to inspect the listings item issues, if applicable.

You must subscribe to the notifications mentioned to receive them. Refer to [Subscribe to listings notifications](#) for more information.

List an offer for an item that already exists in the Amazon catalog

The [List an item that does not already exist in the Amazon catalog](#) steps describe how to list an item that does not already exist in the Amazon catalog. For items that already exist in the Amazon catalog, sellers can choose to list only the necessary details to match the existing item along with the applicable sales terms.



Offer-only listings

Note that offer-only listings are not supported for vendors at this time. For all items, vendors must provide product facts and sales terms as described in the [List an item that does not already exist in the Amazon catalog](#) steps.


The following diagram provides an overview of the workflow steps to create a listing for an item that already exists in the Amazon catalog.

[Edit Your Appstore Listing](#)
[Check Listing Status](#)
[Appstore Ratings and Reviews](#)
[Press Releases and Promotions](#)

SERVICE PROVIDER NETWORK

[List Your Service](#)

SECURITY AND COMPLIANCE

[SP-API Security and Compliance Overview](#)
[Amazon Selling Partner API Guard Implementation Guide](#)


1. Call the [searchCatalogItems](#) operation to search for existing items in the Amazon catalog by product identifiers (for example, UPC, EAN) or keywords. If an exact match is found, continue to the next step. If an exact match is not found, the item needs to be created as described in the [List an item that does not already exist in the Amazon catalog](#) steps. If multiple matches are found, inspect the returned items' attributes (product type, brand, title, parentage level) to identify the correct ASIN. Call the [getCatalogItem](#) operation for each ASIN to retrieve detailed attributes and validate which product matches your intended item before creating an offer.
2. Call the [getListingRestrictions](#) operation with the ASIN identifier to retrieve any eligibility requirements that must be met before listing an item in the applicable condition.
3. Call the [getDefinitionsProductType](#) operation to return the JSON Schema describing the attributes and constraints using the `PRODUCT` product type and `LISTING_OFFER_ONLY` as the value for the `requirements` parameter.

Amazon product types

Amazon product types are hierarchal, with the `PRODUCT` product type as the root for all product types. Sales terms are defined on the root `PRODUCT` product type, which should be used when listing items with sales terms only.

4. Prepare the listing submission with attributes adhering to the JSON Schema for the `PRODUCT` product type using **the ASIN or product identifier for the item found when searching the Amazon catalog**.
5. Check that the listing data meets requirements prior to submission by using JSON Schema validation utilities. Refer to [Amazon Product Type Definition Meta-Schema \(v1\)](#) for more

[Amazon Seller Data Access](#)
[Best Practices](#)

details on validating data with the product type JSON Schemas. You must ensure that the required attributes are provided, all values are valid, any conditional rules are accounted for, and all schema requirements are met.

6. Call the `putListingsItem` operation to submit the listings item.
7. Inspect the response to identify if the submission status was `ACCEPTED` or `INVALID` . If accepted, initial validations have passed and the data has been submitted for further processing with the Amazon catalog. If invalid, one or more validation issues prevented acceptance; refer to [Handling listings item issues](#) for more information. Correct the validation issues and resubmit.
8. Wait for the `LISTINGS_ITEM_STATUS_CHANGE` or `LISTINGS_ITEM_ISSUES_CHANGE` asynchronous notifications sent when the new item has been created or processing issues have occurred. Call the `getListingsItem` operation to inspect the listings item issues, if applicable.

You must subscribe to the notifications mentioned to receive them. Refer to [Subscribe to listings notifications](#) for more information.


Preview errors for a listings item

Validation preview provides an environment to test listing workflows and identify validation errors before submission that prevent listing creation. Refer to the following tutorials for more information on how to preview errors for a listing prior to submission:

- [Preview errors before creating or fully updating a listing](#)
- [Preview errors before partially updating a listing](#)

Update a listings item

The following diagram provides an overview of the workflow steps to update a listings item.



Follow these steps to update the attributes for a listings item.

A+ CONTENT API

A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API

>

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API

>

EASY SHIP API

Easy Ship API

>

EXTERNAL FULFILLMENT

External Fulfillment Inventory API

>

External Fulfillment Returns API

>

External Fulfillment Shipping API

>

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API

>

FBA Inventory Dynamic Sandbox Guide

FEEDS API

1. Identify the selling partner SKU that needs to be updated.
2. If you need to inspect the existing attributes, then call the `getListingsItem` operation using the identified SKU. Be sure to include `attributes` and `issues` in the list of values for the `includedData` parameter.
3. Call the `getDefinitionsProductType` operation to return the JSON Schema describing the attributes and constraints for the product type. Use `LISTING` or `LISTING_PRODUCT_ONLY` for the `requirements` parameter depending on the attributes that are updated.
4. Prepare the listing submission with attributes adhering to the JSON Schema for the product type. Non-editable values (`"editable": false`) cannot be modified from their existing values.
5. Check that the listing data meets requirements prior to submission by using JSON Schema validation utilities. Refer to [Amazon Product Type Definition Meta-Schema \(v1\)](#) for more details on validating data with the product type JSON Schemas. You must ensure that the required attributes are provided, all values are valid, any conditional rules are accounted for, and all schema requirements are met.

6. Call the `patchListingsItem` or `putListingsItem` operation depending on whether you want to do a partial or full update.

Selling partners can update a listing by providing the individual attribute(s) to update using the `patchListingsItem` operation (partial update) or by providing *all* listings item attribute(s) using the `putListingsItem` operation (full update).

For sellers, using the `putListingsItem` operation replaces previously submitted product fact attributes and merge previously submitted sales term attributes. For example, omitting an optional product fact results in its removal.

Conversely, however, omitting a purchasable offer price value does not result in its removal. Sellers can use the

`patchListingsItem` to add, replace, or remove one or more attribute values.

For vendors, using the `putListingsItem` operation merges the provided attributes with previously submitted attributes.

Omitting an optional attribute does not result in its removal.

Vendors can use the `patchListingsItem` to add or replace one or more attribute values. However, deleting individual attribute values is not supported for vendors at this time.

 Warning

The `patchListingsItem` operation is intended only for editing existing listings.

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULLFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULLFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

**Partial vs. full updates**

Use `patchListingsItem` to make partial updates to a product listing. With `patchListingsItem`, you only include the attributes that are changing (and are editable). You can also add, replace, or delete attributes using the `putListingsItem` operation. When using the `putListingsItem`, validate your request against the `getDefinitionsProductType` schema to include only supported attributes rather than using prepopulated values from `getListingsItem`. `getListingsItem` returns some attributes that are not part of the Product Type schema and are not valid for submission.

7. Inspect the response to identify if the submission status was `ACCEPTED` or `INVALID`. If accepted, initial validations have passed and the data has been submitted for further processing with the Amazon catalog. If invalid, one or more validation issues prevented acceptance; refer to [Handling listings item issues](#) for more information. Correct the validation issues and resubmit.

8. Wait for the `LISTINGS_ITEM_STATUS_CHANGE` or `LISTINGS_ITEM_ISSUES_CHANGE` asynchronous notifications sent when the new item has been created or processing issues have occurred. Call the `getListingsItem` operation to inspect the listings item issues, if applicable.

You must subscribe to the notifications mentioned to receive them. Refer to [Subscribe to listings notifications](#) for more information.

Delete a listings item

Refer to [Tutorial: Delete a listing](#) in the Listings Item Use Case Guide for more information on how to delete a listing.

For an example, refer to the following sample code.




Delete a Listings Item from the Catalog
Open Recipe >

Create and update listings items in bulk

The workflows listed in this document for creating, updating, and deleting listings items operate on individual items one at a time. For high-volume workflows where bulk submission mechanisms are preferred, you can also use the `JSON_LISTINGS_FEED` feed type with the [Feeds API](#).

The following diagram provides an overview of the workflow steps to create and update a listings items in bulk.



The `JSON_LISTINGS_FEED` feed type is contractually compatible with the Listings Items API and attributes in feed messages follow the same product type definition schemas that the `getDefinitionsProductType` operation provides. These feeds enqueue your data and invoke the Listings Items API on your behalf. The feed processing report generates once the items in the feed complete processing. The report includes any validation feedback from the Listings Items API. If you specify `includedData` in the feed header, you can retrieve details (for example, processing issues) about the listings items.

```
JSON
{
  "header": {
    "sellerId": "XXXXXXXXXXXX",
    "version": "2.0",
    "feedId": "1234567890",
    "report": {
      "includedData": [],
      "apiVersion" : "2021-08-01"
    }
  }
}
```

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API

Invoices API FAQ

LISTINGS

Listings Items API

 Warning

For available operations for listings data submissions, refer to the [Listings feed schema](#). For example, the `UPDATE` operation type indicates the full set of item attributes is provided and any existing attributes data is replaced with the provided attributes.

Refer to [Workflow for submitting a feed](#) for details on how to submit a feed, and refer to the [JSON_LISTINGS_FEED Schema](#) for the schema of the feed type.

Should I submit in bulk using the `JSON_LISTINGS_FEED` or individually with the Listings Items API?

 Improve the performance of your submissions

Listings Items API Rate Limits
Listings Restrictions API >

Listings Restrictions API Rate Limits
Manage Product Listings with the Selling Partner API

[Building Listings Management Workflows Guide](#)
Understanding Amazon listing status and seller-fulfilled inventory management
Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases
Listings APIs FAQ
Product Type Definitions API >

Product Type Definitions API Rate Limits
MERCHANT FULFILLMENT API
Merchant Fulfillment API >

MESSAGING API
Messaging API >

Whether you are submitting data in bulk with the `JSON_LISTINGS_FEED` , individually with the Listings Items API, or a combination of both, your overall processing times are impacted by the volume of data that you submit. Repeated submission of duplicate data increases your processing backlogs unnecessarily and results in longer processing times, such as resubmitting all listings for a seller in a feed submission when only one item actually changed. By submitting data only for items that have material changes, you will most efficiently use the capacity available and reduce processing delays.

You can use the same data when submitting individually to the Listings Items API or in bulk with the `JSON_LISTINGS_FEED` . Whether you use the individual Listings Items API operations, submit in bulk with the `JSON_LISTINGS_FEED` , or use a combination of both is up to you, your use-case, and your preferences. You might choose to use the `JSON_LISTINGS_FEED` to perform an initial load of your data into Amazon and transition to using the Listings Items APIs to maintain that data over time. You might choose to exclusively use the `JSON_LISTINGS_FEED` to perform daily synchronizations of changes to Amazon. Or you might choose to exclusively use the Listings Items API to receive synchronous validation feedback as you submit your data one item at a time.

The following table compares the Listings Items API and `JSON_LISTINGS_FEED` features to aid you in deciding which to use in your workflows:

	Listings Items API	JSON_LISTINGS_FEED	Details
Throttle rates	Five requests per second per operation (<code>putListingItem</code> , <code>patchListingItem</code> , <code>deleteListingItem</code>)	Five feeds submission per five minutes	Each Listings Items API operation has a separate throttle rate, enabling you to submit up to five items per second for each. The <code>JSON_LISTINGS_FEED</code> allows five feeds submission every five minutes.
Items per request	1	1,500 to 25,000	Listings Items API operations accept data for one item at a time. <code>JSON_LISTINGS_FEED</code>

	Listings Items API	JSON_LISTING S_FEED	Details
NOTIFICATIONS API Notifications API > Notification Type Values Tutorial: Subscribe to the ORDER_CHANGE Notification ↗ ORDERS API Orders API >			submissions can contain up to 25,000 messages. The suggested minimum feed size is 1,500 items; using the Listings Items API directly is faster with less than 1,500 items during a five-minute period.
Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗ Orders API Migration Guide Orders API Rate Limits PRODUCT FEES API Product Fees API >	Validation feedback	Synchronous	Asynchronous
PRODUCT PRICING API Product Pricing API > Product Pricing API and Notifications FAQ	Enqueueing	Direct acceptance to the Amazon catalog	Enqueued for asynchronous acceptance to Amazon catalog
			Listings Items API operations provide synchronous feedback during the request for issues preventing the acceptance of the data. The JSON_LISTING S_FEED collects the feedback it receives when submitting to the Listings Items API and asynchronously provides a processing report containing the validation feedback.
			Submissions to the Listings Items API are synchronously accepted into the Amazon catalog for further processing. JS

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API

>

REPORTS API

Reports API

>

Report Type Values

>

	Listings Items API	JSON_LISTINGS_FEED	Details
			ON_LISTINGS_FEED submissions are enqueued for asynchronous submission to the Listings Items API, increasing the amount of processing that occurs before submissions are accepted into the Amazon catalog for further processing. These submissions are not guaranteed to be processed in the same order that they appear in the feed.

Handle listings item issues

Issues can occur on listings items during submission or during asynchronous processing after acceptance. These issues are made available with the following mechanisms:

Reports JSON Schemas

Reports API FAQ

SALES API

Sales API

SELLER WALLET API

Seller Wallet API

>

1. For issues during synchronous submissions to the Listings Items API, responses include the issues that prevented acceptance of the submission. For the list of issues provided, take corrective actions and resubmit.
2. For issues that occur during asynchronous ingestion of `JSON_LISTINGS_FEED` submissions to the Listings Items APIs, the feed processing report contains a list of issues that prevent the acceptance of the submissions and a list of issues that occur after the acceptance of submissions.
3. For issues that occur after acceptance of submissions to the Listings Items API or `JSON_LISTINGS_FEED` , the `getListingsItem` operation provides the list of issues when the `includedData` request array includes `issues` . If you subscribe to the `LISTINGS_ITEM_ISSUES_CHANGE` notification, Amazon sends a push notification for issues in near real-time.

This can help you build event-driven response handling to retrieve more details from the `get ListingsItem` operation when issues occur instead of repeatedly polling the operation.

Seller Wallet API Rate Limits

SELLERS API

Sellers API

>

To learn more about identifying, retrieving, and troubleshooting the Listings issues, refer to the [Manage Listings Issues guide](#). Use it to adopt best practices that help you proactively prevent errors and handle them efficiently when they occur, reducing disruptions to your listings workflow.

Submit images for listings items

Important

Images must comply with [Amazon's product image requirements](#).

>

Image related attributes are included in the product schemas returned by the `getDefinitionsProductType` operation (for example, `main_offer_image_locator`, `other_offer_image_locator_1`).

SHIPMENT INVOICING API

Shipment Invoicing API

>

A main product image and up to nine secondary images can be uploaded using the Listings Items API by calling the `putListingsItem` or `patchListingsItem` operations and providing the image URLs.

Images associated with an ASIN or SKU can be retrieved using the `getCatalogItem` and `getListingsItem` operations respectively.

SHIPPING API

Shipping API v2 Resources

Shipping API v1 Reference

↗

For more information, refer to [Submitting images and other media attributes](#).

Configure related listings items (variations, package hierarchies)

SOLICITATIONS API

Solicitations API

>

Listings items can be related to one another to create variation families or package hierarchies. The product type definition schemas provided by the `getDefinitionsProductType` operation describe the applicable attributes to define relationships, such as `parentage_level` and `variation_theme`.

SUPPLY SOURCES API

Supply Sources API

>

Configure variation families

A variation family represents a collection of items for one product that is sold in multiple varieties. For example, a clothing article can come in multiple sizes and colors. Each unique size and color combination is represented by a separate listings item and grouped together by a parent listings item to provide a single detail page experience.

Create a variation family for supported product types

1. Follow the [List an item that does not already exist in the Amazon catalog](#) steps to create the parent listings item.

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API

>

When calling `getDefinitionsProductType` to retrieve the JSON Schema for the parent listing, include `parentageLevel=PARENT` to retrieve a schema applicable to variation parent listings.

```
GET /definitions/2020-09-01/productTypes/SHIRT
?marketplaceIds=ATVPDKIKX0DER
&requirements=LISTING
&parentageLevel=PARENT
```

A parent listings item must have the following attributes:

- `parentage_level` : `value` property set to `parent`
- `child_parent_sku_relationship` :
`child_relationship_type` property set to `variation`
- `variation_theme` : `name` property set to a value applicable for your product

UPLOADS API

Uploads API

>

VEHICLES API

Vehicles API

>

Vehicles API Rate Limits

 Note

The parent listing is a non-buyable entity used to relate child products. A parent listing must not be a buyable product.

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API

>

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API

>

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API

>

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API

>

Set a listing as parent example:

JSON

```
{
  "parentage_level": [
    {
      "value": "parent"
    }
  ],
  "child_parent_sku_relationship": [
    {
      "child_relationship_type": "variation"
    }
  ],
  "variation_theme": [
    {
      "name": "SIZE/COLOR/NUMBER_OF_ITEMS"
    }
  ]
}
```

2. Follow the [List an item that does not already exist in the Amazon catalog](#) steps to create the child listings items for each unique combination of the variation family attributes. Most product facts must be replicated across all listings within the variation family.

When calling `getDefinitionsProductType` to retrieve the JSON Schema for child listings, include `parentageLevel=CHILD` to retrieve a schema applicable to variation child listings.

```
GET /definitions/2020-09-01/productTypes/SHIRT
?marketplaceIds=ATVPDKIKX0DER
```

```
&requirements=LISTING
&parentageLevel=CHILD
```

Child listing items must have the following attributes:

- `parentage_level` : `value` property set to `child`
- `child_parent_sku_relationship` : `child_relationship_type` property set to `variation` and `parent_sku` property set to the SKU identifier of the parent listings item
- `variation_theme` : `name` property set to the same value as the parent listing item

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

When you select a variation theme for a child listing item, you must provide the corresponding properties. For example, if you set the `variation_theme` to `SIZE/COLOR/NUMBER_OF_ITEMS`, then `shirt_size`, `color`, and `number_of_items` become mandatory. When using `parentageLevel=CHILD`, these mandatory properties appear directly in the schema as required attributes. When `parentageLevel` is not provided, refer to the conditional requirements (`allOf`) within the `ProductTypeDefinition` to identify which properties become mandatory based on the selected variation theme.

When you select a `variation_theme` value for your listing, refer to `enumDeprecated` in `$lifecycle` within `variation_theme`. `enumDeprecated` indicates enumeration values that are deprecated and must be avoided. You can manage existing variation family listings that use deprecated enumeration values. However, new listings must avoid using deprecated enumeration values.

Set a listing as child example:

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

JSON

```
"parentage_level": [
  {
    "value": "child"
  }
],
"child_parent_sku_relationship": [
  {
    "child_relationship_type": "variation",
    "parent_sku": "XXXXX"
  }
],
"variation_theme": [
  {
    "name": "SIZE/COLOR/NUMBER_OF_ITEMS"
  }
],
"color": [
  {
    "value": "Red"
  }
],
"shirt_size": [
  {
    "size_class": "age",
    "size_system": "as1",
    "size": "1_month"
  }
]
```



```

    ],
    "number_of_items": [
      {
        "value": 1
      }
    ]
  }
}

```

Standalone listings

When you create listings that are not part of a variation family, include `parentageLevel=NONE` when calling `getDefinitionsProductType` to retrieve a schema applicable to standalone listings. Variation-related attributes are excluded from the returned schema.

Update or delete variation family relationship

To remove a parent-child relationship for a listing item, delete the parent or child listing. When you delete a parent listing, the relationships between the parent and all of its child listings are removed. When you delete a child listing, only the relationship between that particular child listing and its parent is removed. When you delete a relationship between a parent and a child listing, the statuses of any remaining listings are not impacted. For example, if a listing was purchasable before you delete the relationship, it remains purchasable after you delete the relationship.

You must remove a child listing from its current parent-child relationship before you relate it to a new parent.

Read variation family listings and their relationship

To retrieve the relationships for the given listings, call `getCatalogItem` /catalog/2022-04-01/items/{asin} or `searchCatalogItems` /catalog/2022-04-01/items and set the `includedData` value to `relationships`. Alternatively, call `searchListingsItems` and set the `variationParentSku` parameter to find all child SKUs for a parent SKU.

Response example:

JSON

```

{
  "asin": "XXXXXX",
  "attributes": {
    ...
  },
  "relationships": [
    {
      "marketplaceId": "XXXXXX",
      "relationships": [
        {
          "parentAsins": ["XXXXXX"],
          "type": "VARIATION",
          "variationTheme": {
            "attributes": ["color", "number_of_items",
              "size"],
            "theme": "SIZE/COLOR/NUMBER_OF_ITEMS"
          }
        }
      ]
    }
  ]
}

```



```

    }
  ]
}
```

Configure package hierarchies

A package hierarchy represents a collection of items for one product that is sold as individual units, in case packs, and in pallets. For example, a consumable beverage can be sold as an individual bottle, a case of six bottles, or a pallet containing 12 cases. When you create package hierarchies, consider the following:

- Follow the [List an item that does not already exist in the Amazon catalog](#) steps to create the item that represents the individual sellable unit, case (inner pack) that contains the individual unit and refer to the SKU identifier of the individual unit, or pallet that contains the case and refer to the SKU identifier of the case, with the package hierarchy attributes provided.
- Item package dimension attributes should be different across the package hierarchy. These attributes represent actual package dimensions when shipping to buyers.
- The recommended approach for the `item_name` value for the case (inner pack) and pallet listings items is to append the package details to the `item_name` value used for the individual unit. For example, `Pep 12oz Bottle`, `Pep 12oz Bottle (Case of six)`, and `Pep 12oz Bottle (Pallet of 72)`.
- Each item in the package hierarchy must contain a unique external product identifier in order to be sold to buyers. If you use a common external product identifier for each item in the package hierarchy, only one of the items is available for sale to buyers.
- To create a package hierarchy relationship, provide the `package_level` and `package_contains` attributes.

Set a SKU as a unit example:

JSON

```

"package_level": [
  {
    "value": "unit"
  }
]
```

Set a SKU as a case example:

When the SKU is a case or pallet, `package_contains_sku` points to the child SKU XXXXXXXX and it includes quantity five of the child SKU.

JSON

```

"package_contains_sku": [
  {
    "quantity": 5,
    "sku": "XXXXXXX"
  }
]
```

```
],
"package_level": [
  {
    "value": "case"
  }
]
```

A package hierarchy relationship links units, cases, and pallets for a product. This creates a connected listing that improves search visibility and detail page experience. For more information about Amazon Bulk Services, refer to [Amazon Bulk Services: Overview](#) on Seller Central.

 Updated 4 days ago

← Manage Product Listings with the Selling Partner API

Understanding Amazon listing status and seller-fulfilled inventory management →

Did this page help you? ☐ Yes ☐ No