

Catalog Items API v2022-04-01 Reference

Home

Documentation

<> API Reference

Code Samples

Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview

Terminology

Frequently Asked Questions

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

Catalog Items API v2022-04-01 Reference

Use Catalog Items to gain programmatic access to information contained in the Amazon catalog.

Use the Selling Partner API for Catalog Items to retrieve information about items in the Amazon catalog.

For more information, refer to the [Catalog Items API Use Case Guide](#).

Version information

Version : 2022-04-01

Contact information

Contact : Selling Partner API Developer Support

Contact URL : <https://sellercentral.amazon.com/gp/mws/contactus.html>

License information

License : Apache License 2.0

License URL : <http://www.apache.org/licenses/LICENSE-2.0>

URI scheme

Host : sellingpartnerapi-na.amazon.com

Schemes : HTTPS

Consumes

- application/json

Produces

- application/json

Operations

[searchCatalogItems](#)

[getCatalogItem](#)

Paths

SP-API Product Metadata Updates	
DIRECTORIES	
SP-API Models	
SP-API Seller Use Cases	
SP-API Vendor Use Cases	
Seller Central URLs	
Vendor Central URLs	
REGISTRATION	
SP-API Registration Overview	>
Developer Registration Request Status	
Third-Party Provider Registration	>
Service Provider Registration and Role Approval Process Overview	
Website Guidelines for Public Developers and Service Providers	
User Permissions for Service Providers	
Register your Application	
Update your Application Information	
Rotate your Application's LWA Credentials	>
View your Application Information and Credentials	
Learn How Sellers Authorize Service Providers	
Selling Partner API Roles	>
Policies and Agreements	
About Facial Data	
AUTHORIZATION	
Authorize Applications	>
Renew Authorizations	
Revoke Authorizations	
Authorization Limits	

GET /catalog/2022-04-01/items

Operation: searchCatalogItems

Description

Search for a list of Amazon catalog items and item-related information. You can search by identifier or by keywords.

Usage Plan:

Rate (requests per second)	Burst
5	5

The `x-amzn-RateLimit-Limit` response header contains the usage plan rate limits for the operation, when available. The preceding table contains the default rate and burst values for this operation. Selling partners whose business demands require higher throughput might have higher rate and burst values than those shown here. For more information, refer to [Usage Plans and Rate Limits](#).

Parameters

Type	Name	Description	Schema	Default
Query	<code>identifiers</code> <i>optional</i>	A comma-delimited list of product identifiers that you can use to search the Amazon catalog. Note: You cannot include <code>identifiers</code> and <code>keywords</code> in the same request. Max count : 20	< string > array(csv)	-
Query	<code>identifiersType</code> <i>optional</i>	The type of product identifiers that you can use to search the Amazon catalog. Note: <code>identifiersType</code> is required when <code>identifiers</code> is in the request.	enum (IdentifiersType)	-

Special Authorization Types	>	
INTEGRATION		
Building Robust Amazon SP-API Applications		
SP-API SDKs	>	
Delete an Application From Your Developer Account		
CALLING THE SP-API		
Configuration Details	>	
Call Structure	>	
Development Tools	>	
Performance Management	>	

Type	Name	Description	Schema	Default
Query	marketplaceIds <i>required</i>	A comma-delimited list of Amazon marketplace identifiers. To find the ID for your marketplace, refer to Marketplace IDs . Max count : 1	< string > array(csv)	-
Query	includedData <i>optional</i>	A comma-delimited list of datasets to include in the response.	< enum (IncludedData) > array(csv)	summaries
Query	locale <i>optional</i>	The locale for which you want to retrieve localized summaries. Defaults to the primary locale of the marketplace.	string	-
Query	sellerId <i>optional</i>	A selling partner identifier, such as a seller account or vendor code. Note: Required when <code>identifiersType</code> is <code>SKU</code> .	string	-
Query	keywords <i>optional</i>	A comma-delimited list of keywords that you can use to search the Amazon catalog. Note: You cannot include <code>key</code>	< string > array(csv)	-

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors [↗](#)

Listings Items API Issues Troubleshooting [↗](#)

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Type	Name	Description	Schema	Default
		words and identifiers in the same request. Max count : 20		
Query	brandNames <i>optional</i>	A comma-delimited list of brand names that you can use to limit the search in queries based on keywords . Note: Cannot be used with identifiers .	< string > array(csv)	-
Query	classificationIds <i>optional</i>	A comma-delimited list of classification identifiers that you can use to limit the search in queries based on keywords . Note: Cannot be used with identifiers .	< string > array(csv)	-
Query	pageSize <i>optional</i>	The number of results to include on each page. Maximum : 20	integer	10
Query	pageToken <i>optional</i>	A token that you can use to fetch a specific page when there are multiple	string	-

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide

VAT Calculation Service

Amazon Seller Data Access

Best Practices

Type	Name	Description	Schema	Default
		pages of results.		
Query	keywordsLocale optional	The language of the keywords that are included in queries based on keywords . Defaults to the primary locale of the marketplace. Note: Cannot be used with identifiers .	string	-

Responses

HTTP Code	Description	Schema
200	Success. Headers : x-amzn-RateLimit-Limit (string) : Your rate limit (requests per second) for this operation. x-amzn-RequestId (string) : Unique request reference identifier.	ItemSearchResults

For error status codes, descriptions and schemas, see [Error responses and schemas](#).

Consumes

- application/json

Produces

- application/json

GET /catalog/2022-04-01/items/{asin}

Operation: getCatalogItem

Description

Retrieves details for an item in the Amazon catalog.

Usage Plan:

Rate (requests per second)	Burst
5	5

A+ CONTENT API

A+ Content API

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API

APPLICATION MANAGEMENT API

Application Management API

CATALOG ITEMS API

Catalog Items API

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API

Customer Feedback API Rate Limits

>

>

∨

>

>

>

The `x-amzn-RateLimit-Limit` response header contains the usage plan rate limits for the operation, when available. The preceding table contains the default rate and burst values for this operation. Selling partners whose business demands require higher throughput might have higher rate and burst values than those shown here. For more information, refer to [Usage Plans and Rate Limits](#).

Parameters

Type	Name	Description	Schema	Default
Path	asin <i>required</i>	The Amazon Standard Identification Number (ASIN) of the item.	string	-
Query	marketplaceIds <i>required</i>	A comma-delimited list of Amazon marketplace identifiers. To find the ID for your marketplace, refer to Marketplace IDs .	< string > array(csv)	-
Query	includedData <i>optional</i>	A comma-delimited list of datasets to include in the response.	< enum (IncludedData) > array(csv)	<code>summaries</code>
Query	locale <i>optional</i>	The locale for which you want to retrieve localized summaries. Defaults to the primary locale of the marketplace.	string	-

Responses

HTTP Code	Description	Schema
200	Success. Headers : <code>x-amzn-RateLimit-Limit</code> (string) : Your rate	Item

DATA KIOSK

Data Kiosk API

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API

EASY SHIP API

Easy Ship API

EXTERNAL FULFILLMENT

External Fulfillment Inventory API

External Fulfillment Returns API

External Fulfillment Shipping API

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API

FBA Inventory Dynamic Sandbox Guide

FEEDS API

HTTP Code	Description	Schema
	limit (requests per second) for this operation. x-amzn-RequestId (string) : Unique request reference identifier.	

For error status codes, descriptions and schemas, see [Error responses and schemas](#).

Consumes

- application/json

Produces

- application/json

Error Responses and Schemas

This table contains HTTP status codes and associated information for error responses.

HTTP Code	Description	Schema
400	Request has missing or invalid parameters and cannot be parsed. Headers: x-amzn-RateLimit-Limit (string):Your rate limit (requests per second) for this operation. x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
403	Indicates that access to the resource is forbidden. Possible reasons include Access Denied, Unauthorized, Expired Token, or Invalid Signature. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
404	The resource specified does not exist. Headers: x-amzn-RateLimit-Limit (string):Your rate limit (requests per second) for this operation. x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
413	The request size exceeded the maximum accepted size. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
415	The request payload is in an unsupported format. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList

Feeds API	>
Feed Type Values	>
Feeds JSON Schemas	↗
Feeds API Best Practices	
Feeds API FAQ	
Feeds API Rate Limits	
FINANCES	
Finances API	>

HTTP Code	Description	Schema
429	The frequency of requests was greater than allowed. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
500	An unexpected condition occurred that prevented the server from fulfilling the request. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
503	Temporary overloading or maintenance of the server. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList

Definitions

Error

Error response returned when the request is unsuccessful.

Transfers API	>
FULFILLMENT INBOUND API	
Fulfillment Inbound API	>

Name	Description	Schema
code <i>required</i>	An error code that identifies the type of error that occurred.	string
message <i>required</i>	A message that describes the error condition.	string
details <i>optional</i>	Additional details that can help the caller understand or fix the issue.	string

ErrorList

A list of error responses returned when a request is unsuccessful.

Fulfillment Inbound API FAQ	
Migrating Fulfillment Inbound workflows	
Fulfillment Inbound API Rate Limits	
FULFILLMENT OUTBOUND API	
Fulfillment Outbound Dynamic Sandbox Guide	
Fulfillment Outbound API	>

Name	Schema
errors <i>required</i>	< Error > array

Item

An item in the Amazon catalog.

Name	Description	Schema
asin <i>required</i>	The unique identifier of an item in the Amazon catalog.	ItemAsin
attributes <i>optional</i>	A JSON object containing structured item attribute data that is keyed by	ItemAttributes

Name	Description	Schema
	attribute name. Catalog item attributes conform to the related Amazon product type definitions that you can get from the Product Type Definitions API .	
classifications <i>optional</i>	An array of classifications (browse nodes) that is associated with the item in the Amazon catalog, grouped by <code>marketplaceId</code> .	ItemBrowseClassifications
dimensions <i>optional</i>	An array of dimensions that are associated with the item in the Amazon catalog, grouped by <code>marketplaceId</code> .	ItemDimensions
identifiers <i>optional</i>	Identifiers associated with the item in the Amazon catalog, such as UPC and EAN identifiers.	ItemIdentifiers
images <i>optional</i>	The images for an item in the Amazon catalog.	ItemImages
productTypes <i>optional</i>	Product types that are associated with the Amazon catalog item.	ItemProductTypes
relationships <i>optional</i>	Relationships grouped by <code>marketplaceId</code> for an Amazon catalog item (for example, variations).	ItemRelationships
salesRanks <i>optional</i>	Sales ranks of an Amazon catalog item.	ItemSalesRanks
summaries <i>optional</i>	Summaries of Amazon catalog items.	ItemSummaries
vendorDetails <i>optional</i>	The vendor details that are associated with an Amazon catalog item. Vendor details are only available to vendors.	ItemVendorDetails

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API

Invoices API FAQ

LISTINGS

Listings Items API

>

>

ItemAsin

The unique identifier of an item in the Amazon catalog.

Type : string

ItemAttributes

A JSON object containing structured item attribute data that is keyed by attribute name. Catalog item attributes conform to the related Amazon product type definitions that you can get from the [Product Type Definitions API](#).

Type : object

ItemBrowseClassification

Classification (browse node) for an Amazon catalog item.

Name	Description	Schema
displayName <i>required</i>	Display name for the classification.	string
classificationId <i>required</i>	Identifier of the classification.	string
parent <i>optional</i>	Parent classification of the current classification.	ItemBrowseClassification

ItemContributor

Individual contributor to the creation of an item, such as an author or actor.

Name	Description	Schema
role <i>required</i>	Role of an individual contributor in the creation of an item, such as author or actor.	ItemContributorRole
value <i>required</i>	Name of the contributor, such as Jane Austen .	string

ItemContributorRole

Role of an individual contributor in the creation of an item, such as author or actor.

Name	Description	Schema
displayName <i>optional</i>	Display name of the role in the requested locale, such as Author or Actor .	string
value <i>required</i>	Role value for the Amazon catalog item, such as author or actor .	string

ItemBrowseClassifications

An array of classifications (browse nodes) that is associated with the item in the Amazon catalog, grouped by marketplaceId .

Type : < [ItemBrowseClassificationsByMarketplace](#) > array

ItemBrowseClassificationsByMarketplace

Classifications (browse nodes) that are associated with the item in the Amazon catalog for the indicated marketplaceId .

Listings Items API Rate Limits	
Listings Restrictions API	>
Listings Restrictions API Rate Limits	
Manage Product Listings with the Selling Partner API	
Building Listings Management Workflows Guide	
Understanding Amazon listing status and seller-fulfilled inventory management	
Listings Management Workflow Migration	>
Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases	
Listings APIs FAQ	
Product Type Definitions API	>
Product Type Definitions API Rate Limits	
MERCHANT FULFILLMENT API	
Merchant Fulfillment API	>
MESSAGING API	
Messaging API	>

NOTIFICATIONS API

Notifications API



Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification



ORDERS API

Orders API



Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier



Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API



PRODUCT PRICING API

Product Pricing API



Product Pricing API and Notifications FAQ

Name	Description	Schema
marketplaceId <i>required</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .	string
classifications <i>optional</i>	Classifications (browse nodes) that are associated with the item in the Amazon catalog.	< ItemBrowseClassification > array

Dimension

The value of an individual dimension for an Amazon catalog item or item package.

Name	Description	Schema
unit <i>optional</i>	Unit of measurement for the dimension value.	string
value <i>optional</i>	Numeric value of the dimension.	number

Dimensions

Dimensions of an Amazon catalog item or item in its packaging.

Name	Description	Schema
height <i>optional</i>	Height of an item or item package.	Dimension
length <i>optional</i>	Length of an item or item package.	Dimension
weight <i>optional</i>	Weight of an item or item package.	Dimension
width <i>optional</i>	Width of an item or item package.	Dimension

ItemDimensions

An array of dimensions that are associated with the item in the Amazon catalog, grouped by `marketplaceId` .

Type : < [ItemDimensionsByMarketplace](#) > array

ItemDimensionsByMarketplace

Dimensions that are associated with the item in the Amazon catalog for the indicated `marketplaceId` .

Name	Description	Schema
marketplaceId <i>required</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .	string

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API

REPORTS API

Reports API

Report Type Values

Reports JSON Schemas

Reports API FAQ

SALES API

Sales API

SELLER WALLET API

Seller Wallet API

Name	Description	Schema
item <i>optional</i>	Dimensions of an Amazon catalog item.	Dimensions
package <i>optional</i>	Dimensions of a package that contains an Amazon catalog item.	Dimensions

ItemIdentifiers

Identifiers associated with the item in the Amazon catalog, such as UPC and EAN identifiers.

Type : < [ItemIdentifiersByMarketplace](#) > array

ItemIdentifiersByMarketplace

Identifiers that are associated with the item in the Amazon catalog, grouped by marketplaceId .

Name	Description	Schema
marketplaceId <i>required</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .identifier.	string
identifiers <i>required</i>	Identifiers associated with the item in the Amazon catalog for the indicated marketplaceId .	< ItemIdentifier > array

ItemIdentifier

The identifier that is associated with the item in the Amazon catalog, such as a UPC or EAN identifier.

Name	Description	Schema
identifierType <i>required</i>	Type of identifier, such as UPC, EAN, or ISBN.	string
identifier <i>required</i>	Identifier of the item.	string

ItemImages

The images for an item in the Amazon catalog.

Type : < [ItemImagesByMarketplace](#) > array

ItemImagesByMarketplace

Images for an item in the Amazon catalog, grouped by marketplaceId .

Name	Description	Schema
marketplaceId <i>required</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .	string
images <i>required</i>	Images for an item in the Amazon catalog, grouped by marketplaceId .	< ItemImage > array

ItemImage

Image for an item in the Amazon catalog.

Name	Description	Schema
variant <i>required</i>	Variant of the image, such as <code>MAIN</code> or <code>PT01</code> . Example : <code>"MAIN"</code>	enum (Variant)
link <i>required</i>	URL for the image.	string
height <i>required</i>	Height of the image in pixels.	integer
width <i>required</i>	Width of the image in pixels.	integer

ItemProductTypes

Product types that are associated with the Amazon catalog item.

Type : < [ItemProductTypeByMarketplace](#) > array

ItemProductTypeByMarketplace

Product type that is associated with the Amazon catalog item, grouped by `marketplaceId`.

Name	Description	Schema
marketplaceId <i>optional</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .	string
productType <i>optional</i>	Name of the product type that is associated with the Amazon catalog item. Example : <code>"LUGGAGE"</code>	string

ItemSalesRanks

Sales ranks of an Amazon catalog item.

Type : < [ItemSalesRanksByMarketplace](#) > array

ItemSalesRanksByMarketplace

Sales ranks of an Amazon catalog item, grouped by `marketplaceId`.

Name	Description	Schema
marketplaceId <i>required</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .	string

Seller Wallet API Rate Limits

SELLERS API

Sellers API

SERVICES API

Services API

SHIPMENT INVOICING API

Shipment Invoicing API

SHIPPING API

Shipping API v2 Resources

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API

SUPPLY SOURCES API

Supply Sources API

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API

>

UPLOADS API

Uploads API

>

VEHICLES API

Vehicles API

>

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API

>

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API

>

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API

>

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API

>

Name	Description	Schema
classificationRanks <i>optional</i>	Sales ranks of an Amazon catalog item for a <code>marketplaceId</code> , grouped by classification.	< ItemClassificationSalesRank > array
displayGroupRanks <i>optional</i>	Sales ranks of an Amazon catalog item for a <code>marketplaceId</code> , grouped by website display group.	< ItemDisplayGroupSalesRank > array

ItemClassificationSalesRank

Sales rank of an Amazon catalog item.

Name	Description	Schema
classificationId <i>required</i>	Identifier of the classification that is associated with the sales rank.	string
title <i>required</i>	Name of the sales rank.	string
link <i>optional</i>	Corresponding Amazon retail website URL for the sales category.	string
rank <i>required</i>	Sales rank.	integer

ItemDisplayGroupSalesRank

Sales rank of an Amazon catalog item, grouped by website display group.

Name	Description	Schema
websiteDisplayGroup <i>required</i>	Name of the website display group that is associated with the sales rank	string
title <i>required</i>	Name of the sales rank.	string
link <i>optional</i>	Corresponding Amazon retail website URL for the sales rank.	string
rank <i>required</i>	Sales rank.	integer

ItemSummaries

Summaries of Amazon catalog items.

Type : < [ItemSummaryByMarketplace](#) > array

ItemSummaryByMarketplace

Information about an Amazon catalog item for the indicated `marketplaceId` .

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

Name	Description	Schema
marketplaceId <i>required</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .	string
adultProduct <i>optional</i>	When <code>true</code> , the Amazon catalog item is intended for an adult audience or is sexual in nature.	boolean
autographed <i>optional</i>	When <code>true</code> , the Amazon catalog item is autographed.	boolean
brand <i>optional</i>	Name of the brand that is associated with the Amazon catalog item.	string
browseClassification <i>optional</i>	Classification (browse node) that is associated with the Amazon catalog item.	ItemBrowseClassification
color <i>optional</i>	The color that is associated with the Amazon catalog item.	string
contributors <i>optional</i>	Individual contributors to the creation of the item, such as the authors or actors.	< ItemContributor > array
itemClassification <i>optional</i>	Classification type that is	enum (ItemClassification)



Name	Description	Schema
	associated with the Amazon catalog item.	
itemName <i>optional</i>	The name that is associated with the Amazon catalog item.	string
manufacturer <i>optional</i>	The name of the manufacturer that is associated with the Amazon catalog item.	string
memorabilia <i>optional</i>	When true, the item is classified as memorabilia.	boolean
modelNumber <i>optional</i>	The model number that is associated with the Amazon catalog item.	string
packageQuantity <i>optional</i>	The quantity of the Amazon catalog item within one package.	integer
partNumber <i>optional</i>	The part number that is associated with the Amazon catalog item.	string
releaseDate <i>optional</i>	The earliest date on which the Amazon catalog item can be shipped to customers.	string (date)
size <i>optional</i>	The name of the size of the	string

Name	Description	Schema
	Amazon catalog item.	
style <i>optional</i>	The name of the style that is associated with the Amazon catalog item.	string
tradeInEligible <i>optional</i>	When true, the Amazon catalog item is eligible for trade-in.	boolean
websiteDisplayGroup <i>optional</i>	The identifier of the website display group that is associated with the Amazon catalog item.	string
websiteDisplayGroupName <i>optional</i>	The display name of the website display group that is associated with the Amazon catalog item.	string

ItemVariationTheme

The variation theme is a list of Amazon catalog item attributes that define the variation family.

Name	Description	Schema
attributes <i>optional</i>	Names of the Amazon catalog item attributes that are associated with the variation theme.	< string > array
theme <i>optional</i>	Variation theme that indicates the combination of Amazon catalog item attributes that define the variation family. Example : "COLOR_NAME/STYLE_NAME"	string

ItemRelationships

Relationships grouped by `marketplaceId` for an Amazon catalog item (for example, variations).

Type : < [ItemRelationshipsByMarketplace](#) > array

ItemRelationshipsByMarketplace

Relationship details for the Amazon catalog item for the specified Amazon `marketplaceId`.

Name	Description	Schema
marketplaceId <i>required</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .	string
relationships <i>required</i>	Relationships for the item.	< ItemRelationship > array

ItemRelationship

Relationship details for an Amazon catalog item.

Name	Description	Schema
childAsins <i>optional</i>	ASINs of the related items that are children of this item.	< string > array
parentAsins <i>optional</i>	ASINs of the related items that are parents of this item.	< string > array
variationTheme <i>optional</i>	For <code>VARIATION</code> relationships, the variation theme indicates the combination of Amazon catalog item attributes that define the variation family.	ItemVariationTheme
type <i>required</i>	Type of relationship. Example : "VARIATION"	enum (Type)

ItemVendorDetailsCategory

The product category or subcategory that is associated with an Amazon catalog item.

Name	Description	Schema
displayName <i>optional</i>	The display name of the product category or subcategory.	string
value <i>optional</i>	The code that identifies the product category or subcategory.	string

ItemVendorDetails

The vendor details that are associated with an Amazon catalog item. Vendor details are only available to vendors.

Type : < [ItemVendorDetailsByMarketplace](#) > array

ItemVendorDetailsByMarketplace

The vendor details that are associated with an Amazon catalog item for the specified `marketplaceId`.

Name	Description	Schema
marketplaceId <i>required</i>	Amazon marketplace identifier. To find the ID for your marketplace, refer to Marketplace IDs .	string
brandCode <i>optional</i>	The brand code that is associated with an Amazon catalog item.	string
manufacturerCode <i>optional</i>	The manufacturer code that is associated with an Amazon catalog item.	string
manufacturerCodeParent <i>optional</i>	The parent vendor code of the manufacturer code.	string
productCategory <i>optional</i>	The product category that is associated with an Amazon catalog item.	ItemVendorDetailsCategory .
productGroup <i>optional</i>	The product group that is associated with an Amazon catalog item.	string
productSubcategory <i>optional</i>	The product subcategory that is associated with an Amazon catalog item.	ItemVendorDetailsCategory .
replenishmentCategory <i>optional</i>	The replenishment category that	enum (ReplenishmentCategory)

Name	Description	Schema
	is associated with an Amazon catalog item.	

ItemSearchResults

Items in the Amazon catalog and search-related metadata.

Name	Description	Schema
numberOfResults <i>required</i>	For searches that are based on <code>identifiers</code> , <code>numberOfResults</code> is the total number of Amazon catalog items found. For searches that are based on <code>keywords</code> , <code>numberOfResults</code> is the estimated total number of Amazon catalog items that are matched by the search query. Only results up to the page count limit are returned per request regardless of the number found. Note: The maximum number of items (ASINs) that can be returned and paged through is 1,000.	integer
pagination <i>required</i>	The <code>nextToken</code> and <code>previousToken</code> values that are required to retrieve paginated results.	Pagination
refinements <i>required</i>	Search refinements for searches that are based on <code>keywords</code> .	Refinements
items <i>required</i>	A list of items from the Amazon catalog.	< Item > array

Pagination

Pagination occurs when a request produces a response that exceeds the `pageSize`. This means that the response is divided into individual pages. To retrieve the next page or the previous page of results, you must pass the `nextToken` value or the `previousToken` value as the `pageToken` parameter in the next request. There is no `nextToken` in the pagination object on the last page.

Name	Description	Schema
nextToken <i>optional</i>	A token that you can use to retrieve the next page.	string
previousToken <i>optional</i>	A token that you can use to retrieve the previous page.	string

Refinements

Optional fields that you can use to refine your search results.

Name	Description	Schema
brands <i>required</i>	A list of brands you can use to refine your search.	< BrandRefinement > array
classifications <i>required</i>	A list of classifications you can use to refine your search.	< ClassificationRefinement > array

BrandRefinement

A brand that you can use to refine your search.

Name	Description	Schema
numberOfResults <i>required</i>	The estimated number of results that would be returned if you refine your search by the specified <code>brandName</code> .	integer
brandName <i>required</i>	The brand name that you can use to refine your search.	string

ClassificationRefinement

A classification that you can use to refine your search.

Name	Description	Schema
numberOfResults <i>required</i>	The estimated number of results that would be returned if you refine your search by the specified <code>classificationId</code> .	integer
displayName <i>required</i>	Display name for the classification.	string
classificationId <i>required</i>	The identifier of the classification that you can use to refine your search.	string

Variant

Variant of the image, such as `MAIN` or `PT01` .

Type : enum

Value	Description
MAIN	Main image for the item
PT01	Other image #1 for the item
PT02	Other image #2 for the item
PT03	Other image #3 for the item
PT04	Other image #4 for the item
PT05	Other image #5 for the item
PT06	Other image #6 for the item
PT07	Other image #7 for the item
PT08	Other image #8 for the item

Value	Description
SWCH	Swatch image for the item

IdentifiersType

The type of product identifiers that you can use to search the Amazon catalog.

Note: `identifiersType` is required when `identifiers` is in the request.

Type : enum

Value	Description
ASIN	Amazon Standard Identification Number
EAN	European Article Number
GTIN	Global Trade Item Number
ISBN	International Standard Book Number
JAN	Japanese Article Number
MINSAN	Minsan Code
SKU	Stock Keeping Unit, a seller-specified identifier for an Amazon listing. Note: Must be accompanied by <code>sellerId</code> .
UPC	Universal Product Code

ItemClassification

Classification type that is associated with the Amazon catalog item.

Type : enum

Value	Description
BASE_PRODUCT	A product that can be directly purchased. Can be a standalone ASIN or a variation child item in the Amazon catalog.
OTHER	An item in the Amazon catalog that is not <code>BASE_PRODUCT</code> , <code>PRODUCT_BUNDLE</code> , or <code>VARIATION_PARENT</code> .
PRODUCT_BUNDLE	A parent catalog item that represents a bundle of items.
VARIATION_PARENT	A parent catalog item that groups child items into a variation family.

Type

Type of relationship.

Type : enum

Value	Description
VARIATION	The Amazon catalog item in the request is a variation parent or variation child of the related items that are identified by ASIN.

Value	Description
PACKAGE_HIERARCHY	The Amazon catalog item in the request is a package container or is contained by the related items that are identified by ASIN.

ReplenishmentCategory

The replenishment category that is associated with an Amazon catalog item.

Type : enum

Value	Description
ALLOCATED	The vendor allocates the inventory to Amazon and Amazon manually purchases it.
BASIC_REPLENISHMENT	Inventory is manually purchased.
IN_SEASON	Seasonal item that is manually purchased.
LIMITED_REPLENISHMENT	Amazon generates orders for this item automatically based on unfilled demand.
MANUFACTURER_OUT_OF_STOCK	The vendor is out of stock for an extended period of time and cannot backorder.
NEW_PRODUCT	Amazon does not yet stock this item.
NON_REPLENISHABLE	Indicates assortment parent used for detail page display, not actual items.
NON_STOCKUPABLE	Drop ship inventory that Amazon does not stock in its fulfillment centers.
OBSOLETE	The item is obsolete and should not be ordered.
PLANNED_REPLENISHMENT	Active items that should be automatically ordered.

IncludedData

Type : enum

For use with the operation(s): [getCatalogItem](#)

Value	Description
attributes	A JSON object containing structured item attribute data that is keyed by attribute name. Catalog item attributes conform to the related Amazon product type definitions that you can get from the Product Type Definitions API .

Value	Description
classifications	Classifications (browse nodes) for an item in the Amazon catalog.
dimensions	Dimensions of an item in the Amazon catalog.
identifiers	Identifiers that are associated with the item in the Amazon catalog, such as UPC and EA.
images	Images for an item in the Amazon catalog.
productTypes	Product types associated with the Amazon catalog item.
relationships	Relationship details of an Amazon catalog item (for example, variations).
salesRanks	Sales ranks of an Amazon catalog item.
summaries	Summary of an Amazon catalog item. For more information, refer to the <code>attributes</code> of an Amazon catalog item.
vendorDetails	Vendor details associated with an Amazon catalog item. Vendor details are only available to vendors.

For use with the operation(s): [searchCatalogItems](#)

Value	Description
attributes	A JSON object containing structured item attribute data that is keyed by attribute name. Catalog item attributes conform to the related Amazon product type definitions that you can get from the Product Type Definitions API .
classifications	Classifications (browse nodes) for an item in the Amazon catalog.
dimensions	Dimensions of an item in the Amazon catalog.
identifiers	Identifiers that are associated with the item in the Amazon catalog, such as UPC and EAN.
images	Images for an item in the Amazon catalog.
productTypes	Product types associated with the Amazon catalog item.
relationships	Relationship details of an Amazon catalog item (for example, variations).
salesRanks	Sales ranks of an Amazon catalog item.
summaries	Summary of an Amazon catalog item. For more information, refer to the <code>attributes</code> of an Amazon catalog item.
vendorDetails	Vendor details associated with an Amazon catalog item. Vendor details are only available to vendors.

 Updated 19 days ago

Did this page help you? [👍 Yes](#) [👎 No](#)

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)