

Close service jobs

GET STARTED

- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview >

- Terminology
- Frequently Asked Questions >

CHANGELOG

- SP-API Release Notes
- SP-API Deprecation Schedule

Close service jobs

Learn how to set fulfillment data and set a job as complete.

Learn how to set fulfillment data, such as:

- Start and end date-times
- Fulfillment resources
- Fulfillment documents such as Proof Of Appointment (POA) files
- Job status, such as completed or cancelled

To set a job as complete, use the following operations:

- `setAppointmentFulfillmentData` sets data such as fulfillment date-times, resources, and fulfillment document identifiers.
- `createServiceDocumentUploadDestination` creates an upload destination for fulfillment documents such as Proof Of Appointment (POA) files.
- `completeServiceJobByServiceJobId` sets a service job as completed.
- `cancelServiceJobByServiceJobId` sets a service job as cancelled.

Before you set a job as complete, you must provide appointment fulfillment data, using `setAppointmentFulfillmentData` and `createServiceDocumentUploadDestination` . There are four types of fulfillment data:

- **Estimated Arrival Time:** The range of time when the technician is expected to arrive at the fulfillment location.
- **Appointment Fulfillment Times:** The actual fulfillment date-time start and end.
- **Appointment Fulfillment Resources:** The actual resources that fulfilled an appointment.
- **Appointment Fulfillment Documents:** Documents that:
 - Serve as evidence of service completion
 - Were used in the course of fulfillment

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview

Developer Registration Request Status

Third-Party Provider Registration

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications

Renew Authorizations

Revoke Authorizations

Authorization Limits

- Record aspects of fulfillment

 Note

The Amazon business line and service sellers determine the minimum requirements for fulfillment data and documents to close a job. Service sellers should confer with their relevant Amazon business line partners to settle appropriate API usage before they integrate with the Services API.

Prerequisites

To complete this tutorial, you need:

- Authorization from the seller for whom you are making calls. Refer to [Authorizing Selling Partner Applications](#) for more information.
- A service job identifier assigned to the service provider. Only jobs assigned to the service provider can be accessed. Job status are verified as in `NotServiced` state.
- A scheduled appointment identifier pre-configured in Amazon Systems for the service provider.
- An active appointment.

Step 1. Set or update service appointment fulfillment data

The `setAppointmentFulfillmentData` operation updates multiple aspects of service job appointment fulfillment data that you must record before you set a job as complete.

Step 2. Upload a fulfillment document

The `createServiceDocumentUploadDestination` operation creates a storage destination and identifier for a fulfillment document. This document is necessary to set a job as complete.

To upload a document:

1. Create an upload destination for the service document with the `createServiceDocumentUploadDestination` operation.
2. Encrypt and upload the file.

Use the information the response provides to encrypt and upload the file.

The following Java sample encrypts and uploads a feed. This sample code uses the Apache HTTP client.

1. Use the following as input for the sample code:
 - a. Your file content as the argument for the stream parameter of the `InputStream` method of the `UploadToDestinationExample` class.
 - b. The `initializationVector` and `key` values from the

Special Authorization Types

>

`createServiceDocumentUploadDestination` response as arguments for the `iv` and `key` parameters of the `EncryptionDetails` method of the `EncryptionDetails` class.

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs

>

c. The `url` value from the `createServiceDocumentUploadDestination` response as the argument for the `url` parameter of the `uploadToDestination` method of the `UploadToDestinationExample` class.

2. Save the `sha256sum` value to pass as the `ContentSha256` parameter in `setAppointmentFulfillmentData`.

Java

```
package com.amazon.spapi;

import org.apache.commons.io.IOUtils;
import org.apache.http.HttpEntity;
import org.apache.http.HttpResponse;
import org.apache.http.client.HttpClient;
import org.apache.http.client.methods.HttpPut;
import org.apache.http.entity.InputStreamEntity;
import org.apache.http.impl.client.HttpClients;
import javax.crypto.Cipher;
import javax.crypto.CipherInputStream;
import javax.crypto.spec.IvParameterSpec;
import javax.crypto.spec.SecretKeySpec;
import java.io.IOException;
import java.io.InputStream;
import java.security.DigestInputStream;
import java.security.GeneralSecurityException;
import java.security.Key;
import java.security.MessageDigest;
import java.security.NoSuchAlgorithmException;
import java.security.SecureRandom;
import java.util.Base64;

public class UploadToDestinationExample {
    static final String SHA_256 = "SHA-256";
    static final String AES = "AES";
    static final int AES_BLOCK_SIZE = 16;
    static final Base64.Encoder BASE64_ENCODER =
Base64.getEncoder();
    static final Base64.Decoder BASE64_DECODER =
Base64.getDecoder();
    static final CryptoProvider AES_CRYPT0_PROVIDER =
UploadToDestinationExample::getInitializedCipher;

    static InputStream
buildCipherInputStream(EncryptionDetails
encryptionDetails, InputStream stream, int mode) {
    return new CipherInputStream(stream,

AES_CRYPT0_PROVIDER.getInitializedCipher(mode,
encryptionDetails));
}

    private static InputStream
buildCipherInputStream(EncryptionDetails
encryptionDetails, InputStream stream) {
```

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

>

Call Structure

>

Development Tools

>

Performance Management

>

SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK
- Tutorial: Automate your SP-API Calls Using a Java SDK
- Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js
- Tutorial: Automate your SP-API Calls Using a Python SDK
- Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
- Tutorial: Automate your SP-API Calls using prebuilt Java SDK
- Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
- Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
- Tutorial: Automate your SP-API calls using a prebuilt Python SDK
- Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
- Tutorial: Retrieve Merchant Shipping Templates
- Tutorial: Grant the SP-API Permission to an Amazon SQS Queue
- Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

- Troubleshoot SP-API Errors
- URL Encoding
- Resolve Common HTTP and Authorization Error Codes
- External Fulfillment Errors
- Listings Items API Issues Troubleshooting

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore

```
return
buildCipherInputStream(encryptionDetails, stream,
Cipher.ENCRYPT_MODE);
}

static Cipher getInitializedCipher(int mode,
EncryptionDetails details) {
    Cipher cipher;
    try {
        cipher = Cipher.getInstance(AES);
        Key key = new
        byte[] iv =
        new SecureRandom());
    } catch (Exception e) {
        throw new IllegalStateException("Could not
        create Cipher for key-iv pair", e);
    }
    return cipher;
}
```

Step 3. Complete a service job

The `completeServiceJobByServiceJobId` operation marks a service job as complete. If the given job is the only active job in the order, then it marks the entire order as complete.

Step 4. Cancel a service job

The `cancelServiceJobByServiceJobId` operation marks a service job as cancelled. If the given job is the only active job in the order, then it marks the entire order as cancelled.

Cancellation reason codes by marketplace

Reason code	Reason description	Default	Heavy bulk
S1	Customer didn't show up.	US, IN, UK, DE	US, IN, UK, DE
S2	Customer outside service area.	-	DE
S3	Work is different than scoped and order cannot be completed.	US, IN, UK, DE	US, IN, UK, DE
S4	Provider unable to contact customer.	-	DE
S5	Provider cannot meet customer's schedule.	-	DE
S6	Job requires professional trade license.	-	DE
S7 - S12	Codes not in use.	-	-
S13	Provider cannot meet original appointment.	US, IN, UK, DE	US, IN, UK
S14	Provider cannot meet new appointment request.	US	US
S15	Problem with Amazon product or its delivery.	US, IN, UK, DE	US, IN, UK
S16	Problem with non-Amazon product, delivery, or service.	US, UK, DE	US, UK
S17	I don't need this service.	US, IN	US, IN

[Edit Your Appstore Listing](#)[Check Listing Status](#)[Appstore Ratings and Reviews](#)[Press Releases and Promotions](#)**SERVICE PROVIDER NETWORK**[List Your Service](#)**SECURITY AND COMPLIANCE**[SP-API Security and Compliance Overview](#)[Amazon Selling Partner API Guard Implementation Guide](#) >[VAT Calculation Service](#) >[Amazon Seller Data Access](#)[Best Practices](#) >

S18 - S19	Codes not in use.	-	-
S20	Too expensive.	IN	IN
S21 - S26	Codes not in use.	-	-
S27	Brand installed.	IN	IN
S28	Coverage area changed.	-	-
S29	Pricing mistake.	-	-
S30	No longer works with customer schedule.	-	-
S31	Product damaged.	IN	-
S32	Risky site.	IN	-
S33	Customer wants cancellation.	IN	-
S34	Site not ready.	IN	-
S35	Product not delivered.	IN	-
S36	Additional material needed.	IN	-
S37	Customer wants reschedule.	IN	-
S38	Product returned.	IN	-
S39	We could not reach you.	IN	-
S40	Service already completed.	IN	-
S41	Service in another location.	IN	-
S42	Needs revisit.	IN	-
S43	Documents not available.	IN	-
S44	Slot missed.	IN	-
S45	Parts not available.	IN	-
S46	Wrong completion.	IN	-
S47	Need customer approval for repair.	IN	-
S48 - S50	Codes not in use.	-	-
S51	Installation done by third party and customer does not require installation.	IN	-
S52	Product damaged, non-installable product, customer returned the product, or product gifted.	IN	-
S53 - S54	Codes not in use.	-	-

S55	Restriction on visit.	IN	-
-----	-----------------------	----	---

A+ CONTENT API

A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference


APP INTEGRATIONS API

App Integrations API >

Select a cancellation reason code

1. Call the `getServiceJobByServiceJobId` operation and check for the `marketplaceId` value to identify the marketplace details associated with the service order of a job.
2. Call the `getServiceJobByServiceJobId` operation and check for the `serviceType` value to identify the service type of the job.
 1. If `serviceType` is `heavybulky` , then search for a reason code in the **Heavy Bulky** column.
 2. Otherwise, search for a reason code in the **Default** column.
3. Select a reason code suitable for your use case and pass it as a query parameter when you request a job for cancellation.

 Updated 19 days ago



Did this page help you?  Yes  No

APPLICATION MANAGEMENT API
[Policies and Agreements](#)

Application Management API >

[Privacy notice](#) | [Conditions of use](#)

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

Get Service Job Data

Get service job appointment slots

Set service job appointments and assigning appointment resources

Close service jobs

Manage resource capacity schedules and reservations

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >