

Create a shipment with an Amazon-partnered carrier (PCP)

Code Samples

Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview

>

Create a shipment with an Amazon-partnered carrier (PCP)

Learn how to inbound small parcel deliveries or pallets with Amazon-partnered carriers

Learn how to inbound Small Parcel Deliveries (SPD) or pallets (LTL/FTL) with an Amazon-partnered carrier using the Fulfillment Inbound API.

Note

Amazon-partnered carrier shipments are available only in the contiguous United States. For shipments outside this region, you must use your own carrier. For more information, refer to [Send shipments to Amazon FBA](#) and [Create a shipment with a non-partnered carrier](#). For more information about PCP eligibility, refer to the [PCP help page](#).

Terminology


Frequently Asked Questions

>

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule



DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Create a shipment with an Amazon-partnered carrier (PCP)

Step 1. Create an inbound plan

Operation

- `createInboundPlan`

Parameters

- `destinationMarketplaces` : Target marketplaces for shipment.
- `sourceAddress` : Address from which items are shipped.
- `items` :
 - `prepOwner` : Preparation owner.
 - `labelOwner` : Labeling owner.
 - `msku` : Merchant SKU.
 - `itemQuantity` : Quantity of items.

Response

- Includes `inboundPlanId` and `operationId` to check the status of inbound plan creation.

**Create Inbound Plan**
Open Recipe >**Note**

POST operations are asynchronous. Check the status of a POST operation by passing its `operationId` to `getInboundOperationStatus`.

**Get Inbound operation status**
Open Recipe >

Step 2. Generate packing options

Operation

- `generatePackingOptions`

Parameters

- `inboundPlanId` : Use the inbound plan ID created in Step 1.

Response

Special Authorization Types

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs

Create a shipment with an Amazon-partnered carrier (PCP)

- `operationId` : An ID that you can use to check the status of packing options generation.



Generate packing options
Open Recipe >

Step 3. List packing options

Operation

- `listPackingOptions`

Parameters

- `inboundPlanId` : Input the inbound plan ID.

Response

- Includes available `packingOptions`. Each packing option is represented by a `packingOptionId`.
- Each packing option contains one or more `packingGroups`, identified by `packingGroupId`. Each packing group includes a list of SKUs that should be packed together.

To view the SKU items in a packing group, call `listPackingGroupItems` with the packing group's `packingGroupId`.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details



Note

Choose only one packing option (`packingOptionId`).



List packing options
Open Recipe >

Call Structure

Step 4. Confirm packing option

Operation

- `confirmPackingOption`

Parameters

- `inboundPlanId` : The ID of the inbound plan.
- `packingOptionId` : The chosen packing option ID. You can only confirm one option per inbound plan.

Development Tools

Performance Management

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors [↗](#)

Listings Items API Issues Troubleshooting [↗](#)

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Create a shipment with an Amazon-partnered carrier (PCP)

Response

- `operationId` : An ID that you can use to check the status of the packing confirmation.



Confirm packing option
Open Recipe >

Step 5. Set packing information

Operation

- `setPackingInformation`

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `packingGroupId` : ID for each packing group within the chosen packing option.
- `boxes` : Includes box contents source, box dimensions (weight and quantity), items with prep info, and item quantities matching the inbound plan.

Response

- `operationId` : An ID that you can use to check the status of the API call.

Request example

JSON

```
{
  "packageGroupings": [
    {
      "boxes": [
        {
          "contentInformationSource":
"BOX_CONTENT_PROVIDED",
          "dimensions": {
            "height": 10,
            "length": 10,
            "unitOfMeasurement": "IN",
            "width": 10
          },
          "quantity": 1,
          "weight": {
            "unit": "LB",
            "value": 2
          },
          "items": [
            {
              "labelOwner": "AMAZON",
              "msku": "SKU12345",
              "prepOwner": "AMAZON",
              "quantity": 1
            }
          ]
        }
      ]
    }
  ]
}
```

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide

```
    }
  ]
},
  ],
  "packingGroupId":
  "pg1xxxxxxxxxxxxxxxxxxxxx"
},
{
  "boxes": [
    {
      "contentInformationSource":
      "BOX_CONTENT_PROVIDED",
      "dimensions": {
        "height": 10,
        "length": 10,
        "unitOfMeasurement": "IN",
        "width": 10
      },
      "quantity": 1,
      "weight": {
        "unit": "LB",
        "value": 1
      },
      "items": [
        {
          "labelOwner": "SELLER",
          "msku": "SKU67890",
          "prepOwner": "SELLER",
          "quantity": 1
        }
      ]
    }
  ]
}
```



Set Packing Information
[Open Recipe >](#)

VAT Calculation Service

Step 6. Generate placement options

Operation

`generatePlacementOptions`

Parameters

- `inboundPlanId` : ID of the inbound plan.

Response

- `operationId` : An ID that you can use to check the status of placement options generation.



Generate packing options
[Open Recipe >](#)

Step 7. List placement options

Operation

Amazon Seller Data Access

Best Practices

- `listPlacementOptions`



Note

Choose only one placement option (`placementOptionId`).

Parameters

- `inboundPlanId` : ID of the inbound plan.

Response

- Includes available `placementOptions` , each represented by a `placementOptionId` .
- Each `placementOptionId` includes one or more `shipmentIds` and details on fees or discounts.

Response example

JSON

```
"placementOptions": [
  {
    "fees": [
      {
        "description": "Placement
service fee represents service to
inbound with minimal shipment splits
and destinations of skus",
        "type": "FEE",
        "value": {
          "amount": 1.10,
          "code": "USD"
        },
        "target": "Placement Services"
      }
    ],
    "shipmentIds": [
      "shxxxxxxxxxxxxxxxx",
      "shxxxxxxxxxxxxxxxx"
    ],
    "discounts": [],
    "expiration": "yyyy-mm-
ddT00:00:00.00Z",
    "placementOptionId":
    "plxxxxxxxxxxxxxxxx",
    "status": "OFFERED"
  }
]
```

The following code sample demonstrates how to choose the least expensive `placementOption` . Customize this code to fit your own selection criteria.

A+ CONTENT API

A+ Content API

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API

APPLICATION MANAGEMENT API

Application Management API

CATALOG ITEMS API

Catalog Items API

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API

>

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API

>

EASY SHIP API

Easy Ship API

>

EXTERNAL FULFILLMENT

External Fulfillment Inventory API

>

External Fulfillment Returns API

>

External Fulfillment Shipping API

>

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API

>

FBA Inventory Dynamic Sandbox Guide

FEEDS API



List placement options

Open Recipe >

Step 8. Generate transportation options

Operation

- [generateTransportationOptions](#)

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `placementOptionId` : The chosen placement option ID.
- `shipmentTransportationConfigurations` : Configuration details including:
 - `shipmentId` : Each shipment ID within the chosen placement option. Include all shipment IDs within the selected placement option.
 - `readyToShipWindow` : Start date for when shipments are ready for delivery.
 - `freightInformation` (only if you want to ship pallets): The declared value and freight class.
 - `pallets` (only if you want to ship pallets): Information about the pallets being shipped, including quantity, dimensions, weight, and stackability.

Response

- Includes an `operationId` that you can use to check the status of transportation options generation.

Request example for small parcel delivery

JSON

```
{
  "placementOptionId":
    "plxxxxxxxxxxxxxxxxxxxx",
  "shipmentTransportationConfigurations":
    [
      {
        "readyToShipWindow": {
          "start": "yyyy-mm-ddT00:00:00Z"
        },
        "shipmentId":
          "sh1xxxxxxxxxxxxxxxx"
      },
    ]
}
```

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Create an inbound shipment

Create a shipment with an Amazon-partnered carrier (PCP)

Create a shipment with a non-partnered carrier

Inbound Shipments with the Pack Later workflow

Ship Inventory to Amazon Fulfillment Centers in India

Additional Functionality

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Create a shipment with an Amazon-partnered carrier (PCP)

```
{
  "readyToShipWindow": {
    "start": "yyyy-mm-T00:00:00Z"
  },
  "shipmentId":
  "sh2xxxxxxxxxxxxxx"
}
```

Request example for pallet (LTL/FTL) delivery

JSON

```
{
  "placementOptionId":
  "plxxxxxxxxxxxxxxxxxx",
  "shipmentTransportationConfigurations":
  [
    {
      "readyToShipWindow": {
        "start": "yyyy-mm-ddT00:00:00Z"
      },
      "shipmentId":
      "shxxxxxxxxxxxxxx",
      "freightInformation": {
        "declaredValue": {
          "amount": 200,
          "code": "USD"
        },
        "freightClass": "FC_XX"
      },
      "pallets": [
        {
          "quantity": 1,
          "dimensions": {
            "height": 48,
            "length": 48,
            "unitOfMeasurement": "IN",
            "width": 40
          },
          "stackability": "STACKABLE",
          "weight": {
            "unit": "LB",
            "value": 600
          }
        }
      ]
    }
  ]
}
```

**Generate Transportation Options**

Open Recipe >

Step 9. List transportation options

Operation

- `listTransportationOptions`

Note

If you have multiple `shipmentIds` from `listPlacementOptions`, choose a `transportationOptionId` for each `shipmentId`.

Parameters

- `inboundPlanId` : The ID of the inbound plan.
- `placementOptionId` : The ID of the chosen placement option.

Response

- Includes different available `transportationOptions`, each represented by `transportationOptionId` per `shipmentId`. Each transportation option contains details about:
 - `carrier` : Identifies the carrier.
 - `shippingMode` : Identifies the shipment type (for example, Small Parcel Delivery or pallets).
 - `shippingSolution` : Identifies whether the carrier is Amazon Partnered or your own transportation carrier.
 - `preconditions` : Conditions that must be met to provide the delivery window. Only applicable to your own carrier options.

Note

Transportation options are paginated with a default `pageSize` of 10 and a maximum of 20 results. Always review all pages using `nextToken` before concluding that PCP options are unavailable for a shipment. In certain situations, Amazon filters out partnered carrier transportation options. For example, if there is a partnered carrier transportation option at a lower price for a placement option that has identical shipment splits, then Amazon filters out the more expensive transportation option. For more

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API

>

Invoices API FAQ

LISTINGS

Listings Items API

>

information, refer to [Review shipment splits and transportation options](#).

To ship using the Amazon Partnered Carrier in this tutorial, you must select the `transportationOption` based on your shipment type:

- For **small parcel deliveries**, choose the option where `shippingMode` is `GROUND_SMALL_PARCEL`.
- For **pallet shipments**, choose the option where `shippingMode` is `FREIGHT_LTL`.

In both cases, ensure that `shippingSolution` is `AMAZON_PARTNERED_CARRIER`.

Response example for small parcel delivery

JSON

```
"transportationOptions": [
  {
    "carrier": {
      "name": "United States Postal Service",
      "alphaCode": "USPS"
    },
    "preconditions": [
      "CONFIRMED_DELIVERY_WINDOW"
    ],
    "shipmentId": "shxxxxxxxxxxxxxx",
    "shippingMode": "GROUND_SMALL_PARCEL",
    "transportationOptionId": "toxxxxxxxxxxxxxx",
    "shippingSolution": "USE_YOUR_OWN_CARRIER"
  },
  {
    "carrier": {
      "name": "UPS",
      "alphaCode": "UPSN"
    },
    "quote": {
      "cost": {
        "amount": 19.6,
        "code": "USD"
      }
    },
    "preconditions": [],
    "shipmentId": "shxxxxxxxxxxxxxx",
    "shippingMode": "GROUND_SMALL_PARCEL",
    "transportationOptionId": "toxxxxxxxxxxxxxx",
    "shippingSolution": "AMAZON_PARTNERED_CARRIER"
  }
]
```

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

```
}  
]
```

NOTIFICATIONS API

Notifications API

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification

ORDERS API

Orders API

Response example for pallet delivery

```
JSON  
{  
  "carrier": {  
    "name": "XXXXX",  
    "alphaCode": "ABCD"  
  },  
  "carrierAppointment": {  
    "startTime": "2024-10-11T00:00Z",  
    "endTime": "2024-10-11T23:59Z"  
  },  
  "quote": {  
    "cost": {  
      "amount": 326.54,  
      "code": "USD"  
    },  
    "expiration": "2024-10-09T22:40Z"  
  },  
  "preconditions": [],  
  "shipmentId": "shxxxxxxxxxxxxxx",  
  "shippingMode": "FREIGHT_LTL",  
  "transportationOptionId":  
  "toxxxxxxxxxxxxxx",  
  "shippingSolution":  
  "AMAZON_PARTNERED_CARRIER"  
}
```



List transportation options

Open Recipe >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API

PRODUCT PRICING API

Product Pricing API

Product Pricing API and Notifications FAQ

Step 10. Get shipment Operation

- `getShipment`

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `shipmentId` : ID of the shipment for which to retrieve details.

Response

- Includes the source address from which the shipment originates.
- Includes the destination warehouse address for the shipment.
- Includes the current status of the shipment.



Note

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API

>

REPORTS API

Reports API

>

Report Type Values

>

Create a shipment with an Amazon-partnered carrier (PCP)

If you are not satisfied with the chosen options, you can regenerate and select another placement option or transportation option before final confirmation.



Get shipment details
Open Recipe >

Step 11. Confirm placement option

Operation

- `confirmPlacementOption`

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `placementOptionId` : The chosen placement option ID to confirm.

Response

- `operationId` : An ID that you can use to check the status of the placement confirmation.



Note

You can only confirm one placement option per inbound plan.



Confirm placement option
Open Recipe >

Step 12. Confirm transportation options

Operation

- `confirmTransportationOptions`

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `transportationSelections` : A list of selected transportation options for each shipment, including:
 - `shipmentId` : The ID of the shipment.
 - `transportationOptionId` : The chosen transportation option ID for that

Reports JSON Schemas

↗

Reports API FAQ

SALES API

Sales API

>

SELLER WALLET API

Seller Wallet API

>

7/4/26, 1:28 PM	
	Create a shipment with an Amazon-partnered carrier (PCP) shipment.
Seller Wallet API Rate Limits SELLERS API Sellers API	Response <code>operationId</code> : An ID that you can use to check the status of the transportation confirmation.
SERVICES API Services API	> Important considerations If your inbound plan includes multiple shipments: - For small parcel deliveries, ensure that all shipments use the same carrier. - For pallet deliveries, you can choose different carriers for each shipment.
	 Confirm transportation option Open Recipe >
	Step 13. Get shipment Operation
SHIPMENT INVOICING API Shipment Invoicing API	<code>getShipment</code> > Parameters <code>inboundPlanId</code> : ID of the inbound plan. <code>shipmentId</code> : ID of the shipment.
SHIPPING API Shipping API v2 Resources Shipping API v1 Reference	↗ Response - Includes the following details of shipment: <code>sourceAddress</code> : The origin address of the shipment. <code>destinationWarehouseAddress</code> : The address of the destination warehouse. <code>amazonReferenceId</code> : Amazon's reference ID for the shipment. <code>selectedTransportationOptionId</code> : The chosen transportation option ID. <code>placementOptionId</code> : The ID of the chosen placement option. <code>shipmentConfirmationId</code> : The ID confirming the shipment. <code>trackingDetails</code> : Information regarding the shipment tracking. <code>status</code> : The current status of the shipment.
SOLICITATIONS API Solicitations API	>
SUPPLY SOURCES API Supply Sources API	>
Multi-Location Inventory Integration Guide Supply Sources API Rate Limits	Note

TOKENS API

Tokens API >

Create a shipment with an Amazon-partnered carrier (PCP)

If your inbound plan includes multiple shipment IDs, call `getShipment` for each shipment ID.

**Get shipment details**

Open Recipe >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

Step 14. Get labels

Operation

- `getLabels`

Parameters

- `shipmentConfirmationId` : The ID that confirms the shipment, retrieved from the `getShipment` response.
- `PageType` : Specifies the type of page for the labels.
- `LabelType` : Specifies the type of label to retrieve.

For Pallet Shipments:

- `NumberOfPallets` : The total number of pallets included in the shipment.
- `PageSize` : The size of the label pages to retrieve.

Response

- Includes a URL that you can use to download the labels associated with each shipment ID within your inbound plan.

**Note**

Call `getLabels` for each shipment ID and provide the necessary parameters based on whether the shipment is a small parcel delivery or involves pallets.

**Get labels to print**

Open Recipe >

[Only for Pallet Shipments] Step 13. Get bill of lading

Operation

- `getBillOfLading`

Parameters

- shipmentConfirmationId : The ID that confirms the shipment, retrieved from `getShipment` response.

Response

- Includes a URL that you can use to download the bill of lading associated with the Less Than Truckload (LTL) or Full Truckload (FTL) pallet shipment.

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

This process completes the creation of your inbound plan, and sends your SKUs as either individual boxes (small parcel delivery) or pallets (LTL/FTL) using the Amazon Partnered Carrier. You can verify this inbound plan through the Seller Central Send to Amazon UI.

 Updated 19 days ago

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >



Did this page help you? ☐ Yes ☐ No

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

