

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview

Terminology

Frequently Asked Questions

Create an inbound shipment

Learn how to create an inbound shipment with or without carton-level information.

There are two methods for creating shipments to send your inventory to Amazon's fulfillment network:

- With carton information: Use this option when you have all your carton details ready.
- Without carton information: Use this option when you need to add carton details at a later time.

Both methods allow you to send your products to Amazon's fulfillment network, giving you flexibility based on when your packaging information is available.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you are making calls. For more information, refer to [Authorizing Selling Partner API applications](#).
- Approval for the [Amazon Fulfillment role](#) and the [Product Listing role](#) in your developer profile.
- The Amazon Fulfillment role and Product Listing role selected in the App registration page for your application.
- Product listings created in your seller account.

Workflow

► [View the workflow diagram when carton info is known](#)

► [View the workflow diagram when carton info is unknown](#)

Create an inbound plan

CHANGELOG

SP-API Release Notes
SP-API Deprecation Schedule
SP-API Product Metadata Updates

DIRECTORIES

SP-API Models
SP-API Seller Use Cases
SP-API Vendor Use Cases
Seller Central URLs
Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

[Policies and Agreements](#)[About Facial Data](#)

AUTHORIZATION

[Authorize Applications](#) >[Renew Authorizations](#)[Revoke Authorizations](#)[Authorization Limits](#)[Special Authorization Types](#) >

INTEGRATION

[Building Robust Amazon SP-API Applications](#)[SP-API SDKs](#) >

Note

This process applies to Less than truckload (LTL) and Small Parcel Delivery (SPD) shipments when carton-level information is available.

Call the [createInboundPlan](#) operation to create an inbound plan, which represents a collection of inbound shipments containing items you intend to send to Amazon's fulfillment network. When you call the [createInboundPlan](#) operation, you must specify:

- The address from which the inbound shipments are sent.
- The marketplace from where the product is shipped.
- A summary of the items you intend to send.
- Contact information (needed for partnered carriers for LTL shipments).

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

The item summary must include MSKU, quantity, and an indication of who will prepare and label the item. `AMAZON_LABEL` is available only when you are enrolled in the FBA Label Service. For more information about the FBA Label Service, refer to the [Seller Central Help](#).

Ensure each item you're shipping conforms to Amazon's product packaging requirements. For more information, refer to [Packaging and Prep Requirements](#). For more information about Amazon's product packaging requirements for your marketplace, refer to [Seller Central URLs](#). You can set the `prepCategory` for SKUs on [Send to Amazon](#) one-by-one or up to 25 at a time. This is a one-time activity per SKU that carries over to all future inbound plans.



Note

Multiple expiration dates per SKU on a single inbound plan are not

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide 

supported.

To send a SKU with multiple expiration dates to the fulfillment network, you must create multiple plans.

Optionally, you can include each item's expiration date and manufacturing lot code. A successful response includes an `inboundPlanId` that uniquely identifies the inbound plan, synonymous with the concept of workflow ID, which is generated on Send to Amazon.



Note

`createInboundPlan`

generates initial shipment IDs for the shipments within each inbound plan. These IDs are different from the `shipmentConfirmationIDs` that are generated

with the
confirmPlac
ementOpti
on

operation.

The
shipmentCo
nfirmation
ID

is the
identifier
that appears
on labels (for
example,

FBA1234ABC
D

). Both of
these types
of shipment
IDs can be
retrieved
with the
getShipmen
t
operation.

VAT Calculation Service

>

Amazon Seller Data Access

Best Practices

>

A+ CONTENT API

A+ Content API

>

Check the status of a call

Use

[getInboundOperation
Status](#) to get the

status of an operation.

To call the

[getInboundOperation
Status](#), you must pass

the `operationId`,
which is a Universal
Unique Identifier
(UUID) for the
operation.

The response returns
the request status and
any non-blocking
errors. Non-blocking
errors are warnings

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API v

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

Create an inbound shipment

that can be ignored (for example, when the address is suspected to be wrong, but progression is allowed anyway).

Determine which SKUs can be packed together



Important

As of **February 20, 2025**, partial shipment splits are not available on the Send to Amazon workflow for standard-sized products. Partial shipment splits remain available for large products. For more information, refer to [2025 FBA inbound placement service fee](#).

This step determines which items can be packed together. Some items cannot be packed together because they

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

have different handling requirements or must go to different fulfillment centers. For more information on the placement options, refer to the [Product packaging requirements](#).

To determine which SKUs can be physically packed together, use the following operations:

- [generatePackingOptions](#)
- [listPackingOptions](#)
- [listPackingGroups](#)
- [confirmPackingOption](#)

A `packingGroup` represents SKUs that can be packed together, while SKUs with different requirements go into separate packing groups. For example, SKUs that are classified as dangerous goods cannot be packed with other SKUs, because dangerous goods SKUs are shipped to special fulfillment centers that can receive them safely. Other factors that determine which SKUs can and cannot be packed together include SKU weights and dimensions, prep

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

[Create an inbound shipment](#)

Create a shipment with an Amazon-partnered carrier (PCP)

Create a shipment with a non-partnered carrier

and labelling requirements, and barcode requirements.

The `PackingOptions` object represents the set of options for how items are mapped to packing groups. Each `PackingOption` includes `PackingGroups` that contain lists of SKUs. Each of these options can have discounts or fees associated with them. Also, each option can be limited to a subset of all possible shipping modes. These packing operations allows you to review and select an option.

Generate packing options

Call the `generatePackingOptions` operation.

List packing options

Call the `listPackingOptions` operation to review a list of the packing options. Packing options contain sets of pack groups that you can choose, along with additional information that can help you choose between these options. Additional information includes fees/discounts associated with each

Inbound Shipments with the Pack Later workflow

Ship Inventory to Amazon Fulfillment Centers in India

Additional Functionality

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULLFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API

>

Create an inbound shipment

option, shipping modes supported by each option, packing modes supported by each option, package weights supported by each option, and the expiration date of each option.

List items in each packing option

Call the

`listPackingGroupItems` operation.

Select a packing option

Call the

`confirmPackingOption` operation.

Provide box content information

! Important

If you do not call

`setPackingInformation`

, there may be defects in the receiving process and fees for manual processing.

For more information, refer to [FBA manual](#)

[Fulfillment Outbound API Rate Limits](#)[MCF Best Practices](#)[processing
fee.](#)**INVOICING**[Invoices API](#) >[Invoices API FAQ](#)**LISTINGS**[Listings Items API](#) >**! Important**

Starting **January 1, 2026**, the prep and item label services will no longer be available for FBA in the US marketplace. You must prep and label all products before they send them to the Amazon fulfillment network in the US.

[Listings Items API Rate Limits](#)[Listings Restrictions API](#) >[Listings Restrictions API Rate Limits](#)[Manage Product Listings with the Selling Partner API](#)[Building Listings Management Workflows Guide](#)[Understanding Amazon listing status and seller-fulfilled inventory management](#)[Listings Management Workflow Migration](#) >

Call the

[setPackingInformation](#)
[on](#) operation to

provide information related to the items that are packed into each box. Providing this information ensures that the shipment splits generated in the subsequent steps are accurate. If no box information is provided at this step, the shipment splits generated in the next steps are based only on the unit information

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API

>

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API

>

MESSAGING API

Messaging API

>

NOTIFICATIONS API

Notifications API

>

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification

↗

ORDERS API

Create an inbound shipment

passed to Amazon as part of

`createInboundPlan`.

When you call the

`setPackingInformation` operation, you must pass the following information for each box you intend to send:

- The package grouping ID of every shipment.
- Box content information source.
- Box contents (items, item quantities, prep/label owners for each item).
- Box information (dimensions, weight, and quantity of boxes).

Call the

`getInboundOperationStatus` to determine the operation status. A successful response includes the `operationId`.



Note

If you provide box packing information using `setPackingInformation`, then generate placement

[Orders API](#) >

options, and then edit the box packing information using

```
setPackingInformation
```

, then you must call

```
generatePlacementOptions
```

again prior to calling

```
confirmPlacementOption
```

. If you input your box packing information using

```
setPackingInformation
```

and then decide that you want to discard this information entirely, you need to start a new inbound plan with

```
createInboundPlan
```

. Discarding packing information is not currently supported.

[Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier](#) ↗

[Orders API Migration Guide](#)

[Orders API Rate Limits](#)

PRODUCT FEES API

[Product Fees API](#) >

PRODUCT PRICING API

[Product Pricing API](#) >

[Product Pricing API and Notifications FAQ](#)

[Price Adjustment Automation Workflows Guide](#)

[Manage automated pricing rules with SP-API](#)

REPLENISHMENT API

[Replenishment API](#) >

Box content
information source

indicates how you intend to provide box content information, which could be through one of three options:

REPORTS API

Reports API

>

- Populating the contents field (`BOX_CONTENT_PROVIDED`).

Report Type Values

>

- Paying Amazon a fee to enter this information during the receiving process (`MANUAL_PROCESS`).
- Affixing 2D barcodes to the boxes (`BARCODE_2D`).

You must provide box dimensions, box weight, and the quantity of each box. When `boxAttribute` is set to `BARCODE_2D` or `MANUAL_PROCESS` :

- You don't need to provide SKUs and quantities.
- You must leave `items` empty (provide a `null` value).

Reports JSON Schemas

↗

Reports API FAQ

SALES API

Sales API

>

A successful response includes the `operationId` that can be used to determine the status of the operation using [`getInboundOperationStatus`](#) .

SELLER WALLET API

Seller Wallet API

>

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Note

If you know the carton-level shipment information, pass in the `PackingGroupId` and omit the `ShipmentId`. Otherwise, include `ShipmentId` and omit `PackingGroupId`.

Generate and view options for destination fulfillment centers

! Important

As of **February 20, 2025**, partial shipment splits are not available on the Send to Amazon workflow for standard-sized products. Partial shipment splits remain

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API

>

available for large products. For more information, refer to [2025 FBA inbound placement service fee](#).

Call the

`generatePlacementOptions`, `listPlacementOptions`, and `getShipment` operations.

UPLOADS API

Uploads API

>

VEHICLES API

Vehicles API

>

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API

>

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API

>

! Important

You cannot provide packing information using Send to Amazon after confirming placement options. You cannot access API-created shipments on Send to Amazon during this step.

The

`placementOptions` object represents the set of available placement options for an inbound plan, where each placement option describes the

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

destination fulfillment centers and shipping options for each item in your inbound plan. These options help reduce receiving time and make items available for sale faster. Refer to [Seller Central Help](#) for more details.

**Note**

This operation generates initial shipment IDs for the shipments within each inbound plan. These IDs are different from the `shipmentConfirmationIDs` that `confirmPlacementOption` generates. The `shipmentConfirmationID` is the ID that is present on labels (for example, `FBA1234ABCD`). You can retrieve both of these

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >



shipment ID
types with
the
`getShipment`
operation.

Some of your placements options can include multiple destinations. Each option can include fees or discounts determined by an algorithm during shipment creation, not calculated using set rates. The algorithm for the rebate value and the ship-to location uses multiple factors to optimize your shipments, including expected volume, the availability of carrier appointments, and fulfillment speed. The rebate that your shipment is eligible for is provided during shipment creation.

 Note

When you call the `generatePlacementsOptions` operation without inputting box content information, Amazon provides

placement options that are optimized for unit-level data (because Amazon does not yet have box data). These options can differ from the placement options that are generated after you provide box content information using `setPackingInformation`.

Call the

`listPlacementOptions`

operation to view the options for shipment splits. This operation returns available placement options, which include:

- A placement option ID
- The option status (`offered` or `accepted`)
- Any fees/discounts associated with this option

Create an inbound shipment

- The expiration date of the option
- The shipment IDs associated with each option

Call the

`generatePlacementOptions` operation to regenerate placement options when they expire. The placement option ID is required to generate transportation options with

`generateTransportationOptions`, while shipment IDs are used to understand the contents of each shipment using the `getShipment` operation.

Use the `getShipment` operation to review shipment contents within an inbound plan. To call the

`getShipment` operation, you need to pass the inbound plan ID and shipment ID. A successful response includes placement option ID, shipment confirmed ID (that is, the ID that shows up on labels, created after `confirmPlacementOption`), shipment ID (that is, identifier for a shipment prior to the `confirmPlacementOption` operation), Amazon reference ID

(identifier for scheduling fulfillment center appointments for truck deliveries), selected transportation option ID, name, source, destination FC, ship date, estimated delivery date, status, tracking details, pallet information, contact information, destination region, and FC appointment details.

List shipment items

Call the

`listShipmentItems`

operation to view a paginated list of items in a shipment. Use this information to understand which items are in each shipment split when you haven't provided carton-level information upfront. To call this API, you must pass the shipment ID. A successful response contains a paginated list of the products the user previously entered using the

`createInboundPlan`

operation. The response contains the prep instructions for their ASINs, such as prep type and owner. This allows users to conveniently check what items and prep requirements are in a given shipment. The

response lists the product's MSKU, ASIN, FNSKU, Manufacturer Code, quantity, and expiration date if needed. This can be used to generate a pick list which you can use to pull certain items from their inventory and group them into a shipment. You can then use the

`listShipmentBoxes`

operation to create a pack list that specifies which items go in which boxes.

Input transportation data and generate transportation options

Generate transportation options with the

`generateTransportationOptions` operation.

A transportation option represents the list of shipping mode and carrier options that are available for each shipment within each placement option.

When you call the

`generateTransportationOptions` operation,

you must pass the following information:

- Placement option ID

- Shipment ID
- Ready-to-ship date
- Ship-from address

Generate delivery window options

Call

`generateDeliveryWindowOptions` with the `shipmentID` of the shipment for which you intend to generate delivery windows.



Important

You must confirm transportation options for all shipment types. For non-partnered shipments, you must also specify a delivery window.

Delivery windows are periods during which you can deliver your shipment to the destination fulfillment center. Non-partnered carrier require you to specify a delivery window of seven days for domestic shipments or 14 days for international

shipments. The window is used to provide a shipment's expected arrival date and time at an Amazon fulfillment center. An available delivery window option is necessary for shipments that don't have an appointment slot with a fulfillment center. For example, shipments through non-partnered carriers need a confirmed delivery window.

Review shipment splits and transportation options

Review shipment and transportation options using the following operations:

- [`listPlacementOptions`](#)
- [`listTransportationOptions`](#)
- [`listDeliveryWindowOptions`](#)
- [`getShipment`](#)

The

`listPlacementOptions` operation returns available placement options, which includes a placement option ID, the status of the option (that is, `offered` or `accepted`), any fees/discounts

associated with this option, the expiration date of the option, and the shipment IDs associated with each option.

To call

`listTransportationOptions`, you must pass the placement option ID and shipment ID for which you want to view transportation options. If transportation options are not available for a placement option, call `listTransportationOptions` again for an alternative placement option. A successful response includes all available transportation quotes for all available ship modes and carrier options. Shipping modes include:

- Ground small parcel
- Less-than-truckload freight
- Full truckload freight (palletized)
- Full truckload freight (non-palletized)
- Less than container load ocean
- Full container load ocean
- Air small parcel

- Air small parcel express

Carrier options include Amazon-partnered and non-partnered carriers. Each quote includes:

- Cost
- A void window (the period where you can cancel a shipment and receive a refund for your transportation quote)
- Expiration

In regions where fulfillment center appointments are mandatory (for example, India), Amazon provides available appointment slots.

Where the Partnered Carrier Program (PCP) is available, you can take advantage of discounted rates by using an Amazon-partnered carrier for your inbound shipments. To use an Amazon-partnered carrier for an inbound shipment, select the transportation option where `shippingSolution` is `AMAZON_PARTNERED_CARRIER`.



Note

Before using an Amazon-partnered carrier for an inbound shipment, refer to the Amazon's PCP to ensure that you follow the program instructions and guidelines for [Europe](#) and [US](#).

In the EU region, you must first review and accept the terms and conditions of the carrier and the terms and conditions of Amazon's PCP. You can do this on [Seller Central](#). If you attempt to use Amazon Selling Partner APIs to create an inbound shipment by using an Amazon-partnered carrier before accepting these terms and conditions, the service returns an error.

If you don't want to participate in the PCP, you can view **Choose your own carrier** transportation options and available shipping modes.

Amazon filters out partnered carrier transportation options

in certain situations. For example, if there is a partnered carrier transportation option at a lower price for a placement option that has identical shipment splits, then Amazon filters out the more expensive transportation option. If you plan to use a partnered carrier, call `listTransportationOptions` for each placement option to see the available partnered carrier options.



Note

You can include a mix of Small Parcel Delivery (SPD) and Less than truckload (LTL) shipments in one inbound plan. You can also include a mix of PCP and non-PCP shipments in one inbound plan if:

- The different carrier selections are assigned

to different shipping modes (for example SPD and LTL).

- All shipments in the inbound plan are eligible for PCP.

For example, you can create an inbound plan with one PCP SPD shipment and one non-PCP LTL shipment, assuming that all shipments within the inbound plan are eligible for PCP.

For more information about PCP eligibility, refer to the [PCP help page](#).

Use the `listDeliveryWindowOptions` operation to review available delivery window

options for each shipment. To make this call, you must the `shipmentID` . A successful response provides the `startDate` and `endDate` for each available delivery window and the level of congestion (`availabilityType`) for each option.



Important

You must confirm transportation options for all shipment types. For non-Amazon partnered shipments, you must also specify a delivery window.

Each option has an expiration date (`validUntil`). You must confirm the delivery before this date. If you don't confirm the window by the `validUntil` date, you must generate a new window using `listDeliveryWindowOptions` .

Use the `getShipment` operation to review shipment details within an inbound plan. To call

`getShipment` , you need to pass the inbound plan ID and shipment ID. A successful response includes the following:

- Placement option ID
- Shipment confirmed ID (the ID that shows up on labels)
- Shipment ID (the identifier for a shipment prior to the `confirmPlacementOption` operation)
- Amazon reference ID (identifier for scheduling fulfillment center appointments for truck deliveries)
- Selected transportation option ID
- Name
- Source
- Destination FC
- Ship date
- Estimated delivery date
- Status
- Tracking details
- Pallet information
- Contact information
- Destination region

- FC appointment details



Note

If you select a partnered carrier, that is, `destinationType` is `AMAZON_OPTIMIZED`, then the destination fulfillment center address may differ from the actual address, or this field may be empty.

Select shipping option

Use the

`confirmPlacementOption` operation. Use this operation to select the placement option and create confirmed shipment IDs within the inbound plan. The `shipmentConfirmationID` is the shipment identifier that appears on labels (for example, `FBA1234ABCD`). This ID differs from the initial shipment ID generated by `createInboundPlan`.

This option cannot be reversed after it is selected. To call `confirmPlacementOption`, you must pass the inbound plan ID and the selected placement option ID.



Note

Transportation quotes are only returned for PCP-associated options. Expiry date and void window are only returned for transportation options that are confirmed with `confirmTransportationOptions`.



Note

`createInboundPlan` generates initial shipment IDs for the shipments in each inbound plan. These IDs are different

from the
shipmentConfirmation
IDs
that
confirmationPlacementOption
generates.
The
shipmentConfirmation
ID
is the
identifier
that is
present on
labels (for
example,
FBA1234ABCD
). You can
retrieve both
types of
shipment IDs
with the
getShipment
operation.

Select transportation options

Call the [confirmDeliveryWindowOptions](#) operation.
To call this operation, pass the `shipmentID` and `deliveryWindowOptionId` (provided by `listDeliveryWindowOptions`).

You must confirm a placement option for the shipment before you call this operation. After you confirm the delivery window, new delivery window options cannot be generated. However, you can update the selected delivery window option before shipment closure. For all transportation options that have the program

`DELIVERY_WINDOW_REQUIRED`,

you must confirm a delivery window before you confirm the transportation option. If you need to update your delivery window after you confirm the transportation option, you can call

`confirmDeliveryWindow`.

! Important

For non-partnered carrier shipments, you must confirm the anticipated delivery window using the `confirmTransportationOptions` operation before you

book your
fulfillment
center
appointment
.

You must ask
your non-
partnered
carrier to
book an
fulfillment
center
appointment
that is within
the
anticipated
delivery
window. If
the
fulfillment
center
appointment
date does
not fall
within the
delivery
window, you
can call the
`confirmDel
iveryWindo
w`

to select
another
delivery
window that
does contain
the
fulfillment
center
appointment
date.

Use the
`confirmTransportati
onOptions` operation
to select transportation

options for each shipment. For Amazon-partnered transportation options, this operation confirms that you accept the Amazon-partnered shipping estimate, agree to allow Amazon to charge your account for the shipping cost, and request that the Amazon-partnered carrier ship the inbound shipment. Prior to this call, you must confirm a placement option for your inbound plan. To call

`confirmTransportationOptions`, you must pass the shipment ID, select the transportation option ID, contact information (needed for partnered carriers for LTL shipments), and estimated delivery date. The estimated delivery date (delivery window) is a requirement for non-partnered carrier options and should not be populated for partnered carrier options. After a transportation option is confirmed, new transportation options cannot be generated or confirmed for an inbound plan.

Cancel a shipment

If you confirm the transportation request, then decide that you don't want the Amazon-partnered carrier to ship the inbound shipment, you can call

`cancelInboundPlan`

to cancel the transportation request.

You can void Small parcel shipment requests within 24 hours of confirmation. For Less than truckload / Full Truckload (LTL/FTL) shipments, you have one hour after confirming a transportation request to void the request. After these time periods expire, your account is charged for the shipping cost.

Print labels

Call the `getLabels` operation to generate unique shipping labels. Each shipping label returned by the `getLabels` operation should be affixed to the package in the shipment that it corresponds to, so the labels indicate the package contents. This helps to ensure that your shipment is processed at the Amazon fulfillment center quickly and accurately.



Warning

The value of `shipmentId` in the `getLabels` request must be the `shipmentId` (from v0) or the `shipmentConfirmationId` (from v2024-03-20). Do not use the `shipmentId` from v2024-03-20.

To print labels for a specific box, specify the `boxID` from the `listShipmentBoxes` response as the `PackageLabelsToPrint` value.

Retrieving carton labels with `getLabels` does not change the shipment status to `ready_to_ship`. For a shipment status to become `ready_to_ship`, you must generate labels on Send to Amazon.

Information included on shipping labels

In all circumstances, the [getLabels](#)

operation returns shipping labels that include a unique bar code and Package ID (the string located directly under the bar code). Depending on the contents of the packages in your shipments, the labels can also include an ASIN and an expiration date.

Shipping labels include an ASIN and an expiration date in either of the following situations:

- Every item in the shipment shares the same ASIN and expiration date.
- The shipment includes multiple ASINs, but every package in the shipment contains items that share the same ASIN and expiration date.

Shipping labels include an ASIN and no expiration date in either of the following situations:

- Every item in the shipment shares the same ASIN. The ASIN does not have an expiration date.
- The shipment includes multiple ASINs, but every package in the

shipment contains items that share the same ASIN. The ASINs do not have expiration dates.

Shipping labels do not include an ASIN or an expiration date when the shipment contains at least one package with items that do not share the same ASIN and expiration date.



Construct a unique barcode for small parcel shipments

For small parcel shipments, the shipping label for each package should have a unique barcode. This helps ensure that your shipment is processed in a timely manner when it reaches Amazon's fulfillment network. To construct unique barcode values for each package

in a shipment, do the following:

1. Append

U and

000001

in the shipment ID to get the barcode value for the first package in the shipment.

2. To get the barcode values for each successive package in the shipment, increment the trailing numerical value of the previous package by one.

For example, If you have three packages in a shipment with a Shipment ID value of

FBA1MMD
8D0

, your
three
barcode
values
would be

FBA1MMD
8D0U000
001

,

FBA1MMD
8D0U000
002

, and

FBA1MMD
8D0U000
003

. A box
label
identified
with its
own
unique
numerical
identifier
must
follow the
6-digit
number
format
after U,
printed
and
affixed to
each
carton
you send
to a
fulfillment
center (for
example,
U000001 ,
U000002 ,
U000003
).

Send your shipments to Amazon's fulfillment network

Ship your packages using either an Amazon-partnered or non-partnered carrier that is registered with Amazon. For more information about sending shipments to Amazon's fulfillment network, refer to the [Seller Central Help](#) for your marketplace.

As you prepare your shipment, you can retrieve all of the box-level information that you have entered for an inbound plan with the `listInboundPlanBoxes` operation.


Providing tracking information

After sending a shipment to Amazon's fulfillment network using a non-partnered carrier, you must share the tracking ID using the `updateShipmentTrackingDetails` operation.

To call this operation, you must pass the shipment ID and tracking details for

your less-than-truckload or small parcel shipment. For less-than-truckload shipments, you must provide a Carrier Shipment Reference (PRO) number (also known as Freight Bill number) and optionally provide a Bill of Lading (BOL) number. For small parcel shipments, you must provide an array of box IDs and associated tracking IDs.

 Updated 19 days ago



Did this page help you?
 Yes  No