

Create, edit, and publish A+ content

Home

Documentation

<> API Reference

Code Samples

Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Terminology

Frequently Asked Questions >

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

Create, edit, and publish A+ content

Learn how to create a new content document, add ASINs to the content document, and get the content document approved for publication.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you are making calls. For more information, refer to [Authorizing Selling Partner API applications](#).
- The [Product Listing](#) role assigned to your developer profile.
- The [Product Listing](#) role selected in the app registration page for your application.
- One or more ASINs for which you want to publish content.
- Content that you want to publish.

Step 1. Determine which content documents are published to an ASIN

Call the [searchContentPublishRecords](#) operation.

To get the content documents and metadata for the records that are returned, use the [getContentDocument](#) operation and pass in the `contentReferenceKey` value.

Step 2. Get all of the content documents that the selling partner created

Call the [searchContentDocuments](#) operation.

To get the content documents for the records that are returned, call the [getContentDocument](#) operation and pass in the `contentReferenceKey` value.

Step 3. Create a content document

To create a content document, complete the following tasks:

1. [Construct a JSON content document](#)
2. [Create upload destinations for images](#)
3. [Upload images](#)
4. [Submit the content document for validation](#)
5. [Create a content document](#)
6. [Add ASINs to the content document](#)

Step 3a. Construct a JSON content document

Content documents are composed of one or more content modules. Content documents for selling partners can contain up to seven modules; content documents for vendors can contain up to five content modules.

SP-API Vendor Use Cases	
Seller Central URLs	
Vendor Central URLs	
REGISTRATION	
SP-API Registration Overview	>
Developer Registration Request Status	
Third-Party Provider Registration	>
Service Provider Registration and Role Approval Process Overview	
Website Guidelines for Public Developers and Service Providers	
User Permissions for Service Providers	
Register your Application	
Update your Application Information	
Rotate your Application's LWA Credentials	>
View your Application Information and Credentials	
Learn How Sellers Authorize Service Providers	
Selling Partner API Roles	>
Policies and Agreements	
About Facial Data	
AUTHORIZATION	
Authorize Applications	>
Renew Authorizations	
Revoke Authorizations	
Authorization Limits	
Special Authorization Types	>
INTEGRATION	
Building Robust Amazon SP-API Applications	
SP-API SDKs	>

ContentDocument definition:

Parameter	Description	Required
name	The A+ content document name. minLength: 1 maxLength: 100 Type: string	Yes
contentType	The A+ content document type. Type: ContentType	Yes
contentTypeSubType	The A+ content document subtype. This represents a special-purpose type of an A+ content document. Not every A+ content document type will have a subtype, and subtypes can change at any time. Type: ContentSubType	No
locale	The IETF language tag. This only supports the primary language subtag with one secondary language subtag. The secondary language subtag is almost always a regional designation. This does not support additional subtags beyond the primary and secondary subtags. Pattern: <code>^[a-z]{2,}-[A-Z0-9]{2,}\$</code> Type: [LanguageTag]	Yes
contentModuleList	A list of A+ content modules. Type: ContentModuleList	Yes

contentDocument example:

```
JSON
{
  "contentDocument": {
    "name": "Example content document",
    "contentType": "EMC",
    "locale": "en-US",
    "contentModuleList": [
      {
        "contentModuleType": "STANDARD_HEADER_IMAGE_TEXT",
        "standardHeaderImageText": {
          "headline": {
            "value": "Lorem ipsum",
            "decoratorSet": []
          },
          "block": {
            "image": {
              "uploadDestinationId": "SampleID",
              "imageCropSpecification": {
                "size": {
                  "width": {
                    "value": 970,
                    "units": "pixels"
                  },
                  "height": {
                    "value": 600,
                    "units": "pixels"
                  }
                }
              },
              "offset": {
                "x": {
                  "value": 7,
                  "units": "pixels"
                },
                "y": {
                  "value": 0,
                  "units": "pixels"
                }
              }
            }
          }
        }
      ]
    }
  }
}
```

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

Call Structure

Development Tools

Performance Management

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

```
}
},
"altText": "Lorem ipsum"
},
"headline": {
  "value": "Nunc faucibus neque auctor faucibus pretium.",
  "decoratorSet": []
},
"body": {
  "textList": [
    {
      "value": "Lorem ipsum dolor sit amet, consectetur
adipiscing elit. Nunc faucibus neque auctor faucibus pretium. Quisque sed
blandit nunc. Pellentesque malesuada lorem vitae justo efficitur viverra.",
      "decoratorSet": []
    }
  ]
}
}
```

Step 3b. Create upload destinations for images

Call the [createUploadDestinationForResource](#) operation of the [Uploads API v2020-11-01](#).

Save the `uploadDestinationId` value to include in your content document in [Submit the content document for validation](#). Save the `url` value for the following step.

Step 3c. Upload images

Make a POST request. Use the query parameters you received from the `url` property in the previous step as the body parameters, and add a `FILE` element in the body with the binary content.

 **Important**
Images must comply with [Amazon's product image requirements](#).

Example cURL command:

```
cURL
curl --location 'https://aplus-media.s3.amazonaws.com/' \
--form 'x-amz-date="20250807T113906Z"' \
--form 'x-amz-signature="41b275ef9e9407d832017688bfdaf007db20c99b1479505828def18bc2ea7e66"' \
--form 'x-amz-meta-owner="A2ZPJ4TLU0SWY8"' \
--form 'acl="private"' \
--form 'key="sc/d720ca75-1684-487e-842c-304f76feab19.jpg"' \
--form 'x-amz-algorithm="AWS4-HMAC-SHA256"' \
--form 'policy="eyJjb25kaXRpb25zIjpbeyJidWNRZXQiOiJhcGx1cy1tZWRpYSJ9LHsia2V5Ijoic2MvZD' \
--form 'x-amz-credential="AKIA4RS5ZVVLU7VJFQ0L/20250807/us-east-1/s3/aws4_request"' \
--form 'File=@"/Users/regbatis/Downloads/Image1.jpeg"'
```

Confirm that you received a 2xx status code in the response. The 2xx status code indicates a successful image file upload.

Step 3d. Submit the content document for validation

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors ➤

Listings Items API Issues Troubleshooting ➤

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide ➤

Call the `validateContentDocumentAsinRelations` operation.

Note

If your content document includes images, add the `uploadDestinationId` value that you received in [Create upload destinations for images](#) to your content document.

Check for errors in the response. If you receive an error, correct the error and retry. Repeat until you receive no errors.

Note

A 200 status code in the response indicates that Amazon ran a validation on your content document. This status code does not indicate that your content document passed validation. Your content document passes validation when the `validateContentDocumentAsinRelations` operation returns no errors.

Step 3e. Create a content document

Call the `createContentDocument` operation.

Step 3f. Add ASINs to the content document

Call the `postContentDocumentAsinRelations` operation.

Step 4. Get the content document approved for publication

To submit your content document, call the `postContentDocumentApprovalSubmission` operation.

Check for warnings and errors in the response. If you receive a warning or error, correct and retry. Repeat until you receive no warnings errors.

To check your submission status, call the `getContentDocument` operation and check the `status` property. Possible `status` values are:

- **APPROVED** : The content is approved and published to the applied ASINs.
- **REJECTED** : The content is rejected during review. Revise the content based on the provided rejection reasons and resubmit.
- **DRAFT** : The content is not yet submitted for approval. Wait a minimum of one hour and resubmit.
- **SUBMITTED** : The content is submitted for approval and is currently in review. Wait a minimum of one hour and resubmit.

Note

Call the `getContentDocument` operation no more than once an hour for each content document that you check for approval status.

 Updated 19 days ago

[← A+ Content API](#)

[Manage A+ content →](#)

Did this page help you?  Yes  No

[Policies and Agreements](#)

VAT Calculation Service



[Privacy notice](#) | [Conditions of use](#)

Amazon Seller Data Access

Best Practices



A+ CONTENT API

A+ Content API



Create, edit, and publish A+ content

Manage A+ content

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API



Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API



Create and onboard an app notification template

Sample sandbox notification templates

Send an app notification

Record app notification feedback

Delete app notifications

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide
Data Kiosk Query Processing Finished Notification
Building Data Kiosk workflows guide
Vendor Analytics Dataset Use Case Guide
Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors
External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices
Feeds API FAQ
Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

