

Delegate authorization to access PII 

English

 Home Documentation

< > API Reference

 Code Samples Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

[Welcome to SP-API Documentation](#)[What is the Selling Partner API?](#)[Selling Partner API Onboarding Overview](#) >[Terminology](#)[Frequently Asked Questions](#) >

Delegate authorization to access PII

Learn how to use the Tokens API to delegate authorization to access PII.

Learn how to use the Tokens API to delegate authorization to access PII. You can delegate authorization to call restricted operations to a "delegatee application," which is an application that performs a specialized function for a selling partner (such as shipping, tax invoicing, or tax remittance services) but is not directly authorized by the selling partner. You delegate authorization in this way by

1. Calling the [createRestrictedDataToken](#) operation of the Tokens API (specifying the application ID of

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

the delegatee application),

2. Getting an RDT from the `createRestrictedDataToken`

response, and

3. Passing the RDT to the delegatee application.

The RDT authorizes the delegatee application to call restricted operations that return the PII required to perform functions on behalf of the selling partner.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you are making calls. Refer to [Authorizing Selling Partner API applications](#) for more information.
- To have indicated in the **App registration** form that you want to delegate access to PII to another application. For instructions for updating the **App registration** form, refer to [Registering your application](#). Indicate in the form the types of

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

PII that you want to delegate.

- The order ID for an order that requires shipping or tax functionality.
- A partnership with a developer with a delegatee application.
- The application ID of the delegatee application.
- A secure means to transmit an RDT and an order ID to a delegatee application.

In addition, the developer with the delegatee application in [Step 3. The delegatee application calls the `getOrder` operation](#) will need to:

- [Register as a developer](#), requesting approval for the roles that are required to access buyer information and shipping address information. These are:
 - **Direct-to-consumer shipping.** Required to access shipping

Delete an Application From Your Developer Account

address
information.

CALLING THE SP-API

Configuration Details >

- **Tax remittance.**
Required to access buyer information.

Call Structure >

- **Tax invoicing.**
Required to access buyer information.

Development Tools >

For more information about roles, refer to [Roles in the Selling Partner API](#).

Performance Management >

Step 1. Get an RDT

Call the `createRestrictedDataToken` operation to get an RDT. In the `path` property of the `restrictedResources` parameter, include the order ID of the order for which PII is required. In this workflow we will specify both the `buyerInfo` and `shippingAddress` values of the `dataElements` parameter. This indicates that the RDT should include authorization to access PII for use cases such as tax and shipping. In your own workflow you might specify only one value, depending on

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide 

the PII your use case requires.

1. Call the `createRestrictedDataToken` operation.
2. Save the `restrictedDataToken` value (the RDT) to provide to the delegatee application in the following step.

Step 2. Pass the RDT and order ID to the delegatee application

Securely transmit the RDT and order ID to the delegatee application. The application will use these when calling the `getOrder` operation in the following step.

Step 3. The delegatee application calls the `getOrder` operation



Note

This is a restricted operation and requires a Restricted Data Token (RDT) for

authorization
 . Some
 operations
 require
 restrictions
 because they
 contain
 customer PII
 data. These
 operations
 require
 passing an
 additional
 security
 review. For
 more
 information
 on RDT, refer
 to the [Tokens
 API](#) guide.

VAT Calculation Service

>

Amazon Seller Data Access

Best Practices

>

The delegatee
 application calls the
`getOrder` operation
 of the Orders API,
 specifying in the path
 the order ID from [Step
 2. Pass the RDT and
 order ID to the
 delegatee application.](#)

The call must include
 the RDT (also from Step
 2) in the `x-amz-
 access-token` header
 of the call. Because
 both `buyerInfo` and
`shippingAddress`
 were specified in [Step
 1. Get an RDT](#), the call
 to `getOrder` returns
 both buyer information
 and shipping address
 information for the
 order.

A+ CONTENT API

A+ Content API

>

1. The delegatee
 application calls

A+ Content Examples

the `getOrder` operation.

AMAZON WAREHOUSING AND DISTRIBUTION API

2. The delegatee application uses the data in the response to perform its shipping and tax functions.

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

🕒 Updated 19 days ago

APP INTEGRATIONS API

App Integrations API >

Get authorization to access PII for order items in an order Get authorization to access shipment information for multiple shipments

APPLICATION MANAGEMENT API

Application Management API >

Did this page help you?
👍 Yes 🗨 No

CATALOG ITEMS API

Catalog Items API >

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API



Tutorial: Retrieve and Pass a Purchase Order Number 
to a Carrier

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API



PRODUCT PRICING API

Product Pricing API



Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API



REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

Get authorization to access restricted report types with PII information

Get authorization to access PII for bulk orders

Get authorization to access PII for order items in an order

[Delegate authorization to access PII](#)

Get authorization to access shipment information for multiple shipments

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

