

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

Developer Registration Request Status

Third-Party Provider Registration

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications

Renew Authorizations

Revoke Authorizations

Authorization Limits

Description

Returns transactions for the given parameters. Financial events might not include orders from the last 48 hours.

Usage plan:

Rate (requests per second)	Burst
0.5	10

The `x-amzn-RateLimit-Limit` response header returns the usage plan rate limits that were applied to the requested operation, when available. The preceding table contains the default rate and burst values for this operation. Selling partners whose business demands require higher throughput may have higher rate and burst values than those shown here. For more information, refer to [Usage Plans and Rate Limits](#).

Parameters

Type	Name	Description	Schema
Query	<code>postedAfter</code> <i>optional</i>	The response includes financial events posted on or after this date. This date must be in ISO 8601 date-time format. The date-time must be more than two minutes before the time of the request. This field is required if you do not specify a related identifier.	string (date-time)
Query	<code>postedBefore</code> <i>optional</i>	The response includes financial events posted before (but not on) this date. This date must be in ISO 8601 date-time format. The date-time must be later than <code>PostedAfter</code> and more than two minutes before the request was submitted. If <code>PostedAfter</code> and <code>PostedBefore</code> are more than 180 days apart, the response is empty. Default: Two minutes before the time of the request.	string (date-time)
Query	<code>marketplaceId</code> <i>optional</i>	The identifier of the marketplace from which you want to retrieve transactions. The marketplace ID is the globally unique identifier of a marketplace. To find the ID	string

Building Robust Amazon SP-API Applications

SP-API SDKs

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

Call Structure

Development Tools

Performance Management

>

SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK
- Tutorial: Automate your SP-API Calls Using a Java SDK
- Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js
- Tutorial: Automate your SP-API Calls Using a Python SDK
- Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
- Tutorial: Automate your SP-API Calls using prebuilt Java SDK
- Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
- Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
- Tutorial: Automate your SP-API calls using a prebuilt Python SDK
- Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
- Tutorial: Retrieve Merchant Shipping Templates
- Tutorial: Grant the SP-API Permission to an Amazon SQS Queue
- Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

- Troubleshoot SP-API Errors
- URL Encoding
- Resolve Common HTTP and Authorization Error Codes
- External Fulfillment Errors 
- Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore
- Edit Your Appstore Listing

Type	Name	Description	Schema
		next page of results, call the operation with this token and include the same arguments as the call that produced the token. To get a complete list, call this operation until <code>nextToken</code> is null. Note that this operation can return empty pages.	

Responses

HTTP Code	Description	Schema
200	Success. Headers : <code>x-amzn-RateLimit-Limit</code> (string) : Your rate limit (requests per second) for this operation. <code>x-amzn-RequestId</code> (string) : Unique request reference identifier.	ListTransactionsResponse

For error status codes, descriptions and schemas, see [Error responses and schemas](#).

Error Responses and Schemas

This table contains HTTP status codes and associated information for error responses.

HTTP Code	Description	Schema
400	Request has missing or invalid parameters and cannot be parsed. Headers: <code>x-amzn-RateLimit-Limit</code> (string):Your rate limit (requests per second) for this operation. <code>x-amzn-RequestId</code> (string):Unique request reference identifier.	ErrorList
403	Indicates that access to the resource is forbidden. Possible reasons include Access Denied, Unauthorized, Expired Token, or Invalid Signature. Headers: <code>x-amzn-RequestId</code> (string):Unique request reference identifier.	ErrorList
404	The resource specified does not exist. Headers: <code>x-amzn-RateLimit-Limit</code> (string):Your rate limit (requests per second) for this operation. <code>x-amzn-RequestId</code> (string):Unique request reference identifier.	ErrorList

Check Listing Status
Appstore Ratings and Reviews
Press Releases and Promotions
SERVICE PROVIDER NETWORK
List Your Service
SECURITY AND COMPLIANCE
SP-API Security and Compliance Overview
Amazon Selling Partner API Guard Implementation Guide

HTTP Code	Description	Schema
413	The request size exceeded the maximum accepted size. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
415	The request payload is in an unsupported format. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
429	The frequency of requests was greater than allowed. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
500	An unexpected condition occurred that prevented the server from fulfilling the request. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList
503	Temporary overloading or maintenance of the server. Headers: x-amzn-RequestId (string):Unique request reference identifier.	ErrorList

VAT Calculation Service

Definitions

ListTransactionsResponse

The response schema for the listTransactions operation.

Name	Description	Schema
payload optional	The payload for the listTransactions operation.	TransactionsPayload

Amazon Seller Data Access
Best Practices

TransactionsPayload

The payload for the listTransactions operation.

Name	Description	Schema
nextToken optional	The response includes nextToken when the number of results exceeds the specified pageSize value. To get the next page of results, call the operation with this token and include the same arguments as the call that produced the token. To get a complete list, call this operation until nextToken is null. Note that this operation can return empty pages.	string

A+ CONTENT API

A+ Content API

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API

APPLICATION MANAGEMENT API

Application Management API

CATALOG ITEMS API

Catalog Items API

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API

Name	Description	Schema
transactions <i>optional</i>	A list of transactions within the specified time period.	Transactions

Transactions

A list of transactions within the specified time period.

Type : < [Transaction](#) > array

Transaction

All the information related to a transaction.

Name	Description	Schema
sellingPartnerMetadata <i>optional</i>	Metadata that describes the seller.	SellingPartnerMetadata
relatedIdentifiers <i>optional</i>	Identifiers related to the transaction, such as order and shipment IDs.	RelatedIdentifiers
transactionType <i>optional</i>	The type of transaction. Possible value: Shipment	string
transactionId <i>optional</i>	The unique identifier of the transaction.	string
transactionStatus <i>optional</i>	The status of the transaction. Possible values: DEFERRED : the transaction is currently deferred. RELEASED : the transaction is currently released. DEFERRED_RELEASED : the transaction was deferred in the past, but is now released. The status of a deferred transaction is updated to DEFERRED_RELEASED when the transaction is released.	string

Data Kiosk Schema Explorer User Guide	
Data Kiosk Query Processing Finished Notification	
Building Data Kiosk workflows guide	
Vendor Analytics Dataset Use Case Guide	
Schedule Data Kiosk Queries	
DELIVERY BY AMAZON API	
Delivery by Amazon API	>
EASY SHIP API	
Easy Ship API	>
EXTERNAL FULFILLMENT	
External Fulfillment Inventory API	>
External Fulfillment Returns API	>
External Fulfillment Shipping API	>
External Fulfillment Errors	
External Fulfillment APIs Rate Limits	
FULFILLMENT BY AMAZON (FBA)	
FBA Inventory API	>
FBA Inventory Dynamic Sandbox Guide	
FEEDS API	
Feeds API	>
Feed Type Values	>

Name	Description	Schema
description <i>optional</i>	Describes the reasons for the transaction. Example: 'Order Payment', 'Refund Order'	string
postedDate <i>optional</i>	The date and time when the transaction was posted.	Date
totalAmount <i>optional</i>	The total amount of money in the transaction.	Currency
marketplaceDetails <i>optional</i>	Information about the marketplace where the transaction occurred.	MarketplaceDetails
items <i>optional</i>	Additional information about the items in the transaction.	Items
contexts <i>optional</i>	Additional Information about the transaction.	Contexts
breakdowns <i>optional</i>	A list of breakdowns that detail how the total amount is calculated for the transaction.	< Breakdown > array

BigDecimal

A signed decimal number.

Type : number

Currency

A currency type and amount.

Name	Description	Schema
currencyCode <i>optional</i>	The three-digit currency code in ISO 4217 format.	string
currencyAmount <i>optional</i>	The monetary value.	BigDecimal

SellingPartnerMetadata

Metadata that describes the seller.

- Feeds JSON Schemas
- Feeds API Best Practices
- Feeds API FAQ
- Feeds API Rate Limits

FINANCES

- Finances API
 - Get the latest transactions
 - Determine payment transactions
 - Retrieve the amount and status of a payment
 - Retrieve your current balance
 - Retrieve the financial events that make up a financial event group
 - List Transactions Associated with an Order
 - Finances API v2024-06-19 Reference

- Transfers API

FULFILLMENT INBOUND API

- Fulfillment Inbound API

- Fulfillment Inbound API FAQ
- Migrating Fulfillment Inbound workflows
- Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

- Fulfillment Outbound Dynamic Sandbox Guide
- Fulfillment Outbound API

Name	Description	Schema
sellingPartnerId <i>optional</i>	A unique seller identifier.	string
accountType <i>optional</i>	The type of account in the transaction.	string
marketplaceId <i>optional</i>	The identifier of the marketplace where the transaction occurred. The marketplace ID is the globally unique identifier of a marketplace. To find the ID for your marketplace, refer to Marketplace IDs .	string

RelatedIdentifier

Related business identifier of the transaction.

Name	Description	Schema
relatedIdentifierName <i>optional</i>	An enumerated set of related business identifier names.	enum (RelatedIdentifierName)
relatedIdentifierValue <i>optional</i>	Corresponding value of RelatedIdentifierName .	string

RelatedIdentifiers

Related business identifiers of the transaction.

Type : < [RelatedIdentifier](#) > array

Date

A date in [ISO 8601](#) date-time format.

Type : string (date-time)

MarketplaceDetails

Information about the marketplace where the transaction occurred.

Name	Description	Schema
marketplaceId <i>optional</i>	The identifier of the marketplace where the transaction occurred. The marketplace ID is the globally unique identifier of a marketplace. To find the ID for your marketplace, refer to Marketplace IDs .	string
marketplaceName <i>optional</i>	The name of the marketplace where the transaction occurred. For example: Amazon.com , Amazon.in	string

Items

A list of items in the transaction.

Type : < [Item](#) > array

Item

Additional information about the items in a transaction.

Name	Description	Schema
description <i>optional</i>	A description of the items in a transaction.	string
relatedIdentifiers <i>optional</i>	Related business identifiers of the item.	ItemRelatedIdentifiers
totalAmount <i>optional</i>	The total monetary amount of the item.	Currency .
breakdowns <i>optional</i>	A list of breakdowns that detail how the total amount is calculated for the transaction.	< Breakdown > array
contexts <i>optional</i>	Additional Information about the item.	Contexts

ItemRelatedIdentifier

Related business identifiers of the item.

Name	Description	Schema
itemRelatedIdentifierName <i>optional</i>	Enumerated set of related item identifier names for the item.	enum (ItemRelatedIdentifierName)
itemRelatedIdentifierValue <i>optional</i>	Corresponding value to Item RelatedIdentifierName .	string

ItemRelatedIdentifiers

Related business identifiers of the item in the transaction.

Type : < [ItemRelatedIdentifier](#) > array

Breakdown

Details about the movement of money in the financial transaction. Breakdowns are further categorized into breakdown types, breakdown amounts, and further breakdowns.

Name	Description	Schema
breakdownType <i>optional</i>	The type of charge.	string
breakdownAmount <i>optional</i>	The monetary amount of the charge.	Currency .
breakdowns <i>optional</i>	A list of breakdowns that detail how the total amount is calculated for the transaction.	< Breakdown > array

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API

Invoices API FAQ

LISTINGS

Listings Items API

Contexts

A list of additional information about the item.

Type : < [Context](#) > array

Context

Additional Information about the item.

Polymorphism : Composition

Name	Description	Schema
contextType <i>required</i>	-	string
storeName <i>optional</i>	The store name associated with the transaction.	enum (StoreName)
orderType <i>optional</i>	The transaction's order type.	string
channel <i>optional</i>	Channel details of related transaction.	string
asin <i>optional</i>	The Amazon Standard Identification Number (ASIN) of the item.	string
sku <i>optional</i>	The Stock Keeping Unit (SKU) of the item.	string
quantityShipped <i>optional</i>	The quantity of the item shipped.	integer (int32)
fulfillmentNetwork <i>optional</i>	The fulfillment network of the item.	string
paymentType <i>optional</i>	The type of payment.	string
paymentMethod <i>optional</i>	The method of payment.	string
paymentReference <i>optional</i>	The reference number of the payment.	string
paymentDate <i>optional</i>	The date of the payment.	Date
deferralReason <i>optional</i>	The deferral policy applied to the transaction. Examples: B2B (invoiced orders), DD7 (delivery date policy)	string
maturityDate <i>optional</i>	The release date of the transaction.	Date
startTime <i>optional</i>	The start time of the transaction.	Date

Listings Items API Rate Limits	
Listings Restrictions API	>
Listings Restrictions API Rate Limits	
Manage Product Listings with the Selling Partner API	
Building Listings Management Workflows Guide	
Understanding Amazon listing status and seller-fulfilled inventory management	
Listings Management Workflow Migration	>
Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases	
Listings APIs FAQ	
Product Type Definitions API	>
Product Type Definitions API Rate Limits	
MERCHANT FULFILLMENT API	
Merchant Fulfillment API	>
MESSAGING API	
Messaging API	>
NOTIFICATIONS API	
Notifications API	>

Name	Description	Schema
endTime <i>optional</i>	The end time of the transaction.	Date

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification

ORDERS API

Orders API

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API

PRODUCT PRICING API

Product Pricing API

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API

ProductContext

Additional information related to the product.

Name	Description	Schema
asin <i>optional</i>	The Amazon Standard Identification Number (ASIN) of the item.	string
sku <i>optional</i>	The Stock Keeping Unit (SKU) of the item.	string
quantityShipped <i>optional</i>	The quantity of the item shipped.	integer (int32)
fulfillmentNetwork <i>optional</i>	The fulfillment network of the item.	string

AmazonPayContext

Additional information related to Amazon Pay.

Name	Description	Schema
storeName <i>optional</i>	The name of the store that is related to the transaction.	string
orderType <i>optional</i>	The transaction's order type.	string
channel <i>optional</i>	Channel details of related transaction.	string

PaymentsContext

Additional information related to payments-related transactions.

Name	Description	Schema
paymentType <i>optional</i>	The type of payment.	string
paymentMethod <i>optional</i>	The method of payment.	string
paymentReference <i>optional</i>	The reference number of the payment.	string
paymentDate <i>optional</i>	The date of the payment.	Date

DeferredContext

Additional information related to deferred transactions.

REPORTS API
Reports API

>

Name	Description	Schema
deferralReason <i>optional</i>	The deferral policy applied to the transaction. Examples: B2B (invoiced orders), DD7 (delivery date policy)	string
maturityDate <i>optional</i>	The release date of the transaction.	Date

BusinessContext

Information about the line of business associated with a transaction.

Report Type Values

>

Name	Description	Schema
storeName <i>optional</i>	The store name associated with the transaction.	enum (StoreName)

TimeRangeContext

Additional information that is related to the time range of the transaction.

Name	Description	Schema
startTime <i>optional</i>	The start time of the transaction.	Date
endTime <i>optional</i>	The end time of the transaction.	Date

ErrorList

A list of error responses returned when a request is unsuccessful.

Name	Description	Schema
errors <i>required</i>	The error responses that are returned when the request is unsuccessful.	< Error > array

Reports JSON Schemas
Reports API FAQ

↗

Error

An error response returned when the request is unsuccessful.

SALES API
Sales API

>

Name	Description	Schema
code <i>required</i>	An error code that identifies the type of error that occurred.	string
message <i>required</i>	A message that describes the error condition.	string
details <i>optional</i>	Additional details that can help the caller understand or fix the issue.	string

SELLER WALLET API
Seller Wallet API

>

StoreName

The store name associated with the transaction.

Seller Wallet API Rate Limits

Type : enum

SELLERS API

Sellers API



Value	Description
AMAZON_HAUL	-

RelatedIdentifierName

An enumerated set of related business identifier names.

Type : enum

SERVICES API

Services API



Value	Description
ORDER_ID	The <code>OrderId</code> that is associated with the transaction.
SHIPMENT_ID	The <code>ShipmentId</code> that is associated with the transaction.
FINANCIAL_EVENT_GROUP_ID	The identifier that is associated with the transaction's financial event group.
REFUND_ID	The <code>RefundId</code> that is associated with the transaction.
INVOICE_ID	The <code>InvoiceId</code> that is associated with the transaction.
DISBURSEMENT_ID	The disbursement ID for Amazon's bank transfer.
TRANSFER_ID	The <code>TransferId</code> associated with the transaction.
DEFERRED_TRANSACTION_ID	The transaction ID for the related deferred transaction
RELEASE_TRANSACTION_ID	The transaction ID for the related released transaction
SETTLEMENT_ID	The identifier that is associated with the transaction's settlement group.

SHIPMENT INVOICING API

Shipment Invoicing API



SHIPPING API

Shipping API v2 Resources

Shipping API v1 Reference



SOLICITATIONS API

Solicitations API



SUPPLY SOURCES API

Supply Sources API



ItemRelatedIdentifierName

Enumerated set of related item identifier names for the item.

Type : enum

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API



Value	Description
ORDER_ADJUSTMENT_ITEM_ID	An Amazon-defined order adjustment identifier defined for refunds, guarantee claims, and chargeback events.
COUPON_ID	An identifier for a coupon that is applied to a transaction.
REMOVAL_SHIPMENT_ITEM_ID	An identifier for an item in a removal shipment.
TRANSACTION_ID	The transaction ID of the item.

Did this page help you? [👍 Yes](#) [👎 No](#)

UPLOADS API

Uploads API >

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

**VENDOR RETAIL PROCUREMENT TRANSACTION STATUS
API**

Vendor Retail Procurement Transaction Status API >

