

GET STARTED

- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview

- Terminology
- Frequently Asked Questions

CHANGELOG

- SP-API Release Notes
- SP-API Deprecation Schedule

Fulfill seller-fulfilled Prime and non-Prime orders

Learn how to use the Merchant Fulfillment API to fulfill seller-fulfilled Prime and non-Prime orders.

Learn how to use the Merchant Fulfillment API to fulfill seller-fulfilled Prime and non-Prime orders. This workflow is meant to supplement an order fulfillment system. The order fulfillment system retrieves scheduled order reports that use the Reports service. Incoming orders that are not fulfilled using the workflow described here must be fulfilled by the seller using a different method.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you are making calls. For more information, refer to [Authorizing Selling Partner API applications](#).
- The [Direct-to-Consumer Shipping \(Restricted\)](#) role assigned to your developer profile.
- The [Direct-to-Consumer Shipping \(Restricted\)](#) role selected in the app registration page for your application.
- Sellers who use an application that you develop based on this workflow must add the following columns to their order reports. To add this data, sellers can use the optional columns area of the **Add or remove order report columns** in Seller Central.
 - Incoming XML order reports must contain `IsPrime` and `LatestShipDate`.
 - Incoming flat file order reports must contain `is-prime` and `latest-ship-date`.

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Step 1. Identify orders and retrieve information

Identify new orders by monitoring `ORDER_CHANGE` notifications. To subscribe to this notification, refer to [Tutorial: Subscribe to the ORDER_CHANGE Notification](#). Alternatively, you can identify new orders from incoming order reports.

Retrieve the order information through the Orders API. Prime orders have the `IsPrime` attribute marked as `true`. Make sure that the `FulfillmentChannels` attribute is `MFN`.

Do not use the `FulfillmentServiceLevel` attribute or the `ship-service-level` column in order reports to identify Prime orders.

Code Sample:



Fetch order information
Open Recipe >

Step 2. Determine the latest ship date for the Prime orders

Use the `LatestShipDate` attribute or the `latest-ship-date` column from a flat file order report to determine the date by which the Prime orders need to be shipped.

Step 3. Check inventory and validate order

Check the inventory number and make sure that the received order is ready for fulfillment.

Code Sample:



Check inventory data
Open Recipe >

Step 4. Get shipping service offers

Call the `getEligibleShipmentServices` operation to get the shipping service offers for the orders identified in [Step 1](#), and then select one that matches your priorities (for example, the least expensive or the fastest).



Dos and Don'ts when fulfilling seller-fulfilled Prime and non-Prime orders

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

Fulfill seller-fulfilled Prime and non-Prime orders

- Do use the `LatestShipDate` attribute from the Orders API or the `latest-ship-date` value from the order report for the `ShipDate` parameter.
- Don't specify the `MustArriveByDate` parameter, because this parameter limits the number of shipping service offers that are returned.
- Do save the `ShippingServiceId` value from each shipping service offer that is returned. You use this value for subsequent calls to the `createShipment` operation when you create shipments for specific shipping service offers.
- Do check the included and excluded `Benefits` before you select a shipping service offer.

Code Samples:

**Fetch eligible shipment services**[Open Recipe >](#)**Get the preferred shipping service**[Open Recipe >](#)

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

Step 5. (Optional) Declare dangerous goods

If your order contains dangerous goods, they must be declared so they can be handled properly. Dangerous goods attributes are collected on each item. As a shipper, you must provide these attributes. Amazon does not provide a way to find these attributes for your item.

Note

Some carriers have additional requirements for shipping dangerous goods. Check with your carrier to ensure that your shipments meet their requirements.

Request

SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK
- Tutorial: Automate your SP-API Calls Using a Java SDK
- Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js
- Tutorial: Automate your SP-API Calls Using a Python SDK
- Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
- Tutorial: Automate your SP-API Calls using prebuilt Java SDK
- Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
- Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
- Tutorial: Automate your SP-API calls using a prebuilt Python SDK
- Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
- Tutorial: Retrieve Merchant Shipping Templates
- Tutorial: Grant the SP-API Permission to an Amazon SQS Queue
- Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

- Troubleshoot SP-API Errors
- URL Encoding
- Resolve Common HTTP and Authorization Error Codes
- External Fulfillment Errors 
- Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore

Fulfill seller-fulfilled Prime and non-Prime orders

The following example is a request for Amazon Shipping that includes dangerous goods attributes. For more information on each attribute, refer to the [Merchant Fulfillment API v0 reference](#).

Request example

JSON

```
{
  "ShipmentRequestDetails": {
    "AmazonOrderId": "903-3489051-5871062",
    "ItemList": [{
      "OrderItemId": "6220427528165",
      "Quantity": 1,
      "IsHazardous": true,
      "LiquidVolume": {
        "Unit": "C",
        "Value": 3
      },
      "DangerousGoodsDetails": {
        "UnitedNationsRegulatoryId": "UN1090",
        "TransportationRegulatoryClass": "3",
        "PackingGroup": "III",
        "PackingInstruction": "PI965_SECTION_IA"
      }
    }],
    "ShipFromAddress": {
      "Name": "John Doe",
      "AddressLine1": "300 Turnbull Ave",
      "Email": "jdoeasdfllkj@yahoo.com",
      "City": "Detroit",
      "StateOrProvinceCode": "MI",
      "PostalCode": "48123",
      "CountryCode": "US",
      "Phone": "7132341234"
    },
    "PackageDimensions": {
      "Length": 10.25,
      "Width": 10.25,
      "Height": 10.25,
      "Unit": "inches"
    },
    "Weight": {
      "Value": 10.25,
      "Unit": "oz"
    },
    "ShippingServiceOptions": {
      "DeliveryExperience": "DeliveryConfirmationWithoutSignature",
      "CarrierWillPickUp": false,
      "CarrierWillPickUpOption": "NoPreference"
    }
  }
}
```

[Edit Your Appstore Listing](#)[Check Listing Status](#)[Appstore Ratings and Reviews](#)[Press Releases and Promotions](#)**SERVICE PROVIDER NETWORK**[List Your Service](#)**SECURITY AND COMPLIANCE**[SP-API Security and Compliance Overview](#)[Amazon Selling Partner API Guard Implementation Guide](#) >[VAT Calculation Service](#) >[Amazon Seller Data Access](#)[Best Practices](#) >

```

    }
  }
}

```

Step 6. Create a shipment

Note

This is a restricted operation and requires a Restricted Data Token (RDT) for authorization. Some operations require restrictions because they contain customer PII data. These operations require passing an additional security review. For more information on RDT, refer to the [Tokens API](#) guide.

After you choose the shipment service that best matches your use case, call the `createShipment` operation for one of the shipping service offers that was returned in the previous step.

Use the following parameter values:

- `ShipmentRequestDetails` : Use the same values that you included in your `getEligibleShipmentServices` call in [Step 4](#).

Important

Make sure you include the dangerous goods attributes for your item (refer to [Step 5](#)). You must declare dangerous goods so that they can be properly handled.

- `ShippingServiceId` : Use the value associated with this shipping service offer.

The `createShipment` operation starts the payment process for shipping, which deducts from the seller's Amazon seller account and confirms the shipment.

Save the item list and shipment ID

Save the `ShipmentId` value returned by the `createShipment` operation. If the seller wants to print a new label, cancel a shipment, or check shipment status at a later time, the `ShipmentId` is used to identify the shipment. Save

Fulfill seller-fulfilled Prime and non-Prime orders
the item list along with each shipment
ID.

A+ CONTENT API

A+ Content API

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API

Amazon Warehousing and Distribution API v2024-05-09
Reference

APP INTEGRATIONS API

App Integrations API

APPLICATION MANAGEMENT API

Application Management API

CATALOG ITEMS API

Catalog Items API

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

[Policies and Agreements](#)
Customer Feedback API

Customer Feedback API Rate Limits

Code Sample:



Create a shipment
Open Recipe >

Step 7. Extract and print the
shipping label

Extract the shipping label from the `Label`
attribute returned by the `createShipment`
operation. Print or store the shipping label.

For more information, refer to [Manipulate
shipping labels](#).

Code Samples:



Decompress and decode a shipping label
Open Recipe >



Generate a presigned URL for a shipping
label
Open Recipe >

Step 8. Create shipments for
the remaining orders

Repeat [step 3](#) through [step 5](#) until you have
created shipments for the orders identified in [step
1](#).

Updated 19 days ago

← Merchant
Fulfillment API Cancel a
shipment →

Did this page help you? ☐ Yes ☐ No

[Privacy notice](#) | [Conditions of use](#)

DATA KIOSK

Data Kiosk API >

- Data Kiosk Schema Explorer User Guide
- Data Kiosk Query Processing Finished Notification
- Building Data Kiosk workflows guide
- Vendor Analytics Dataset Use Case Guide
- Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

- External Fulfillment Errors
- External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

Fulfill seller-fulfilled Prime and non-Prime orders

Cancel a shipment

Manipulate shipping labels

Include additional seller input data

Subscribe to MFN notifications

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

**VENDOR RETAIL PROCUREMENT TRANSACTION STATUS
API**

Vendor Retail Procurement Transaction Status API >