

Fulfillment Inbound API FAQ

🏠 Home

📖 Documentation

<> API Reference

🔗 Code Samples

📢 Announcements

Models

Release Notes

FAQ

GitHub

Videos

Fulfillment Inbound API FAQ

Frequently asked questions about Fulfillment Inbound.

▼ What additional features have been added in the general availability launch?

Fulfillment Inbound API v2024-03-20 supports the following features:

- **New feature:** View and select one of the available delivery windows for a shipment arrival at an Amazon facility.
- **New feature:** Print SKU labels for your shipments
- Select partnered carriers for less-than-truckload shipments
- Update the name of inbound plans and shipments
- Update the quantity of units of a SKU after shipment confirmation

▼ Which marketplaces are available with Fulfillment Inbound API v2024-03-20?

The ability to create inbound shipments with the new Fulfillment Inbound API v2024-03-20 is available in the following marketplaces:

- Canada
- US
- Mexico
- Spain
- UK
- France
- Netherlands
- Germany
- Italy
- Sweden

- Poland
- Egypt
- Saudi Arabia
- United Arab Emirates
- Singapore
- Australia
- Japan

We will announce support for these marketplaces as they become available:

- Brazil
- Turkey
- India

▼ Can I have multiple expiration dates per SKU on a single inbound plan?

No. Multiple expiration dates per SKU within a single inbound plan is not supported. To send a SKU with multiple expiration dates to the fulfillment network, you must create multiple inbound plans.

▼ Can I create any shipment type when I don't know carton-level information upfront?

If you don't know the carton-level information upfront, you can only create a Less Than Truckload/Full Truckload (LTL/FTL) shipment. Refer to [Create a shipment when the seller does not know the carton-level information up-front](#) for more information.

▼ Why does `listPackingOptions` always return one option?

`listPackingOptions` returns one option because it is designed to provide the most optimized packing solution based on the input criteria. This is the expected behavior.

▼ Can I print unique shipment labels for shipments that are created with the Fulfillment Inbound API v2024-03-20 operations?

Yes. To print unique shipment labels, use the [Fulfillment Inbound API v0](#) `getLabels` operation. You need to provide `{{baseUrl}}/fba/inbound/v0/shipments/:shipmentId/labels?PageType={{PageType}}&PageSize={{PageSize}}`, where `shipmentId` is `shipmentConfirmationId`.

▼ What is the `generateSelfShipAppointmentSlots` operation used for?

The `generateSelfShipAppointmentSlots` operation generates an appointment slots list. This is applicable for the MX, BR, EG, SA, AE, and IN marketplaces.

▼ How can I update the quantities and box contents after my inbound shipments are confirmed?

To update the quantities and box contents after your shipments are confirmed, use the following steps.

1. Use `generateShipmentContentUpdatePreviews` to update item quantities and generate a preview of the updated shipment contents and transportation costs.
2. Use `listShipmentContentUpdatePreviews` to retrieve a paginated list of previews, which summarizes the changes and cost implications.
3. Use `confirmShipmentContentUpdatePreview` to confirm a shipment content update preview and accept the changes in transportation costs.

▼ How can I determine if a shipment used an Amazon Partnered Carrier or my own carrier?

To determine if a shipment used an Amazon Partnered Carrier or your own carrier, use the `listTransportationOptions`. If Amazon confirms your shipment, then `listTransportationOptions` returns a list with only one confirmed transportation option (`AMAZON_PARTNERED_CARRIER` or `USE_YOUR_OWN_CARRIER`) in the `shippingSolution` field.

▼ How can I retrieve all inbound details for shipments that are created with the Send to Amazon UI?

For shipments created with the Send to Amazon UI, you can retrieve all inbound details with the `listInboundPlans` operation and the [Fulfillment Inbound API v2024-03-20](#) GET operations:

1. Use `listInboundPlans` to retrieve your inbound plans, shipment IDs, packing IDs, placement IDs, and transportation IDs.
2. Use the values from step 1 to call the [Fulfillment Inbound API v2024-03-20](#) GET operations. For more information about the GET operations, refer to [Fulfillment Inbound API v2024-03-20](#).

▼ Can you combine Small Parcel Delivery (SPD) and LTL in to one inbound plan?

Yes. To combine SPD and LTL shipments in to one inbound plan, use the following steps.

1. Use the `generateTransportationOptions` operation to generate a list of SPD and LTL transportation options. You must use `generateTransportationOptions` to generate transportation options before they're available to the `listTransportationOptions` operation in the next step.
2. Use the `listTransportationOptions` operation to retrieve all transportation options for the shipment. Retrieve the `shipmentId` and `transportationOptionId` for the SPD and LTL shipments.

Example response:

JSON

```
{
  "transportationOptions": [
    {
      "carrier": {
        "name": "United States Postal Service",
        "alphaCode": "USPS"
      },
      "preconditions": [
        "CONFIRMED_DELIVERY_WINDOW"
      ],
      "shipmentId": "sh1xxxxxxxxxxxxx",
      "shippingMode": "GROUND_SMALL_PARCEL",
      "transportationOptionId": "to1xxxxxxxxxxxxx",
      ---> choose to confirm
      "shippingSolution": "USE_YOUR_OWN_CARRIER"
    },
    {
      "carrier": {
        "name": "XXXXX",
        "alphaCode": "ABCD"
      },
      "carrierAppointment": {
        "startTime": "2024-10-11T00:00Z",
        "endTime": "2024-10-11T23:59Z"
      },
      "quote": {
        "cost": {
          "amount": 326.54,
          "code": "USD"
        },
        "expiration": "2024-10-09T22:40Z"
      }
    }
  ]
}
```

```

        "preconditions": [
            ],
            "shipmentId": "sh2xxxxxxxxxxxxxx",
            "shippingMode": "FREIGHT_LTL",

            "transportationOptionId": "to2xxxxxxxxxxxxxx",
            ---> choose to confirm

            "shippingSolution": "AMAZON_PARTNERED_CARRIER"
        }
    ]
}

```

3. Use the [confirmTransportationOptions](#) operation and pass in the `shipmentId` and `transportationOptionId` for the SPD and LTL shipments.

Example request:

JSON

```

{
  "transportationSelections": [
    {
      "shipmentId": "sh1xxxxxxxxxxxxxx",
      "transportationOptionId":
        "to1xxxxxxxxxxxxxx"
    },
    {
      "shipmentId": "sh2xxxxxxxxxxxxxx",
      "transportationOptionId":
        "to2xxxxxxxxxxxxxx"
    }
  ]
}

```

▼ When I print a label through the API, the address shows the company name, but the label from Seller Central does not. Can I remove the company name from the API result?

No. The discrepancy is intentional and is based on the carrier that is used for the shipment:

- **Amazon Freight or first-party PCP LTL carriers:** These shipments don't show detailed address information, but have an extra barcode at the bottom of the label. The absence of the address is by design and is accepted by Amazon's fulfillment centers.
- **Third-party LTL PCP carriers:** For shipments handled by third-party carriers, the labels show detailed address information which includes the company name.

To check a shipment's carrier in [Seller Central](#), navigate to the shipment summary page, select the shipment, and choose **Show More**.

▼ How can I avoid inbound shipment cancellation charges?

To avoid cancellation charges, you must cancel the inbound shipment within the specific SLAs, which vary based on the type of shipment:

- **SPD:** You must cancel the inbound plan within **24 hours** after shipment creation for Amazon Partnered Carriers.
- **Pallet shipments (LTL/FTL):** You must cancel within **1 hour** after shipment creation for Amazon Partnered Carriers.

The charge restrictions don't apply for non-partnered carrier options.

▼ Do you have a list of shipment statuses and their meanings?

Status	Description
ABANDONED	Indicates something went wrong during the shipment creation process.
CANCELLED	Indicates that the shipment was canceled.
CHECKED_IN	Indicates that the fulfillment center has acknowledged delivery of the shipment and has checked it in.
CLOSED	Indicates that there are no further actions to take on the shipment.
DELETED	Indicates that the shipment was deleted prior to it being shipped.
DELIVERED	Indicates that the carrier has delivered the shipment to the fulfillment center, but the fulfillment center has not yet checked it in.
IN_TRANSIT	Indicates that the shipment is within the carrier network and is in the process of being couriered.
MIXED	Used for a special placement option where sellers send in a single shipment but the carrier will distribute it across Amazon fulfillment centers.
READY_TO_SHIP	Indicates that shipment preparation is complete and the shipment is ready to be shipped.
RECEIVING	Indicates that the fulfillment center is receiving the shipment's contents.
SHIPPED	Indicates that the shipment was dropped off at (or picked up by) a carrier.

Status	Description
UNCONFIRMED	A tentative shipment exists, but it is still in the planning stage.
WORKING	The initial status of a shipment once created.

▼ What are the eligibility dimensions and weight requirements for SPD and LTL options?

To review eligibility dimensions and weight requirements for SPD, refer to [Small-parcel delivery to Amazon](#). To review eligibility dimensions and weight requirements for LTL options, refer to [Pallets \(LTL/FTL\) delivery](#).

▼ How many SKUs and items for each SKU can I add to one inbound plan?

For one inbound plan, you can add a maximum of 1,500 SKUs and a maximum of 10,000 items for each SKU.

 Updated 4 days ago

← Additional Functionality

Migrating Fulfillment Inbound workflows →

Did this page help you?  Yes  No

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Terminology	
Frequently Asked Questions	>
CHANGELOG	
SP-API Release Notes	
SP-API Deprecation Schedule	
SP-API Product Metadata Updates	
DIRECTORIES	
SP-API Models	
SP-API Seller Use Cases	
SP-API Vendor Use Cases	
Seller Central URLs	
Vendor Central URLs	
REGISTRATION	
SP-API Registration Overview	>
Developer Registration Request Status	
Third-Party Provider Registration	>
Service Provider Registration and Role Approval Process Overview	
Website Guidelines for Public Developers and Service Providers	
User Permissions for Service Providers	
Register your Application	
Update your Application Information	
Rotate your Application's LWA Credentials	>

[View your Application Information and Credentials](#)

[Learn How Sellers Authorize Service Providers](#)

[Selling Partner API Roles](#) >

[Policies and Agreements](#)

[About Facial Data](#)

AUTHORIZATION

[Authorize Applications](#) >

[Renew Authorizations](#)

[Revoke Authorizations](#)

[Authorization Limits](#)

[Special Authorization Types](#) >

INTEGRATION

[Building Robust Amazon SP-API Applications](#)

[SP-API SDKs](#) >

[Delete an Application From Your Developer Account](#)

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in
Solution Provider Portal

Update Your Developer Profile in Solution Provider
Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript
SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python
SDK

Tutorial: Automate your SP-API Calls using a prebuilt C#
SDK

Tutorial: Automate your SP-API Calls using prebuilt Java
SDK

Tutorial: Automate your SP-API Calls using a prebuilt
JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP
SDK

Tutorial: Automate your SP-API calls using a prebuilt
Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts
with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS
Queue

Tutorial: Retrieve and Pass a Purchase Order Number to
a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation
Guide 

VAT Calculation Service 

Amazon Seller Data Access

Best Practices >

A+ CONTENT API

A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API ∨

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide
Data Kiosk Query Processing Finished Notification
Building Data Kiosk workflows guide
Vendor Analytics Dataset Use Case Guide
Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >