

GET STARTED

[Welcome to SP-API Documentation](#)[What is the Selling Partner API?](#)[Selling Partner API Onboarding Overview](#)[Terminology](#)[Frequently Asked Questions](#)

CHANGELOG

[SP-API Release Notes](#)[SP-API Deprecation Schedule](#)

Fulfillment Outbound Dynamic Sandbox Guide

Use the SP-API dynamic sandbox to test Fulfillment Outbound operations.

The Selling Partner API dynamic sandbox environment allows you to test your applications without affecting production data or initiating real-world events. The dynamic sandbox routes requests to a sandbox backend that can return realistic responses based on the request parameters. By sending requests to the sandbox endpoints instead of the SP-API endpoints, you can test standard workflows without impacting production data.

This guide introduces the available dynamic sandbox operations for the Multi-Channel Fulfillment Outbound sandbox environment. For more information about the Selling Partner API sandbox environments, refer to [Selling Partner API sandbox](#).

Dynamic sandbox support for Fulfillment Outbound APIs

The dynamic sandbox is supported for the [Fulfillment Outbound API version 2020-07-01](#) API section. Making calls to the dynamic sandbox is identical to making production API calls, except that you must direct your requests to a dynamic sandbox endpoint for your region instead of the production endpoint. Refer to [Selling Partner API sandbox endpoints](#) for the supported sandbox endpoints.

The following Fulfillment Outbound operations return dynamic responses:

- [cancelFulfillmentOrder](#)
- [createFulfillmentOrder](#)
- [getFulfillmentOrder](#)
- [getFulfillmentPreview](#)
- [getPackageTrackingDetails](#)
- [listAllFulfillmentOrders](#)
- [updateFulfillmentOrder](#)

SP-API Product Metadata Updates

- [deliveryOffers](#)

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Static responses

The dynamic sandbox backend service doesn't return dynamic responses for all Fulfillment Outbound operations. The service returns static responses for `createFulfillmentReturn`, `getFeatureInventory`, `getFeatures`, `getFeatureSKU`, and `listReturnReasonCodes`. Any successful call to one of these operations always returns the same static response for that operation.

To use the dynamic sandbox, direct your calls to the appropriate sandbox endpoint instead of the production endpoint. You can test all the tutorials that are listed in the production [Fulfillment Outbound Use Case Guide](#) in the dynamic sandbox.

Test the Fulfillment Outbound sandbox with the FBA Inventory dynamic sandbox

You can use the [FBA Inventory dynamic sandbox](#) and [Fulfillment Outbound dynamic sandbox](#) together to leverage SKU, and inventory and fulfillment policy checks on dynamic sandbox orders. To use the two environments together, you must first create inventory items in the FBA Inventory dynamic sandbox.

Note

When you use the FBA Inventory and Fulfillment Outbound sandbox APIs together, `HOLD` orders are initially created in the `Received` state, and `SHIP` orders are created in the `Planning` state (except when `Invalid`).

Testing using the Fulfillment Outbound dynamic sandbox

You can use the `submitFulfillmentOrderStatusUpdate` sandbox-only operation as a mechanism to emulate the order fulfillment process.

To test using this mechanism, follow these steps:

1. Choose one of the [test scenarios](#). Each scenario lists a sequence of `fulfillmentOrderStatus` changes that occur when a Fulfillment Outbound order is processed.
2. Call the `createFulfillmentOrder` operation to create a fulfillment order.
3. Call the `getFulfillmentOrder` operation to validate the order and return the `fulfillmentOrderStatus` value.

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

4. Repeat the following steps until the `fulfillmentOrderStatus` returns the final value in your chosen scenario:

1. Call the `submitFulfillmentOrderStatusUpdate` operation to move the order to the next stage of the fulfillment order process. This means you must set the `fulfillmentOrderStatus` in the request to the next appropriate value indicated in the scenario that you have chosen to test.
2. Call the `getFulfillmentOrder` operation to validate the order and return the `fulfillmentOrderStatus`.

Test scenarios

The following scenarios list the sequence of `fulfillmentOrderStatus` value changes as your fulfillment order is processed.

- Fulfillment order is fully or partially completed
 - Received → Planning → Processing → Complete or CompletePartialled
- Fulfillment order is unfulfillable
 - Received → Planning → Unfulfillable
- Fulfillment order is cancelled
 - Received → Planning → Cancelled

When the `fulfillmentOrderStatus` for a specific fulfillment order has reached the final value in one of the test scenarios, you can't process additional updates.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

Tutorial: Create and complete a sandbox Fulfillment Outbound order

This tutorial explains how to create a sandbox order and move it through the fulfillment process using the `submitFulfillmentOrderStatusUpdate` sandbox-only operation.

Note

The `submitFulfillmentOrderStatusUpdate` operation is only for test purposes. If you use it in a production call, you get an HTTP 403 error response.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you're making calls. For more information, refer to [Authorizing Selling Partner API Applications](#).
- The [Amazon Fulfillment role](#) assigned to your developer profile.

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors



Listings Items API Issues Troubleshooting



SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Fulfillment Outbound Dynamic Sandbox Guide

- The [Amazon Fulfillment role](#) selected in the **App registration** page for your application.

Step 1: Choose a [test scenario](#)

Each scenario lists a sequence of changes to the `fulfillmentOrderStatus` value that occur as your fulfillment outbound order is processed.

Step 2: Create a test fulfillment order

To create a test fulfillment order, call the [createFulfillmentOrder](#) operation.

Step 3: Validate order status

To validate the order and return the `fulfillmentOrderStatus` value, which should be `Received`, call the [getFulfillmentOrder](#) operation.

Step 4: Ensure order status returns final value

Repeat [step 5](#) and [step 6](#) until the fulfillment order status returns the final value in your chosen scenario.

Step 5: Update order status

Call the [submitFulfillmentOrderStatusUpdate](#) operation.

Step 6: Validate the order status

To validate the order and return the `fulfillmentOrderStatus`, call the [getFulfillmentOrder](#) operation.

Tutorial: Create and complete a sandbox Fulfillment Outbound order for a given Fulfillment Policy

This tutorial explains how to create a sandbox order for a given Fulfillment Policy and move it through the fulfillment process using the [submitFulfillmentOrderStatusUpdate](#) sandbox-only operation. This tutorial outlines the steps for when `FulfillmentPolicy` is `FillAllAvailable`, but also applies to `FillOrKill` and `FillAll` policies.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you are making calls. For more information, refer to [Authorizing Selling Partner API Applications](#).
- The [Amazon Fulfillment role](#) assigned to your developer profile.
- The [Amazon Fulfillment role](#) selected in the **App registration** page for your application.

Step 1: Create an inventory item

[Edit Your Appstore Listing](#)[Check Listing Status](#)[Appstore Ratings and Reviews](#)[Press Releases and Promotions](#)**SERVICE PROVIDER NETWORK**[List Your Service](#)**SECURITY AND COMPLIANCE**[SP-API Security and Compliance Overview](#)[Amazon Selling Partner API Guard Implementation Guide](#) >[VAT Calculation Service](#) >[Amazon Seller Data Access](#)[Best Practices](#) >

Call the [createInventoryItem](#) API operation. Create the item or product that you will use to test the outbound order.

Step 2: Add inventory

Call the [addInventory](#) API operation. Add the required inventory to the item or product from step 1.

Step 3: Create a test fulfillment order

To create a fulfillment order that you can use to test the item and quantity (from [step 1](#) and [step 2](#), call the [createFulfillmentOrder](#) operation and add `FulfillmentPolicy: FillAllAvailable` to your request. This policy creates the order in a `Planning` state.

Step 4: Validate order status

To validate your order and return the `fulfillmentOrderStatus` value, which should be `Planning`, call the [getFulfillmentOrder](#) operation.

Step 5: Validate inventory values

To validate that `fulfillableQuantity` is reduced by the order quantity and `pendingCustomerOrderQuantity` is increased by the order quantity, call the [getInventorySummaries](#) operation.

Step 6: Update the order status

Call the [submitFulfillmentOrderStatusUpdate](#) operation.

Step 7: Complete the Order

To complete the order, repeat step 6 and add `fulfillmentOrderStatus: Complete` to your request.

Step 8: Validate the inventory values

When `fulfillableQuantity` is reduced by the order quantity and `pendingCustomerOrderQuantity` is `0`, there is no pending action on order fulfillment and the order is out for delivery.

To validate that `fulfillableQuantity` is reduced by the order quantity and `pendingCustomerOrderQuantity` is `0`, call the [getInventorySummaries](#) operation.

Business scenarios

Use the following business scenarios to test your Fulfillment Outbound orders. These scenarios represent the main use cases for order creation and fulfillment for seller listings.

 Tip

The API scenarios listed in the following table refer to the North American (NA) dynamic sandbox endpoints. To use these examples in other regions, you must replace the endpoints with your region's SP-API sandbox endpoint.

		Use case	API	Key response details	Notes
A+ CONTENT API					
A+ Content API	>	Preview an order.	POST https://sandbox.sell ingpartnerapi-na.amazon.com/fba/outbound/2020-07-01/fulfillmentorders/preview	Fulfillment fees, shipment shipping, and estimated delivery dates for all supported shipping speeds.	Optional. Shows fees and promised speeds to shopper.
A+ Content Examples					
AMAZON WAREHOUSING AND DISTRIBUTION API					
Amazon Warehousing and Distribution API	>				
Amazon Warehousing and Distribution API v2024-05-09 Reference					
APP INTEGRATIONS API					
App Integrations API	∨				
APPLICATION MANAGEMENT API					
Application Management API	>	Create an order in HOLD or SHIP status for different ship speeds (Priority, Expedited,Standard).	POST https://sandbox.sell ingpartnerapi-na.amazon.com/fba/outbound/2020-07-01/fulfillmentorders/create	200 (if accepted) or 400 with details (if rejected).	HOLD to reserve and hold up to 14 days; SHIP to release the order to for shipment processing.
CATALOG ITEMS API					
Catalog Items API	>				
Catalog Items API Rate Limits					
Catalog Items API v2022-04-01 Reference					
CUSTOMER FEEDBACK API					
Customer Feedback API	>				
Customer Feedback API Rate Limits					

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Use case	API	Key response details	Notes
	t0rd ers		
List order details for up to 50 orders.	GET http s:// sand box. sell ingp artn erap i-n a.am azo n.co m/fb a/ou tbou nd/2 020- 07-0 1/fu lfil lmen t0rd ers	Order with item details.	Returns the seller order ID, which you can use to call <code>getFulfillmentOrder</code> .
Get order details for <code>sellerFulfillmentOrderId</code> .	GET http s:// sand box. sell ingp artn erap i-n a.am azo n.co m/fb a/ou tbou nd/2 020- 07-0 1/fu lfil lmen t0rd	Fulfillment details for the line items in the order, including serial number tracking, package ID, and shipment details.	None

Feeds API	>			
Feed Type Values	>			
Feeds JSON Schemas	↗			
Feeds API Best Practices				
Feeds API FAQ				
Feeds API Rate Limits				
FINANCES				
Finances API	>			
Transfers API	>			
FULLFILLMENT INBOUND API				
Fulfillment Inbound API	>			
Fulfillment Inbound API FAQ				
Migrating Fulfillment Inbound workflows				
Fulfillment Inbound API Rate Limits				
FULLFILLMENT OUTBOUND API				
Fulfillment Outbound Dynamic Sandbox Guide				
Fulfillment Outbound API	>			

Use case	API	Key response details	Notes
	ers/ {sel lerF ulfi llme ntOr derI d}		
Get package and tracking details for the specified package number. The <code>packageNumber</code> is returned as part of the <code>getFulfillmentOrder</code> response.	GET http s:// sand box. sell ingp artn erap i-n a.am azo n.co m/fb a/ou tbou nd/2 020- 07-0 1/tr acki ng?p acka geNu mber ={pa ckag eNum ber}	Carrier information, estimated date, and tracking information.	The tracking number is fictional and not trackable.
Update order with the specified <code>sellerFulfillmentOrderId</code> .	PUT http s:// sand box. sell ingp artn erap i-n a.am azo	200 (if accepted) or 400 with details (if rejected).	Use when orders are in HOLD status, but can be updated to SHIP status. You can update these <code>sellerFulfillmentOrderId</code>

Use case	API	Key response details	Notes
	n.com/fulfillment/orders/{sellerFulfillmentOrderId}		properties in the sandbox environment: displayableOrderId, displayableOrderDate, displayableOrderComment, shippingSpeedCategory, fulfillmentAction, destinationAddresses, notificationEmails, items - quantity (you can only reduce quantity, and it cannot be 0).
Cancel an order with the specified sellerFulfillmentOrderId.	PUT https://sandbox.sellingpartnerapi.amazonaws.com/fulfillment/orders/{sellerFulfillmentOrderId}	200 (if accepted). 400 with details (if rejected).	You can cancel the order when the status is Planning or Received.

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API

Invoices API FAQ

LISTINGS

Listings Items API

Use case	API	Key response details	Notes
Listings Items API Rate Limits Listings Restrictions API >	fulfillmentOrderDetails/cancel		
Listings Restrictions API Rate Limits Manage Product Listings with the Selling Partner API Building Listings Management Workflows Guide Understanding Amazon listing status and seller-fulfilled inventory management Listings Management Workflow Migration >	PUT https://sandbox.sellingpartnerapi-na.amazon.com/fba/orders/2020-07-01/fulfillmentOrders/{sellerFulfillmentOrderStatus}	200	To simulate the real-time status update of an order, use this sandbox-only API to move fulfillmentStatus through state changes, such as those listed in Test scenarios.
Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases Listings APIs FAQ Product Type Definitions API >			
Product Type Definitions API Rate Limits			
MERCHANT FULFILLMENT API Merchant Fulfillment API >			

Frequently asked questions

Do I need a new set of credentials to access the sandbox?

No. You can use your existing set of production app credentials to access the dynamic sandbox APIs.

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification

ORDERS API

Orders API

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API

PRODUCT PRICING API

Product Pricing API

Product Pricing API and Notifications FAQ

Can I use the sandbox for load or performance testing?

No. The service is intended for developer code integration and validation testing. It's not designed for load testing.

Do I need a different catalog and inventory setup for sandbox testing?

The Fulfillment Outbound Sandbox supports developer testing with any SKU that has unlimited inventory. We highly recommend that developers use the [FBA Inventory dynamic sandbox](#) to create inventory items, so developers can test with their own SKUs while they observe inventory movements as their merchant fulfillment (MCF) test orders are virtually completed.

I used the `createFulfillmentOrder` operation to create a sandbox Fulfillment Outbound order. Why is my order not fulfilled?

When you test in the sandbox, you must call the `submitFulfillmentOrderStatusUpdate` operation to move orders through the fulfillment process.

Can I view sandbox orders on the Seller Central portal?

No. Sandbox orders are test orders and cannot be viewed on Seller Central. You can retrieve sandbox orders by directing calls to `listAllFulfillmentOrders` or `getFulfillmentOrder` with the appropriate sandbox endpoints.

Can I create sandbox orders for any marketplace?

Yes. The sandbox does not validate `marketplaceId`, which means you can test order fulfillment with **any** valid country-state-zip combination in the delivery address.

Does the sandbox support Export or Fees?

No. The sandbox doesn't support Exports or Fees.

Are all currencies and weights supported?

No. The sandbox only returns the currency in USD and the weight in pounds.

What feature constraints are allowed?

The sandbox allows `featureConstraints` BB and BLOCK_AMZL for all marketplaces.

Does the sandbox support notifications for orders and shipments?

No. Notifications are not sent for sandbox fulfillment orders. To retrieve updated order date, direct your `getFulfillmentOrder` call to the appropriate sandbox endpoint.

 Updated 19 days ago

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

← Fulfillment Inbound API
Rate Limits Fulfillment Outbound API →

REPLENISHMENT API

Replenishment API >

Did this page help you? ☐ Yes ☐ No

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >