

Get authorization to access PII for order items in an order ↕

[English](#)[Home](#)[Documentation](#)[API Reference](#)[Code Samples](#)[Announcements](#)[Models](#)[Release Notes](#)[FAQ](#)[GitHub](#)[Videos](#)

GET STARTED

[Welcome to SP-API Documentation](#)[What is the Selling Partner API?](#)[Selling Partner API Onboarding Overview](#)

>

Get authorization to access PII for order items in an order

Learn how to use the Tokens API to get authorization to access PII for order items in an order.

Learn how to use the Tokens API to get authorization to access PII for order items in an order. In this workflow you specify `dataElements = buyerInfo` to indicate that the RDT will authorize your application to access buyer information for the order items.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you are making calls. Refer

[Terminology](#)[Frequently Asked Questions](#) >

CHANGELOG

[SP-API Release Notes](#)[SP-API Deprecation Schedule](#)[SP-API Product Metadata Updates](#)

DIRECTORIES

[SP-API Models](#)[SP-API Seller Use Cases](#)[SP-API Vendor Use Cases](#)[Seller Central URLs](#)[Vendor Central URLs](#)

REGISTRATION

[SP-API Registration Overview](#) >[Developer Registration Request Status](#)[Third-Party Provider Registration](#) >[Service Provider Registration and Role Approval Process Overview](#)[Website Guidelines for Public Developers and Service Providers](#)[User Permissions for Service Providers](#)[Register your Application](#)[Update your Application Information](#)[Rotate your Application's LWA Credentials](#) >[View your Application Information and Credentials](#)[Learn How Sellers Authorize Service Providers](#)[Selling Partner API Roles](#) >

to [Authorizing Selling Partner API applications](#) for more information.

- Approval for the following roles:
 - **Tax remittance.**
Required to access buyer information.
 - **Tax invoicing.**
Required to access buyer information.

Depending on your use case, you might need approval for only one of these roles. To learn more about roles and request access, refer to [Registering as a developer](#) and update your developer profile.

Step 1. Get an order ID



Note

This is a restricted operation and requires a Restricted Data Token (RDT) for authorization. Some operations require

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications

>

restrictions because they contain customer PII data. These operations require passing an additional security review. For more information on RDT, refer to the [Tokens API](#) guide.

Renew Authorizations

Revoke Authorizations

Authorization Limits

Special Authorization Types

>

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs

>

You need an order ID to identify an order for which you want order item information. You also need an order ID to get an RDT that authorizes your application to access buyer information for the order items. You can use the `getOrders` operation of the Orders API to get a list of orders, from which you can get an order ID for the order that you are interested in.

1. Call the `getOrders` operation of the Orders API, specifying the appropriate parameters to filter for the order that you want.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

The operation returns orders that match your request. Each order includes an order ID.

2. From the orders that are returned, identify the order for which you want order item information.
3. Save the order ID for the order that you want, to use in [Step 2. Get an RDT](#) and [Step 3. Include the RDT with a call to the `getOrderItems` operation.](#)

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Step 2. Get an RDT

Call the `createRestrictedDataToken` operation to get an RDT. In the `path` property of the `restrictedResources` parameter, include the order ID from [Step 1. Get an order ID](#). In this workflow we will specify the `buyerInfo` value of the `dataElements` parameter. This indicates that the RDT should provide authorization to access PII for use cases such as tax and gift wrapping.

- Tutorial: Automate your SP-API Calls Using a Python SDK
- Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
- Tutorial: Automate your SP-API Calls using prebuilt Java SDK
- Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
- Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
- Tutorial: Automate your SP-API calls using a prebuilt Python SDK
- Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
- Tutorial: Retrieve Merchant Shipping Templates
- Tutorial: Grant the SP-API Permission to an Amazon SQS Queue
- Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

- Troubleshoot SP-API Errors
- URL Encoding
- Resolve Common HTTP and Authorization Error Codes
- External Fulfillment Errors ↗
- Listings Items API Issues Troubleshooting ↗

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore
- Edit Your Appstore Listing
- Check Listing Status
- Appstore Ratings and Reviews
- Press Releases and Promotions

SERVICE PROVIDER NETWORK

- List Your Service

SECURITY AND COMPLIANCE


- SP-API Security and Compliance Overview

1. Call the `createRestrictedDataToken` operation.
2. Save the `restrictedDataToken` value (the RDT) to use in [Step 3. Include the RDT with a call the `getOrderItems` operation.](#)

Step 3.
Include the RDT with a call to the `getOrderItems` operation

Call the `getOrderItems` operation of the Orders API, specifying the order ID that you identified in [Step 1. Get an order ID](#). Be sure to include the RDT from Step 1 in the `x-amz-access-token` header of your call to `getOrderItems` .

 Updated 19 days ago



Amazon Selling Partner API Guard Implementation
Guide



Did this page
help you?
 Yes No

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

VAT Calculation Service



Amazon Seller Data Access

Best Practices



A+ CONTENT API

A+ Content API



A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09
Reference

APP INTEGRATIONS API

App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

[Fulfillment Inbound API FAQ](#)

[Migrating Fulfillment Inbound workflows](#)

[Fulfillment Inbound API Rate Limits](#)

FULFILLMENT OUTBOUND API

[Fulfillment Outbound Dynamic Sandbox Guide](#)

[Fulfillment Outbound API](#) >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and
Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification [↗](#)

ORDERS API

Orders API [>](#)

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier [↗](#)

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API [>](#)

PRODUCT PRICING API

Product Pricing API [>](#)

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

7/4/26, 2:05 PM	Get authorization to access PII for order items in an order
Seller Wallet API	>
Seller Wallet API Rate Limits	
SELLERS API	
Sellers API	>
SERVICES API	
Services API	>
SHIPMENT INVOICING API	
Shipment Invoicing API	>
SHIPPING API	
Shipping API v2 Resources	↗
Shipping API v1 Reference	
SOLICITATIONS API	
Solicitations API	>
SUPPLY SOURCES API	
Supply Sources API	>

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

Get authorization to access restricted report types with PII information

Get authorization to access PII for bulk orders

[Get authorization to access PII for order items in an order](#)

Delegate authorization to access PII

Get authorization to access shipment information for multiple shipments

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

