

Guidance for Complex Attributes

- HomeDocumentationAPI Reference
- Code SamplesAnnouncementsModels
- Release NotesFAQGitHubVideos

- GET STARTED
- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview >

- Terminology
- Frequently Asked Questions >

- CHANGELOG
- SP-API Release Notes
- SP-API Deprecation Schedule

Guidance for Complex Attributes

Guidance regarding footwear sizes and apparel sizes.

Required or conditionally required values depend on the attributes selected for **Target Gender** and **Age Range Description** as well as the **Product Type**.

Note

Apparel size-specific attributes are catalog-wide rules that apply to all listings submissions, whether submitted through the SP-API or Seller Central. To learn more about these attributes and their values, refer to the [Apparel size standards](#) guide in Seller Central.

Footwear Sizes

Attribute	Required?	Definition	Examples
Target Gender	Required	The gender for which the product is intended.	Male, Female, Unisex (Note: if Unisex is selected, the vendor needs to provide size values for both male and female)
Age Range Description	Required	The age for which the product is intended.	Adult, Kid, Baby
Footwear Size System	Required	The footwear size system displays marketplace-specific shoe sizes to	UK Footwear Size System

SP-API Product Metadata Updates			customers onsite.	
DIRECTORIES				
SP-API Models				
SP-API Seller Use Cases				
SP-API Vendor Use Cases				
Seller Central URLs				
Vendor Central URLs				
REGISTRATION				
SP-API Registration Overview >	Shoe Size Age Group	Required	The age group for which the shoe size is intended. Note: Shoe Size values depends on what is selected for Age Group. For example, selecting "Infant" means you can't input size 11, 12, 13, UK.	Infant, Toddler, Little Kid – we add suffix 'Child' to the shoe size value Big Kid, Adult – we do not add suffix 'Child' to the shoe size value.
Developer Registration Request Status				
Third-Party Provider Registration >	Shoe Size Gender	Required for Target Gender = Unisex and Shoe Size Age Group = Adult.	The gender for which the shoe size is intended.	Women, Men
Service Provider Registration and Role Approval Process Overview				
Website Guidelines for Public Developers and Service Providers				
User Permissions for Service Providers				
Register your Application				
Update your Application Information				
Rotate your Application's LWA Credentials >	Shoe Size Class	Required	Class of shoe size representation Note: Age and Age Range size classes are only allowed for Shoe Size Age Group = Infant OR Toddler OR Little Kid	Numeric – displays values such as 7 UK, 7.5 UK, 8 UK Numeric Range – displays values such as 7/8 UK, 8.5/9 UK Alpha – displays values such as One Size, XX-Small, Medium, X-Large Alpha Range – displays values such as Small/Medium, Medium/Large Age – displays values such as 6 Months (up to 24 Months), 2.5 Years (up to five Years)
View your Application Information and Credentials				
Learn How Sellers Authorize Service Providers				
Selling Partner API Roles >				
Policies and Agreements				
About Facial Data				
AUTHORIZATION				
Authorize Applications >				
Renew Authorizations				
Revoke Authorizations				
Authorization Limits				

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

Age Range – displays values such as 6-12 Months (up to 24 Months), 2-3 Years (up to five Years)

Shoe Size Width

Required

The width of the shoe.

Medium, Narrow, Wide, X-Narrow, X-Wide, XX-Narrow, XX-Wide, 3X-Narrow, 3X-Wide

Shoe Size

Required

The size of the shoe.

The values displayed are dependent on the value selected in **Age Group and Shoe Size Class**, for example, 8, 8.5, Small, 6 Months. If Numeric was selected in Shoe Size Class, then only numeric values such as 7, 7.5, 8 are displayed in Shoe Size. If “Infant” was selected for Age Group, then Shoes Size options are limited to a select list of infant size values.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

Shoe Size To Range (If Range)

Required for Shoe Size Class = Numeric Range OR Alpha Range OR Age Range

Ending shoe range value. This is concatenated with the previous Shoe Size selection to build a range.

The values displayed are **dependent on the value selected in Shoe Size Class**, for example, 8.5,

SOLUTION PROVIDER PORTAL	
Manage Users in Solution Provider Portal	
Manage Your Business And Contact information in Solution Provider Portal	
Update Your Developer Profile in Solution Provider Portal	
Unify Your Developer Accounts	
Verify Your Identity in Solution Provider Portal	
API Usage Metrics in Solution Provider Portal	
TUTORIALS	
Tutorial: Subscribe to the ORDER_CHANGE Notification	
Tutorial: Test Selling Partner API Endpoints	
Tutorial: Automate your SP-API Calls Using a C# SDK	
Tutorial: Automate your SP-API Calls Using a Java SDK	
Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js	
Tutorial: Automate your SP-API Calls Using a Python SDK	
Tutorial: Automate your SP-API Calls using a prebuilt C# SDK	
Tutorial: Automate your SP-API Calls using prebuilt Java SDK	
Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK	
Tutorial: Automate your SP-API Calls using prebuilt PHP SDK	
Tutorial: Automate your SP-API calls using a prebuilt Python SDK	
Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application	
Tutorial: Retrieve Merchant Shipping Templates	
Tutorial: Grant the SP-API Permission to an Amazon SQS Queue	
Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier	
TROUBLESHOOTING	
Troubleshoot SP-API Errors	
URL Encoding	
Resolve Common HTTP and Authorization Error Codes	
External Fulfillment Errors	↗
Listings Items API Issues Troubleshooting	↗
SELLING PARTNER APPSTORE	
What is the Selling Partner Appstore?	
List Your App on the Selling Partner Appstore	

			9, Medium, 12 Months.
For Adult Unisex products	Required if Target Gender = Unisex, Shoe Size Age Group = Adult and Shoe Size Class = Numeric, OR Numeric Range	Opposite Gender values for the preceding information.	Required to generate customer facing shoe sizes such as 7 UK Men/ 6 UK Women

Apparel Sizes

The attribute name prefix `Apparel Size` depends on the product type, for example `Shirt Size` for `SHIRT PT` , `Bottoms Size` for `PANTS` , `SHORTS` and `OVERALLS` .

Attribute	Required?	Examples	Notes
Apparel Size System	Required. The apparel size system is used to display marketplace-specific apparel sizes to customers on-site.	UK	Apparel Size System is associated with the selected marketplace.
Apparel Size Class	Required. Select the class of apparel size representation.	Age, Alpha and Numeric	Numeric represents values such as 7, 8, and 9. Alpha represents values such as One Size, S, and XL. Age represents values such as 6 Months and 2 Years.
Apparel Size Body Type	Conditionally Mandatory - Select the applicable body type.	Regular, Plus	Values are dependent on product type and might not be required for specific products or

Best Practices

Updated 19 days ago

[Manage Listings Issues](#) →

5/15

A+ CONTENT API

A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API ∨

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

- Retrieve details about a listing
- Preview errors before partially updating a listing
- Create or fully update a listing
- Preview errors before creating or fully updating a listing
- Partially update a listing
- Merge a listing
- Delete a listing
- Submit media attributes

Update prices for multiple marketplaces

Search for listings items by product identifier or other listings parameters

Manage purchasable offer

Guidance for Complex Attributes

Manage Listings Issues >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

