


Selling Partner API Onboarding Overview

Learn how to inbound shipments with a pack-later workflow when carton information is unknown.

Learn how to create an inbound plans when carton information is unknown at the time of shipment creation using the Fulfillment Inbound API.



This workflow is available for both Amazon Partnered Carriers or Your Own Carriers but only for Pallet Deliveries.

As a supplement to this guide, the [FBA Inbound Sample Solution Code App](#) provides all required resources to deploy a fully functional SP-API

CHANGELOG	
SP-API Release Notes	
SP-API Deprecation Schedule	
SP-API Product Metadata Updates	
DIRECTORIES	
SP-API Models	
SP-API Seller Use Cases	
SP-API Vendor Use Cases	
Seller Central URLs	
Vendor Central URLs	
REGISTRATION	
SP-API Registration Overview	>
Developer Registration Request Status	
Third-Party Provider Registration	>
Service Provider Registration and Role Approval Process Overview	
Website Guidelines for Public Developers and Service Providers	
User Permissions for Service Providers	
Register your Application	
Update your Application Information	
Rotate your Application's LWA Credentials	>
View your Application Information and Credentials	
Learn How Sellers Authorize Service Providers	
Selling Partner API Roles	>
Policies and Agreements	
About Facial Data	
AUTHORIZATION	
Authorize Applications	>

application that implements the new Fulfillment Inbound API v2024-03-20.

Step 1. Create an inbound plan Operation

- `createInboundPlan`

Parameters

- `destinationMarketplaces` : List of marketplaces where the items are sent.
- `sourceAddress` : The address from which the items are shipped.
- `items` : A list of items to include in the inbound plan. Each item should have the following attributes:
 - `prepOwner` : The one responsible for prepping the item.
 - `labelOwner` : The one responsible for the labeling process.
 - `msku` : The Merchant Stock Keeping Unit (SKU) for the item.
 - `quantity` : The quantity of items to ship.

Response

- `operationId` : An ID that you can use to check the status of the inbound plan creation.
- `inboundPlanId` : An ID that uniquely identifies the inbound plan.

Renew Authorizations
 Revoke Authorizations
 Authorization Limits
 Special Authorization Types

>

INTEGRATION

Building Robust Amazon SP-API Applications
 SP-API SDKs

>



Create inbound plan
 Open Recipe >



Note

POST operations are asynchronous. Check the status of a POST operation by passing its `operationId` to `getInboundOperationStatus`.



Get Inbound operation status
 Open Recipe >

Step 2. Generate placement options Operation

- `generatePlacementOptions`

Parameters

- `inboundPlanId` : ID of the inbound plan.

Response

- `operationId` : An ID that you can use to check the status of placement options generation.



Generate placement options
 Open Recipe >

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

>

Step 3. List placement options Operation

- `listPlacementOptions`

Parameters

Call Structure >

Development Tools >

Performance Management >

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

- `inboundPlanId` : ID of the inbound plan.

Response

- Includes available `placementOptions` , each represented by a `placementOptionId` .
- Each `placementOptionId` includes one or more `shipmentIds` and details on fees or discounts.

**Note**

Choose only one placement option (`placementOptionId`)

**List placement options**

Open Recipe >

Step 4. Confirm placement option Operation

- `confirmPlacementOption`

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `placementOptionId` : The chosen placement option ID to confirm.

Response

- `operationId` : An ID that you can use to check the status of the placement confirmation.

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors [↗](#)

Listings Items API Issues Troubleshooting [↗](#)

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide [>](#)

VAT Calculation Service [>](#)



Note

You can only confirm one placement option per inbound plan.



Confirm placement option

[Open Recipe >](#)

Step 5. Set packing information Operation

- [setPackingInformation](#)

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `shipmentId` : ID for each packing group within the chosen packing option.
- `boxes` : Includes box contents source, box dimensions (weight and quantity), items with prep info, and item quantities that match the inbound plan.

Response

- `operationId` : An ID that you can use to check the status of the API call.



Set Packing Information

[Open Recipe >](#)

Step 6. Generate transportation options Operation

- [generateTransportationOptions](#)

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `placementOptionId` : Chosen placement option ID.
- `shipmentTransportationConfigurations` : Configuration details, which include:
 - `shipmentId` : Each shipment ID within the chosen placement option. Include all shipment IDs within the selected placement option.
 - `readyToShipWindow` : Start date for when shipments are ready for delivery.
 - `freightInformation` : Declared value and freight class.
 - `pallets` : Information about the shipped pallets, including quantity, dimensions, weight, and stackability.

Response

- `operationId` : An ID that you can use to check the status of transportation options generation.



Generate Transportation Options
[Open Recipe >](#)

Step 7. List transportation

Amazon Seller Data Access	
Best Practices	>
A+ CONTENT API	
A+ Content API	>
A+ Content Examples	
AMAZON WAREHOUSING AND DISTRIBUTION API	
Amazon Warehousing and Distribution API	>
Amazon Warehousing and Distribution API v2024-05-09 Reference	
APP INTEGRATIONS API	
App Integrations API	∨

options

Operation

- [listTransportationOptions](#)

Parameters

- `inboundPlanId` : The ID of the inbound plan.
- `placementOptionId` : The ID of the chosen placement option.

Response

- Includes different available `transportationOptions`, each represented by `transportationOptionId` per `shipmentId`. Each transportation option contains details about:
 - `carrier` : The carrier.
 - `shippingMode` : The shipment type (for example, Small Parcel Delivery vs. pallets).
 - `shippingSolution` : The shipping solution. Identifies whether the carrier is Amazon Partnered or your own transportation carrier.
 - `preconditions` : Conditions that must be met to provide the delivery window. Only applicable to your own carrier options.

Note

If you have multiple `shipmentIds` from `listPlacementOptions`, choose a

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

```
transportationOptionId
for each
shipmentId .
```

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Ship using a partnered carrier

To ship using a partnered carrier, you must select the `transportationOption` based on your shipment type:

- For pallet shipments, choose the option where `shippingMode` is `FREIGHT_LTL`.
- Choose `shippingSolution` as `AMAZON_PARTNERED_CARRIER`.



List transportation options
Open Recipe >

Ship using a non-partnered carrier

To ship using a non-partnered carrier, you must select the `transportationOption` based on your shipment type:

- For pallet shipments, choose the option where `shippingMode` is `FREIGHT_LTL`.
- Choose `shippingSolution` as `USE_YOUR_OWN_CARRIER`.
- `preconditions` lists the requirements for confirming the delivery windows. You must generate, list, and confirm a delivery window for each shipment that you send using your own carrier.

Follow the tutorial for detailed steps.



List transportation options (non-PCP)
Open Recipe >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Create an inbound shipment

Create a shipment with an Amazon-partnered carrier (PCP)

Create a shipment with a non-partnered carrier

Inbound Shipments with the Pack Later workflow

Ship Inventory to Amazon Fulfillment Centers in India

Additional Functionality

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Step 8. Generate delivery window options [Only for Non-Partnered Carrier]

Operation

- `generateDeliveryWindowOptions`

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `shipmentId` : ID of the specific shipment for which to generate delivery windows.

Response

- `operationId` : An ID that you can use to check the status of the delivery window options generation.



Note

You must generate delivery windows for all `shipmentId`s within the inbound plan.



Generate delivery window options
Open Recipe >

Step 9. List Delivery Window

Options [Only for Non-Partnered Carrier]

Operation

- [listDeliveryWindowOptions](#)

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `shipmentId` : ID of the specific shipment for which to retrieve delivery window options.

Response

- Includes a list of available `deliveryWindowOptions`, each represented by a `deliveryWindowOptionId`.
- Each option includes `startDate` and `endDate` that indicate the time frame during which the shipment must arrive.



List delivery window options
Open Recipe >

Step 10. Get shipment

Operation

- [getShipment](#)

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `shipmentId` : ID of the specific shipment for which to retrieve details.

Response

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

- Includes the details related to the contents of the specified shipment, including:

- **Source address:** The address from which the shipment originates.
- **Destination warehouse address:** The address of the chosen destination warehouse.
- **Status:** The current status of the shipment.

Note

If you are not satisfied with the chosen options, you can regenerate and select transportation option before final confirmation.



Get shipment details

[Open Recipe >](#)

Step 11. Confirm delivery window options [Only for Non-Partnered Carrier]

Operation

- `confirmDeliveryWindowOptions`

Parameters


- `inboundPlanId` : ID of the inbound plan.
- `shipmentId` : ID of the specific shipment for

which the delivery window option is being confirmed.

- `deliveryWindowOptionId` : ID of the chosen delivery window option.

Response

- `operationId` : An ID that you can use to check the status of the delivery window confirmation.



Step 12. Confirm transportation options

Operation

- `confirmTransportationOptions`

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `transportationSelections` : A list of selected transportation options for each shipment, including:
 - `shipmentId` : The ID of the shipment.
 - `transportationOptionId` : The chosen transportation option ID for that shipment.

Response

- `operationId` : An ID that you can use to check the status of the transportation confirmation.

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification

ORDERS API

Orders API

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API

PRODUCT PRICING API

Product Pricing API >

**Confirm transportation option**

Open Recipe >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Step 13. Get shipment Operation

- [getShipment](#)

Parameters

- **inboundPlanId** : ID of the inbound plan.
- **shipmentId** : The ID of the shipment.

Response

- Includes the details of shipment, including:
 - **sourceAddress** : The origin address of the shipment.
 - **destinationWarehouseAddress** : The address of the destination warehouse.
 - **amazonReferenceId** : Amazon's reference ID for the shipment.
 - **selectedTransportationOptionId** : The chosen transportation option ID.
 - **placementOptionId** : The ID of the chosen placement option.
 - **shipmentConfirmationId** : The ID that confirms the shipment.
 - **trackingDetails** : Information regarding the shipment tracking.

Reports JSON Schemas



Reports API FAQ

SALES API

Sales API

**SELLER WALLET API**

Seller Wallet API



Seller Wallet API Rate Limits

SELLERS API

Sellers API

**SERVICES API**

Services API

**SHIPMENT INVOICING API**

Shipment Invoicing API

**SHIPPING API**

Shipping API v2 Resources

Shipping API v1 Reference

**SOLICITATIONS API**

Solicitations API



- **status** : The current status of the shipment.

**Get shipment details**

Open Recipe >

Step 14. Get labels Operation

- [getLabels](#)

Parameters

- **shipmentConfirmationId** : The ID confirming the shipment, retrieved from the **getShipment** response.
- **PageType** : Specifies the [type of page](#) for the labels.
- **LabelType** : Specifies the [type of label](#) to retrieve.

For Pallet Shipments:

- **NumberOfPallets** : The total number of pallets included in the shipment.
- **PageSize** : Specifies the size of the label pages to retrieve.

Response

- Includes a URL that you can use to download the labels associated with each shipment ID within your inbound plan.

**Get labels to print**

Open Recipe >

Step 15. Update shipment tracking details [Only for

Non-Partnered Carrier]

Operation

- [updateShipmentTrackingDetails](#)

Parameters

- `inboundPlanId` : ID of the inbound plan.
- `shipmentId` : ID of the shipment.
- `trackingDetails` : Details for updating tracking information based on shipment type.
 - For pallet (LTL/FTL) delivery:
 - `ltlTrackingDetail` : Details that include the `freightBillNumber` that your carrier provides for the pallet shipment.

Response

- `operationId` : An ID that you can use to check the status of the tracking details update.



Update shipment tracking details
[Open Recipe >](#)

 Updated 19 days ago



SUPPLY SOURCES API	
Supply Sources API	>
Multi-Location Inventory Integration Guide	
Supply Sources API Rate Limits	
TOKENS API	
Tokens API	>
UPLOADS API	
Uploads API	>
VEHICLES API	
Vehicles API	>
Vehicles API Rate Limits	
VENDOR DIRECT FULFILLMENT APIS	
Vendor Direct Fulfillment Dynamic Sandbox Guide	
Vendor Direct Fulfillment Workflow Guide	
SP-API Bill-to-Party Addresses	
VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API	
Vendor Direct Fulfillment Transaction Status API	>

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

Did this page help you?
 Yes  No

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

