

Documentation

Inventory Reports

English

Home

Documentation

<> API Reference

Code Samples

Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Terminology

Frequently Asked Questions >

Inventory Reports

Inventory Reports for the Selling Partner Reports API.

Inventory Report

reportType

 Value:
GET_FLAT_FILE_OPEN_LISTINGS_DATA

Roles: [Inventory and Order Tracking](#), [Pricing, Direct to Consumer Shipping \(Restricted\)](#), [Product Listing](#)

Availability: Seller Central sellers

Requested/scheduled:
This report can only be requested.

Report output type:
Tab-delimited flat file

Contains a summary of the seller's product listings with the price and quantity for each SKU.

Note

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

You can only specify one marketplace per report. When requesting a report with multiple marketplaceIds, only the first marketplaceId in the list will be accepted.

This report accepts the following reportOptions values:

- Custom : A Boolean value that indicates whether a custom report is returned. Default: false . Example:

```
"reportOptions": { "custom": "true" } .
```
- preferredReportDocumentLocale : A string value that specifies the preferred locale for report column headers. Accepts standard locale codes in the POSIX-style locale format. Example:

```
"reportOptions": { "preferredReportDocumentLocale": "en-US" } .
```

[Policies and Agreements](#)[About Facial Data](#)

AUTHORIZATION

[Authorize Applications](#) >[Renew Authorizations](#)[Revoke Authorizations](#)[Authorization Limits](#)[Special Authorization Types](#) >

INTEGRATION

[Building Robust Amazon SP-API Applications](#)[SP-API SDKs](#) >`tDocumentLocale"``:"en_US"} .`

Note

Reports are not cached by locale. Requesting the same report within the cache period (between one and six hours depending on the number of entries) may return headers in a different locale than requested.



Note

This report includes a UTF-8 Byte Order

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

Mark (BOM) as the first 3 bytes. Ensure that you account for the BOM when you consume the report.

► [Select to expand list of report attributes.](#)

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

All Listings Report

reportType Value:

GET_MERCHANT_LISTIN

GS_ALL_DATA

Roles: [Inventory and Order Tracking](#), [Pricing](#), [Direct to Consumer Shipping \(Restricted\)](#), [Product Listing](#)

Requested/scheduled:

This report can only be requested.

Report output type:

Tab-delimited flat file

A detailed all listings report.



Note

You can only specify one

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors ↗

Listings Items API Issues Troubleshooting ↗

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide >

Inventory Reports

marketplace per report. When requesting a report with multiple marketplaceIds, only the first marketplaceId in the list will be accepted.

This report accepts the following

`reportOptions` values:

- `Custom` : A Boolean value that indicates whether a custom report is returned. Default: `false`. Example:

```
"reportOptions": {
  "custom": "true"
}
```

.
- `preferredReportDocumentLocale` : A string value that specifies the preferred locale for report column headers. Accepts standard locale codes in the POSIX-style locale format. Example:

```
"reportOptions": {
  "preferredReportDocumentLocale": "en_US"
}
```

.



Note

Reports are not cached by locale. Requesting the same report within the cache period (between one and six hours depending on the number of entries) may return headers in a different locale than requested.

VAT Calculation Service



Amazon Seller Data Access

Best Practices



Note

This report includes a UTF-8 Byte Order Mark (BOM) as the first

A+ CONTENT API

A+ Content API



A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

Inventory Reports

3 bytes.
Ensure that you account for the BOM when you consume the report.

► Select to expand list of report attributes.

Active Listings Report

reportType Value:
GET_MERCHANT_LISTING_DATA

Roles: [Inventory and Order Tracking](#), [Pricing, Direct to Consumer Shipping \(Restricted\)](#), [Product Listing](#)

Requested/scheduled:
This report can only be requested.

Report output type:
Tab-delimited flat file

A detailed all listings report.

 Note

You can only specify one marketplace per report.

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

When requesting a report with multiple marketplaceIds

, only the first marketplaceId in the list will be accepted.

This report accepts the following

`reportOptions`

values:

- `preferredReportDocumentLocale` :
A string value that specifies the preferred locale for report column headers. Accepts standard locale codes in the POSIX-style locale format. Example:
`"reportOptions"`
:
`{"preferredReportDocumentLocale": "en_US"} .`

**Note**

Reports are not cached by locale. Requesting the same report within

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

the
cache
period
(between one
and six
hours
depending on
the
number
of
entries)
may
return
headers
in a
different
locale
than
requested.

 Note

This
report
includes
a UTF-8
Byte
Order
Mark
(BOM) as
the first
3 bytes.
Ensure
that you
account
for the
BOM
when
you
consume
the
report.

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API

>

► [Select to expand list of report attributes.](#)

Inactive Listings Report

reportType Value:

GET_MERCHANT_LISTING_INACTIVE_DATA

Roles: [Inventory and Order Tracking](#), [Pricing](#), [Product Listing](#)

Requested/scheduled:

This report can only be requested.

Report output type:

Tab-delimited flat file

A detailed inactive listings report.



Note

You can only specify one marketplace per report. When requesting a report with multiple marketplaceIds, only the first marketplaceId in the list will be accepted.

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

This report accepts the following

`reportOptions`

values:

- `preferredReportDocumentLocale` :
A string value that specifies the preferred locale for report column headers. Accepts standard locale codes in the POSIX-style locale format. Example:
`"reportOptions"`
:
{`"preferredReportDocumentLocale"`
:`"en_US"`} .



Note

Reports are not cached by locale. Requesting the same report within the cache period (between one and six hours depending on the number of entries)

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Inventory Reports

may return headers in a different locale than requested.

 Note

This report includes a UTF-8 Byte Order Mark (BOM) as the first 3 bytes. Ensure that you account for the BOM when you consume the report.

► [Select to expand list of report attributes.](#)

Open Listings Report

reportType Value:
GET_MERCHANT_LISTIN
GS_DATA_BACK_COMPAT

Orders API

>

Roles: [Inventory and Order Tracking](#), [Pricing](#), [Direct to Consumer Shipping \(Restricted\)](#), [Product Listing](#)

Requested/scheduled:

This report can only be requested.

Report output type:

Tab-delimited flat file

An open listings report.

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API

>

PRODUCT PRICING API

Product Pricing API

>

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API

>

**Note**

You can only specify one marketplace per report. When requesting a report with multiple marketplaceIds, only the first marketplaceId in the list will be accepted.

This report accepts the following

`reportOptions` values:

- `Custom` : A Boolean value that indicates whether a custom report is returned. Default: `false`. Example: `"reportOptions"` :

```
{"custom": "true"
} .
```

REPORTS API

Reports API >

Report Type Values >

Payment Reports

Analytics Reports

Inventory Reports

Order Reports

Returns Reports

Performance Reports

Settlement Reports

Fulfillment by Amazon (FBA) Reports

Tax Reports

Invoice Data Reports

Browse Tree Reports

Easy Ship Reports

Amazon Business Reports

B2B Product Opportunities Reports

Regulatory Compliance Reports

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

- **preferredReportDocumentLocale** :
A string value that specifies the preferred locale for report column headers. Accepts standard locale codes in the POSIX-style locale format. Example:
"reportOptions" :
{"preferredReportDocumentLocale" : "en_US"} .



Note

Reports are not cached by locale. Requesting the same report within the cache period (between one and six hours depending on the number of entries) may return

headers in a different locale than requested.

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >



Note

This report includes a UTF-8 Byte Order Mark (BOM) as the first 3 bytes. Ensure that you account for the BOM when you consume the report.

► [Select to expand list of report attributes.](#)

Open Listings Report Lite

reportType Value:
GET_MERCHANT_LISTING_DATA_LITE

Roles: [Inventory and Order Tracking](#), [Pricing](#),

[Direct to Consumer Shipping \(Restricted\), Product Listing](#)

Multi-Location Inventory Integration Guide
Supply Sources API Rate Limits

TOKENS API

Tokens API >

Requested/scheduled:
This report can only be requested.

Report output type:
Tab-delimited flat file

Contains only the SKU, ASIN, Price, and Quantity fields for items that have a quantity greater than zero.

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide
Vendor Direct Fulfillment Workflow Guide
SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

 **Note**

You can only specify one marketplace per report. When requesting a report with multiple marketplaceIds, only the first marketplaceId in the list will be accepted.

This report accepts the following reportOptions values:

- preferredReportDocumentLocale :
A string value that specifies the preferred locale for report column

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

headers. Accepts standard locale codes in the POSIX-style locale format. Example:

```
"reportOptions"
:
{"preferredReportDocumentLocale"
:"en_US"} .
```

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

 Note

Reports are not cached by locale. Requesting the same report within the cache period (between one and six hours depending on the number of entries) may return headers in a different locale than requested.

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >



Note

This report includes a UTF-8 Byte Order Mark (BOM) as the first 3 bytes. Ensure that you account for the BOM when you consume the report.

► [Select to expand list of report attributes.](#)

Open Listings Report Liter

reportType Value:

GET_MERCHANT_LISTIN

GS_DATA_LITER

Roles: [Inventory and Order Tracking](#), [Pricing](#), [Direct to Consumer Shipping \(Restricted\)](#), [Product Listing](#)

Requested/scheduled:

This report can only be requested.

Report output type:

Tab-delimited flat file

An active listings report that contains only the SKU and Quantity fields for items that have a quantity greater than zero.

**Note**

You can only specify one marketplace per report. When requesting a report with multiple marketplaceIds, only the first marketplaceId in the list will be accepted.

This report accepts the following

`reportOptions` values:

- `preferredReportDocumentLocale` :
A string value that specifies the preferred locale for report column headers. Accepts standard locale codes in the POSIX-style locale format. Example:
`"reportOptions"`
:

```
{"preferredReportDocumentLocale": "en_US"} .
```



Note

Reports are not cached by locale. Requesting the same report within the cache period (between one and six hours depending on the number of entries) may return headers in a different locale than requested.



Note

This report includes a UTF-8 Byte

Order
Mark
(BOM) as
the first
3 bytes.
Ensure
that you
account
for the
BOM
when
you
consume
the
report.

► [Select to expand](#)
[list of report](#)
[attributes.](#)

Canceled Listings Report

reportType Value:

GET_MERCHANT_CANCEL

LED_LISTINGS_DATA

Roles: [Inventory and](#)
[Order Tracking](#), [Pricing](#),
[Direct to Consumer](#)
[Shipping \(Restricted\)](#),
[Product Listing](#)

Requested/scheduled:

This report can only be
requested.

Report output type:

Tab-delimited flat file

A canceled listings
report.



Note

You can only specify one marketplace per report. When requesting a report with multiple marketplaceIds, only the first marketplaceId in the list will be accepted.

This report accepts the following reportOptions values:

- Custom : A Boolean value that indicates whether a custom report is returned. Default: false . Example: "reportOptions" : {"custom":"true"} .
- preferredReportDocumentLocale : A string value that specifies the preferred locale for report column headers. Accepts standard locale codes in the POSIX-style locale format. Example: "reportOptions" : {"preferredReportDocumentLocale":"en_US"}

```
tDocumentLocale"  
:"en_US"} .
```



Note

Reports are not cached by locale. Requesting the same report within the cache period (between one and six hours depending on the number of entries) may return headers in a different locale than requested.



Note

This report includes a UTF-8 Byte Order

Mark (BOM) as the first 3 bytes. Ensure that you account for the BOM when you consume the report.

► [Select to expand list of report attributes.](#)

Suppressed Listings Report

reportType Value:

GET_MERCHANTS_LISTI

NGS_FYP_REPORT

Role: [Product Listing](#)

Requested/scheduled:

This report can be requested or scheduled.

Report output type:

Tab-delimited flat file



Note

You can only specify one marketplace per report. When requesting a report with

multiple
marketplaceIds
, only the
first
marketplaceId
in the list will
be accepted.

Contains suppressed listings, the reason each listing is suppressed, and instructions for removing each suppression.

This report accepts the following

reportOptions

values:

- preferredReportDocumentLocale :
A string value that specifies the preferred locale for report column headers. Accepts standard locale codes in the POSIX-style locale format. Example:
"reportOptions"
:
{ "preferredReportDocumentLocale"
: "en_US" } .



Note

Reports are not cached by locale.

Requesting the same report within the cache period (between one and six hours depending on the number of entries) may return headers in a different locale than requested.



Note

This report includes a UTF-8 Byte Order Mark (BOM) as the first 3 bytes. Ensure that you account for the BOM when

you
consume
the
report.

► [Select to expand](#)
[list of report](#)
[attributes.](#)

Pan-European Eligibility: FBA ASINs

reportType Value:

GET_PAN_EU_OFFER_ST

ATUS

Roles: [Inventory and](#)
[Order Tracking](#), [Pricing](#),
[Amazon Fulfillment](#),
[Direct to Consumer](#)
[Shipping \(Restricted\)](#),
[Product Listing](#)

Availability: FBA sellers

Marketplace

availability: Spain, UK,
France, Germany, and
Italy marketplaces.

Requested/scheduled:

This report can only be
requested.

Report output type:

Tab-delimited flat file

Contains enrollment
status and eligibility
information for the
Pan-European FBA
program for each of
the seller's Amazon-
fulfilled listings. For

more information, refer to Seller Central Help.

► [Select to expand list of report attributes.](#)

Pan-European Eligibility: Self-fulfilled ASINs

reportType Value:

GET_MFN_PANEU_OFFER_STATUS

Requested/scheduled:

This report can only be requested.

Marketplace

availability: Spain, UK, France, Germany, and Italy marketplaces.

Report output type:

Tab-delimited flat file

Contains eligibility information for the Pan-European FBA Program for each of the seller's self-fulfilled listings. Self-fulfilled listings are not allowed in the Pan-European FBA program, and this report can help sellers determine whether to convert any of their self-fulfilled listings to Amazon-fulfilled listings in order to enroll them in the program. For more information, refer to Seller Central Help.

► [Select to expand list of report attributes.](#)

Referral Fee Preview Report

reportType Value:

GET_REFERRAL_FEE_PR

VIEW_REPORT

Role: [Finance and Accounting](#)

Requested/scheduled:

This report can only be requested.

Report output type:

Tab-delimited flat file

Contains the seller's open listings as well as the price and estimated referral fees for each SKU.



Note

The information in this report may be up to 24 hours old. Do not request a report more than once per 24-hour period.

► [Select to expand list of report attributes.](#)

 Updated 19 days ago

←

Analytics Reports

Order Reports

→

Did this page help you?

 Yes

 No