

GET STARTED

[Welcome to SP-API Documentation](#)[What is the Selling Partner API?](#)[Selling Partner API Onboarding Overview](#)[Terminology](#)[Frequently Asked Questions](#)

CHANGELOG

[SP-API Release Notes](#)[SP-API Deprecation Schedule](#)

Manage purchasable offer

Learn how to update an Amazon purchasable offer for a given selling partner and Amazon marketplace using the Listings Items API.

This tutorial guides you through granularly updating and deleting sub-attributes of the `purchasable_offer` attribute using the Listings Items API. Learn how to modify individual offer properties, such as prices, dates, and pricing plans without deleting and recreating the entire offer.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you are making calls. Refer to [Authorizing Selling Partner API Applications](#) for more information.
- Approval for the [Product Listing role](#) in your developer profile.
- The [Product Listing](#) role selected in the App registration page for your application.
- For attribute updates, JSON-based listing attribute payloads adhering to the JSON Schema provided by the [Selling Partner API for Product Type Definitions](#) for the given selling partner, Amazon marketplace, Amazon product type, and attributes.
- For attribute deletes, JSON-based listing attribute payloads adhering to the JSON Schema provided by the [Selling Partner API for Product Type Definitions](#) for the given selling partner, Amazon marketplace, Amazon product type, and attributes with the selector properties of the attributes to delete. You cannot delete attributes by name alone. Use selector values to identify which attribute instance to delete.

Purchasable Offer

The `purchasable_offer` attribute defines the complete pricing and offer configuration for a product listing on Amazon. It is structured as an array of offer objects, with each offer uniquely identified by `marketplace_id`, `currency`, and `audience`.

SP-API Product Metadata Updates		
DIRECTORIES		
SP-API Models		
SP-API Seller Use Cases		
SP-API Vendor Use Cases		
Seller Central URLs		
Vendor Central URLs		
REGISTRATION		
SP-API Registration Overview	>	
Developer Registration Request Status		
Third-Party Provider Registration	>	
Service Provider Registration and Role Approval Process Overview		
Website Guidelines for Public Developers and Service Providers		
User Permissions for Service Providers		
Register your Application		
Update your Application Information		
Rotate your Application's LWA Credentials	>	
View your Application Information and Credentials		
Learn How Sellers Authorize Service Providers		
Selling Partner API Roles	>	
Policies and Agreements		
About Facial Data		
AUTHORIZATION		
Authorize Applications	>	
Renew Authorizations		
Revoke Authorizations		
Authorization Limits		

Sub-attribute	Description	Type	Updatable	Deletable
currency	Currency code for the offer (selector).	string	No	No
marketplace_id	The Amazon marketplace where the offer is active (selector).	string	No	No
audience	Buyer segment the offer targets, default: ALL (selector).	string	No	No
our_price	Base selling price.	array	Yes	No
start_at	Offering release date.	object	Yes	Yes
end_at	Stop selling date. Set to a past date to soft-close the offer.	object	Yes	Yes
map_price	Minimum advertised price.	array	Yes	Yes
discounted_price	Temporary sale price with start_at and end_at dates.	array	Yes	Yes
minimum_seller_allowed_price	Price floor to prevent selling below a threshold.	array	Yes	Yes
maximum_seller_allowed_price	Price ceiling to prevent selling above a threshold.	array	Yes	Yes
maximum_retail_price	Price ceiling to prevent selling above a threshold. [Only available in	array	Yes	Yes

Special Authorization Types

>

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs

>

Sub-attribute	Description	Type	Updatable	Deletable
	the IN marketplace]			
quantity_discount_plan	Quantity-based discount configuration. [Only available for Amazon Business offers]	array	Yes	Yes
automated_pricing_merchandising_rule_plan	Automated pricing rule configuration.	array	Yes	Yes

Use the `patchListingsItem` operation for all granular updates.

! Important

The API derives selectors from the marketplace in the request. For better control, include the selector properties (`currency` , `marketplace_id` , and `audience`) within the payload to identify which offer instance to modify.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

>

Call Structure

>

Development Tools

>

Performance Management

>

Supported operations for purchasable_offer

Operation	What it does	Use case
op: "replace"	Replaces the sub-attributes you include, but does NOT delete what you omit.	Setting or updating prices.
op: "merge"	Surgically updates OR deletes individual sub-attributes (set to null to delete).	Updating a single sub-attribute or removing optional sub-attributes like <code>discounted_price</code> , <code>map_price</code> , <code>start_at</code> , <code>end_at</code> .
op: "delete"	Cannot target sub-attributes within <code>purchasable_offer</code> .	Do not use for sub-attribute removal.

SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK
- Tutorial: Automate your SP-API Calls Using a Java SDK
- Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js
- Tutorial: Automate your SP-API Calls Using a Python SDK
- Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
- Tutorial: Automate your SP-API Calls using prebuilt Java SDK
- Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
- Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
- Tutorial: Automate your SP-API calls using a prebuilt Python SDK
- Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
- Tutorial: Retrieve Merchant Shipping Templates
- Tutorial: Grant the SP-API Permission to an Amazon SQS Queue
- Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

- Troubleshoot SP-API Errors
- URL Encoding
- Resolve Common HTTP and Authorization Error Codes
- External Fulfillment Errors
- Listings Items API Issues Troubleshooting

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore

Note

This guide uses `op: "merge"` for all examples. While `replace` works similarly for updates, consider using `merge` because it also supports deletion (using `null`) and behaves consistently with other structured attributes like `fulfillment_availability`.

Update a sub-attribute

To granularly update a sub-attribute, use `op: "merge"` and include only the sub-attribute you want to change.

Updatable sub-attributes and example values

Sub-attribute	Example value
<code>our_price</code>	<code>[{"schedule": [{"value_with_tax": 7.0}]}]</code>
<code>start_at</code>	<code>{"value": "2026-03-01"}</code>
<code>end_at</code>	<code>{"value": "2025-01-01"}</code> (past date to soft-close) or <code>{"value": "2027-12-31"}</code> (future date)
<code>map_price</code>	<code>[{"schedule": [{"value_with_tax": 10.0}]}]</code>
<code>discounted_price</code>	<code>[{"schedule": [{"start_at": "2026-01-01", "end_at": "2026-05-30", "value_with_tax": 5.0}]}]</code>
<code>minimum_seller_allowed_price</code>	<code>[{"schedule": [{"value_with_tax": 3.0}]}]</code>
<code>maximum_seller_allowed_price</code>	<code>[{"schedule": [{"value_with_tax": 50.0}]}]</code>
<code>maximum_retail_price</code>	<code>[{"schedule": [{"value_with_tax": 100.0}]}]</code> (IN marketplace only)
<code>quantity_discount_plan</code>	Refer to the product type definition schema for structure
<code>automated_pricing_merchandising_rule_plan</code>	Refer to the product type definition schema for structure

Replace `<sub_attribute>` and `<value>` with values from the table:

```
JSON
{
  "productType": "PRODUCT",
  "patches": [
    {
      "op": "merge",
```

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide

VAT Calculation Service

Amazon Seller Data Access

Best Practices

Manage purchasable offer

```
"path": "/attributes/purchasable_offer",
"value": [
  {
    "currency": "USD",
    "audience": "ALL",
    "marketplace_id": "ATVPDKIKX0DER",
    "<sub_attribute>": <value>
  }
]
```

For example, to update the `start_at` date:

```
JSON
{
  "productType": "PRODUCT",
  "patches": [
    {
      "op": "merge",
      "path": "/attributes/purchasable_offer",
      "value": [
        {
          "currency": "USD",
          "audience": "ALL",
          "marketplace_id": "ATVPDKIKX0DER",
          "start_at": {"value": "2026-03-01"}
        }
      ]
    }
  ]
}
```

Delete an optional sub-attribute

To granularly delete an optional sub-attribute, use `op: "merge"` and set the sub-attribute to `null`. You can delete the following sub-attributes:

- `map_price`
- `discounted_price`
- `minimum_seller_allowed_price`
- `maximum_seller_allowed_price`
- `maximum_retail_price`
- `quantity_discount_plan`
- `automated_pricing_merchandising_rule_plan`
- `start_at`
- `end_at`

Replace `<sub_attribute>` with the sub-attribute to delete:

JSON

A+ CONTENT API

A+ Content API

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API

```
{
  "productType": "PRODUCT",
  "patches": [
    {
      "op": "merge",
      "path": "/attributes/purchasable_offer",
      "value": [
        {
          "currency": "USD",
          "audience": "ALL",
          "marketplace_id": "ATVPDKIKX0DER",
          "<sub_attribute>": null
        }
      ]
    }
  ]
}
```

For example, to delete the `discounted_price` :

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API

APPLICATION MANAGEMENT API

Application Management API

JSON

```
{
  "productType": "PRODUCT",
  "patches": [
    {
      "op": "merge",
      "path": "/attributes/purchasable_offer",
      "value": [
        {
          "currency": "USD",
          "audience": "ALL",
          "marketplace_id": "ATVPDKIKX0DER",
          "discounted_price": null
        }
      ]
    }
  ]
}
```

To remove a B2B offer sub-attribute (e.g., `quantity_discount_plan` for the `B2B` audience), set it to `null` and specify the `B2B` audience selector:

CATALOG ITEMS API

Catalog Items API

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API

Customer Feedback API Rate Limits

JSON

```
{
  "productType": "PRODUCT",
  "patches": [
    {
      "op": "merge",
      "path": "/attributes/purchasable_offer",
      "value": [
        {
          "currency": "USD",
          "audience": "B2B",
          "marketplace_id": "ATVPDKIKX0DER",
          "quantity_discount_plan": null
        }
      ]
    }
  ]
}
```

DATA KIOSK

Data Kiosk API



```
}  
  ]  
}
```

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

!

Important
The `our_price` sub-attribute cannot be deleted (set to `null`). To remove an offer entirely, use the `delete` operation instead of `merge` .

Updated 19 days ago

DELIVERY BY AMAZON API

Delivery by Amazon API



Search for listings items by product identifier or other listings parameters

Guidance for Complex Attributes

Did this page help you? Yes No

EASY SHIP API

Easy Ship API



[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

EXTERNAL FULFILLMENT

External Fulfillment Inventory API



External Fulfillment Returns API



External Fulfillment Shipping API



External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API



FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

- Retrieve details about a listing
- Preview errors before partially updating a listing
- Create or fully update a listing
- Preview errors before creating or fully updating a listing
- Partially update a listing
- Merge a listing
- Delete a listing
- Submit media attributes

Update prices for multiple marketplaces

Search for listings items by product identifier or other listings parameters

Manage purchasable offer

Guidance for Complex Attributes

Manage Listings Issues >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

