



Migrating Fulfillment Inbound workflows

Home

Documentation

<> API Reference

Code Samples

Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Terminology

Frequently Asked Questions >

Migrating Fulfillment Inbound workflows

Migrate your existing Fulfillment Inbound API workflows from v0 to v2024-03-20.

This guide describes how to migrate from the Fulfillment Inbound API v0 ("v0") to the Fulfillment Inbound API v2024-03-20 ("v2024-03-20"). It follows the v0 workflow and describes how to accomplish the same tasks with v2024-03-20. This migration is necessary, as certain operations in v0 are deprecated.

! Important

Review the new [Fulfillment Inbound shipment workflow](#) before this migration guide.

Create an inbound shipment plan

To create an inbound shipment plan, the seller provides key information to Amazon about the items, such as:

- Ship-from address

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

Developer Registration Request Status

Third-Party Provider Registration

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications

- Items summary
- Label and prep preference

Amazon uses this information to create a shipment plan for your items, so the items can be appropriately packed and sent to an Amazon fulfillment center.

The v0 operation `createInboundShipmentPlan` is replaced with a set of operations in v2024-03-20. These new operations provide sellers with several packing and placement options, similar to the Send to Amazon workflow in Seller Central:

v2024-03-20 operation	Functionality
<code>createInboundPlan</code>	Create an inbound plan.
<code>generatePackingOptions</code> <code>listPackingOptions</code> <code>listPackingGroups</code> <code>confirmPackingOption</code>	Determine which SKUs can be packed together.
<code>setPackingInformation</code>	Provide box content information.
<code>generatePlacementOptions</code>	Generate and view options for destination fulfillment centers.

v2024-03-20 operation	Functionality
listPlacements getShipment	Review shipment splits.

- Renew Authorizations
- Revoke Authorizations
- Authorization Limits
- Special Authorization Types



Request and response mapping

When you make requests and interpret responses with the new operations, consider the following:

- `destinationMarketplaces` is replaced with `shipToCountryCode` and `ShipToCountrySubdivisionCode` in requests.
- Label and prep preference is replaced with Label and prep owners.
- PrepDetailList is not available as an input. The seller must enter the prep category in Seller Central in advance for each SKU. This is a one-time activity per SKU and the prep category persists.**
- You retrieve fees and discounts from the [listPackingOptions](#) response for the packing option, and from the [listPlacementOptions](#) response for different placement options.
- [createInboundPlan](#) generates shipment IDs. These are different from `shipmentConfirmationIDs`, which are the identifiers that appear on labels (for example, `FBA1234ABCD`).

INTEGRATION

- Building Robust Amazon SP-API Applications
- SP-API SDKs



Delete an Application From Your Developer Account

CALLING THE SP-API

- Configuration Details



Call Structure	>
Development Tools	>
Performance Management	>

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal
Manage Your Business And Contact information in Solution Provider Portal
Update Your Developer Profile in Solution Provider Portal
Unify Your Developer Accounts
Verify Your Identity in Solution Provider Portal
API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification
Tutorial: Test Selling Partner API Endpoints
Tutorial: Automate your SP-API Calls Using a C# SDK
Tutorial: Automate your SP-API Calls Using a Java SDK
Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js
Tutorial: Automate your SP-API Calls Using a Python SDK
Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
Tutorial: Automate your SP-API Calls using prebuilt Java SDK
Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
Tutorial: Automate your SP-API calls using a prebuilt Python SDK
Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
Tutorial: Retrieve Merchant Shipping Templates

- `getShipment` retrieves both of these IDs, along with the Amazon reference ID, after confirming placement in the next step.
- The v0 operation `createInboundShipmentPlan` returns the `DestinationFulfillmentCenterId`. In v2024-03-20, `getShipment` returns this at the shipment ID level.
 - The v0 operation `createInboundShipmentPlan` returns the `EstimatedBoxContentsFee`. Use the v0 operation `getShipments` to retrieve this. For more details, refer to the [Preserved workflows section](#).

Version 0 features

When you call `createInboundShipmentPlan` with an address and required shipping information, it returns a list of inbound plans, each containing a shipment ID, destination FC, items, and fees.

Version 2024-03-20 features

You create inbound shipment plans in a highly customizable way in the new version:

Operation	Task
<code>createInboundPlan</code>	Create an inbound plan with an address, marketplace, and items summary.
<code>generatePacking0</code>	Determine which SKUs

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue	
Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier	
TROUBLESHOOTING	
Troubleshoot SP-API Errors	
URL Encoding	
Resolve Common HTTP and Authorization Error Codes	
External Fulfillment Errors	↗
Listings Items API Issues Troubleshooting	↗
SELLING PARTNER APPSTORE	
What is the Selling Partner Appstore?	
List Your App on the Selling Partner Appstore	
Edit Your Appstore Listing	
Check Listing Status	
Appstore Ratings and Reviews	
Press Releases and Promotions	
SERVICE PROVIDER NETWORK	
List Your Service	
SECURITY AND COMPLIANCE	
SP-API Security and Compliance Overview	
Amazon Selling Partner API Guard Implementation Guide	>
VAT Calculation Service	
>	

Operation	Task
ptions listPackingOptions confirmPackingOption	can be packed together. The seller has the ability to generate packing options in this step. Each PackingOption includes a set of PackingGroups, each of which contains a set of SKUs that can be packed together. Information such as fees, discounts, shipping modes, and expiration date can help the seller choose between options.
setPackingInformation	Provide information related to the items that are packed into each box, including items, item quantities, dimensions, weight, and quantity of boxes.

			Operation	Task
Amazon Seller Data Access	Best Practices	>	generatePlacementOptions	Generate placement options (shipment splits) that are available for the inbound plan. Each placement option describes the destination FCs and shipping options for each item in the inbound plan. Each option can include fees or discounts.
A+ CONTENT API	A+ Content API	>	listPlacementOptions	Get the list of available placement options, which includes a placement option ID, status (offered or accepted), any fees and discounts, the expiration date, and the shipment IDs associated with each option.
AMAZON WAREHOUSING AND DISTRIBUTION API	Amazon Warehousing and Distribution API	>		
Amazon Warehousing and Distribution API v2024-05-09 Reference	APP INTEGRATIONS API	App Integrations API	getShipment	Review details related to the content of each

APPLICATION MANAGEMENT API	
Application Management API	>
CATALOG ITEMS API	
Catalog Items API	>
Catalog Items API Rate Limits	
Catalog Items API v2022-04-01 Reference	
CUSTOMER FEEDBACK API	
Customer Feedback API	>
Customer Feedback API Rate Limits	
DATA KIOSK	
Data Kiosk API	>
Data Kiosk Schema Explorer User Guide	
Data Kiosk Query Processing Finished Notification	
Building Data Kiosk workflows guide	
Vendor Analytics Dataset Use Case Guide	
Schedule Data Kiosk Queries	
DELIVERY BY AMAZON API	
Delivery by Amazon API	>
EASY SHIP API	
Easy Ship API	>

Operation	Task
	shipment referenced by the shipment ID.

 **Note**

All POST operations in the new flow are asynchronous and must be followed by `getInboundOperationStatus` to retrieve their status.

Create an inbound shipment

An inbound shipment indicates to Amazon that a shipment of items will arrive at a particular Amazon fulfillment center soon.

In v0, you use `createInboundShipment` to select the shipping option. In v2024-03-20, you use `confirmPlacementOption`.

Request and response mapping

When you make requests and interpret responses with the new operations, consider the following:

- In v0, `InboundShipmentHeader` and `InboundShipmentItems` must be passed for each shipment ID in the request. In v2024-03-20, only `inboundPlanId` and `placementOptionId` are required.

- `shipmentID` in v0 is replaced with `shipmentConfirmationID` in v2024-03-20 and is generated when you create an inbound shipment.

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Version 0 features

To create an inbound shipment, send an inbound shipment header with shipment items and a marketplace ID for each shipment ID.

Version 2024-03-20 features

The `confirmPlacementOption` operation confirms the placement option for an inbound plan, selects the placement splits for an inbound plan, and creates confirmed shipment IDs for all shipments within the inbound plan. The `shipmentConfirmationID` generated in this step is the shipment identifier that appears on labels (for example, `FBA1234ABCD`).

Note that this step is performed after generating transportation options only when carton content is known in advance. For the correct order of operations to create a shipment plan using the new APIs, refer to [Creating a shipment when the seller knows the carton-level information up-front](#)

Submit carton content information

In v0, you use the `POST FBA_INBOUND_CARTON_CONTENTS` feed to provide box

Migrating Fulfillment Inbound workflows
content information. In v2024-03-20, you use `setPackingInformation`.

Request and response mapping

The `POST_FBA_INBOUND_CARTON_CONTENTS` feed contains all information about the cartons in `XSD` format for the shipment ID level. `setPackingInformation` requires the same information at either the Packing group level or Shipment ID level. Box weight and dimensions are new.

Version 0 features

The `Feeds API` is a separate API for bulk updates. The feeds input must conform to the `XSD` format.

Version 2024-03-20 features

- `setPackingInformation` simplifies the submission of carton content information.
- You can provide packing information at two stages depending on whether carton level information is known at the time of packing:
 - If packing information is known,** call `setPackingInformation` with the packing group ID before placement confirmation.
 - If packing information is unknown,** call `setPackingInformation`

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

ion with the shipment ID after placement confirmation.

For an outline of the two workflows, refer to [Fulfillment Inbound shipment workflow](#).

Submit transportation information and estimate shipping cost

When you submit transportation information and get an estimate of shipping costs for Amazon-partnered carriers, you also provide information that Amazon fulfillment centers can use to plan for the arrival of your shipment.

Use the following operations to input transportation data, generate transportation options, generate delivery windows, and view transportation and delivery window options.

v0 operations	v2024-03-20 operations
putTransportDetail s	generateTransportationOptions
estimateTransport	generateDeliveryWindows
getTransportDetail s	listTransportationOptions listDeliv

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits	
Manage Product Listings with the Selling Partner API	
Building Listings Management Workflows Guide	
Understanding Amazon listing status and seller-fulfilled inventory management	
Listings Management Workflow Migration	>
Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases	
Listings APIs FAQ	
Product Type Definitions API	>
Product Type Definitions API Rate Limits	
MERCHANT FULFILLMENT API	
Merchant Fulfillment API	>
MESSAGING API	
Messaging API	>
NOTIFICATIONS API	
Notifications API	>

v0 operations	v2024-03-20 operations
	eryWindowOptions

Request and response mapping

When you make requests and interpret responses with the new operations, consider the following:

- The v0 operation `putTransportDetails` requires shipment type (small parcel or a Less Than Truckload/Full Truckload [LTL/FTL]) whether using a partnered carrier or not. It requires transport details for parcel or LTL data if using an Amazon partnered carrier. Few details, such as name and tracking details, are required for non-partnered carriers. In v2024-03-20, [generateTransportationOptions](#) requires ship-from address, ready-to-ship date, and pallet information (if applicable) to generate estimates.
- The v0 operations `estimateTransport` and `getTransportDetails` use `shipmentID` as the identifier. In v2024-03-20, [listTransportationOptions](#) requires a placement option ID and shipment ID.
- In v0, the `PartneredEstimate` response element contains the estimate. In v2024-03-20, the list response includes all available transportation quotes for

all available ship modes
and carrier options.

Version 0 features

- Estimates are generated based on the shipment type and carrier details provided by the seller. This is applicable only to partnered carriers.
- v0 uses `putTransportDetails` to request estimates, followed by `estimateTransport` and `getTransportDetails` . The estimate is returned in the `PartneredEstimate` response element.

Version 2024-03-20 features

- Amazon generates a list of transportation options. This list contains all available shipping modes and carrier options for each shipment within each placement option based on delivery date and address.
- Carrier options include Amazon-partnered and non-partnered carriers. Each quote includes the cost, a void window, and an expiration date. The void window is the time period in which a seller can cancel a shipment and receive a refund for their transportation quote. If pallet information is not included, LTL transportation options are not generated.
- Generate transportation options with `generateTransportation`

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification 

ORDERS API

Orders API 

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier 

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API 

PRODUCT PRICING API

Product Pricing API 

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API		>	Options , then list transportation options with estimated costs using listTransportationOptions . • To generate delivery window options separately, use generateDeliveryWindowOptions . Delivery windows are seven-day periods during which a seller can deliver their shipment to the destination fulfillment center. An available delivery window option is necessary for all shipments that don't have an appointment slot with a fulfillment center. For example, all shipments through non-partnered carriers need a confirmed delivery window. This is a new feature in v2024-03-20.
Replenishment API			
REPORTS API		>	• Call generateDeliveryWindowOptions to generate delivery window options, followed by listDeliveryWindowOptions to review available delivery window options for each shipment within an inbound plan. Note that each option has an expiration date (<code>validUntil</code>). The delivery must be confirmed before this date.
Reports API			
Report Type Values		>	
Reports JSON Schemas		↗	
Reports API FAQ			
SALES API		>	Confirm the transportation request When a seller confirms a transportation request for an
Sales API			
SELLER WALLET API			

Seller Wallet API

>

Amazon-partnered transportation option, they also confirm that they:

- Accept the Amazon-partnered shipping estimate
- Agree to allow Amazon to charge their account for the shipping cost
- Request that the Amazon-partnered carrier ship the inbound shipment

Seller Wallet API Rate Limits

SELLERS API

Sellers API

>

In v0, you use `confirmTransport` to select the transportation options. In v2024-03-20, you use `confirmDeliveryWindowOptions` and `confirmTransportationOptions`.

SERVICES API

Services API

>

Request and response mapping

SHIPMENT INVOICING API

Shipment Invoicing API

>

When you make requests and interpret responses with the new operations, consider the following:

- In v0, `confirmTransport` requires only the `shipmentID`. In v2024-03-20, `confirmDeliveryWindowOptions` requires `shipmentID` and a selected delivery window option ID. To call `confirmTransportationOptions`, the seller must pass the shipment ID, selected transportation option ID, contact information (needed for partnered carriers for LTL shipments), and estimated delivery date (needed for non-partnered carriers).

SHIPPING API

Shipping API v2 Resources

Shipping API v1 Reference

↗

SOLICITATIONS API

Solicitations API

>

SUPPLY SOURCES API

Supply Sources API

>

- v0 returns `TransportStatus` , which provides the status of the Amazon-partnered carrier shipment.

Version 2024-03-20 features

- `confirmTransportationOptions` confirms the transportation request at the `shipmentID` level.
- Choose delivery windows for each shipment within a plan using `confirmDeliveryWindowOptions` . All transportation options that have the program `DELIVERY_WINDOW_REQUIRED` require you to confirm a delivery window before you confirm a transportation option. This is a new requirement in v2024-03-20.
- The way you select transportation options for each shipment within an inbound plan using the `confirmTransportationOptions` operation is similar to v0. You must confirm a transportation option before printing labels, even for non Amazon-partnered transportation.

Send shipment tracking numbers to Amazon

To share tracking details with Amazon after sending a shipment to Amazon's fulfillment network using a non-partnered carrier, use

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API



UPLOADS API

Uploads API



VEHICLES API

Vehicles API



Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API



VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API



VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API



[updateShipmentTrackingDetails](#).

In v0, you use `putTransportDetails` to provide tracking information. In v2024-03-20, you use [updateShipmentTrackingDetails](#).

Request and response mapping

In v0, `putTransportDetails` requires shipment tracking numbers using `TrackingId` (small parcel) and PRO number (LTL). In v2024-03-20, [updateShipmentTrackingDetails](#) requires shipment ID and tracking details for LTL or small parcel shipments.

Version 0 features

Tracking details are embedded in the `putTransportDetails` operation.

Version 2024-03-20 features

`putTransportDetails` is a dedicated operation for updating tracking details. For LTL shipments, the seller must provide a PRO number (also known as Freight Bill number) and can optionally provide a Bill of Lading (BOL) number. For small parcel shipments, the seller must share an array of box IDs and associated tracking IDs.

Mark your shipments as shipped

You do not need to mark your shipments as shipped in v2024-03-20. Amazon automatically tracks the

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >



Migrating Fulfillment Inbound workflows
shipments based on the carrier
and tracking details.

Cancel a transportation request

To cancel a transportation
request, use
`cancelInboundPlan`.

In v0, you use `voidTransport`
to cancel an inbound plan. In
v2024-03-20, you use
`cancelInboundPlan`.

Request and response mapping

In v0, you cancel transportation
requests at the shipment ID
level. In v2024-03-20, you do it
at the inbound plan level.

Version 0 features

v0 uses `voidTransport` to
cancel the transportation
request. After you confirm a
transportation request, you
have 24 hours to void it for a
small parcel shipment, and one
hour to void it for an LTL/FTL
shipment.

Version 2024-03-20 features

`cancelInboundPlan` also
cancels the fees associated with
the transportation options
selected by the seller if it's
called within the void window.
The void window is 24 hours
after you confirm a small parcel
shipment transportation
request or one hour after you
confirm an LTL/FTL shipment
transportation request. This is
the same as in v0.

Preserved workflows

The following v0 operations are **not** deprecated:

Operation	Functionality
<code>getLabels</code> <code>getBillOfLading</code>	Print box label, pallet label, or bill of lading.
<code>getShipmentItemsByShipmentId</code> <code>getShipmentItems</code>	Get quantity shipped and quantity received.
<code>getShipments</code>	Get shipment status.
<code>getPreparationInstructions</code>	Get item preparation instructions.

! Important

Use `shipmentConfirmationID` in place of `shipmentId` for all v0 operations that are not deprecated. There is a known issue where single SKU details are not shown in the box labels in the new version.

You must create a listing and convert it to FBA before you use the new version.

 Updated 19 days ago

← Fulfillment Inbound API FAQ

Fulfillment Inbound API Rate Limits →

Did this page help you?

 Yes

 No