

Notification Type Values

- 🏠 Home
- 📖 Documentation
- <> API Reference
- 🔗 Code Samples
- 📢 Announcements
- Models
- Release Notes
- FAQ
- GitHub
- Videos

- GET STARTED
- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview >

- Terminology
- Frequently Asked Questions >

- CHANGELOG
- SP-API Release Notes
- SP-API Deprecation Schedule

Notification Type Values

Subscribe to selling partner notifications.

You can use notification type values to subscribe to Selling Partner API notifications. Determine which notifications you want to receive to choose notification type values.

The following `notificationType` and `payloadVersion` values indicate the notification type with supported payload version:

ACCOUNT_STATUS_CHANGED

Sellers can subscribe to this notification.

The `ACCOUNT_STATUS_CHANGED` notification is sent whenever the Account Status changes for the developers subscribed selling partner/marketplace pairs. A notification is published whenever the selling partner's account status changes between `NORMAL` , `AT_RISK` , and `DEACTIVATED` .

 Note

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 2021-01-01

Workflow: [Amazon Simple Queue Service workflow](#)

The following table shows the properties of the `accountStatusChangeNotification` object:

Name	Description
<code>previousAccountStatus</code>	The seller's account status prior to this update. Required. Type: string Possible values: <code>NORMAL</code> , <code>AT_RISK</code> , <code>DEACTIVATED</code>

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Notification Type Values

`currentAccountStatus`

The seller's new account status. Required.

Type: string

Possible values: `NORMAL`, `AT_RISK`, `DEACTIVATED`

Notification schema:

[AccountStatusChangedNotification.json](#)

Notification example:

JSON

```
{
  "notificationVersion": "1.0",
  "notificationType": "ACCOUNT_STATUS_CHANGED",
  "payloadVersion": "2021-01-01",
  "eventTime": "2020-12-11T19:42:04.284Z",
  "payload": {
    "accountStatusChangeNotification": {
      "previousAccountStatus": "NORMAL",
      "currentAccountStatus": "AT_RISK"
    }
  },
  "notificationMetadata": {
    "applicationId": "amzn1.sellerapps.app.aaccff-44aa-4b7c-b42b-ed4ec98dd746",
    "subscriptionId": "subscription-id-d0e9e693-c3ad-4373-979f-ed4ec98dd746",
    "publishTime": "2020-12-11T19:45:04.284Z",
    "notificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
  }
}
```

ANY_OFFER_CHANGED

Sellers can subscribe to this notification.

This notification supports the following `eventFilter` values: `aggregationSettings`, `marketplaceIds`. To use these filters, you must also provide the `eventFilterType`: `"eventFilterType": "ANY_OFFER_CHANGED"`.

This notification also supports `filterExpression` for CEL-based filtering, but without aggregation capability. You cannot use `eventFilter` and `filterExpression` together. For more information, refer to [Filter notification subscriptions](#).

Refer to [Processing Directives](#) for more information.

The `ANY_OFFER_CHANGED` notification is sent whenever there is a change to any of the top 20 offers, by condition (new or used), or if the external price (the price from other retailers) changes for an item that you sell, or if there is a change to which offer wins the BuyBox, or a change to the BuyBox price. The top 20 offers are determined by the landed price, which is the price plus shipping

Special Authorization Types

> minus Amazon Points. If multiple sellers are charging the same landed price, the results will be returned in random order.

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs

> You will only receive `ANY_OFFER_CHANGED` notifications for items for which you have active offers. You cannot subscribe to notifications for items for which you do not have active offers.

Payload schema: Version 1.0

> **Workflow:** [Amazon Simple Queue Service workflow](#)

The following table shows the objects and properties of the `AnyOfferChangedNotification` object:

Name	Description
<code>SellerId</code>	The seller identifier for the offer. Required. Type: <code>String</code>
<code>OfferChangeTrigger</code>	The event that caused the notification to be sent. Required. Type: <code>OfferChangeTrigger</code>
<code>Summary</code>	Information about the product that had the offer change. The information in this summary applies to all conditions of the product. Required. Type: <code>Summary</code>
<code>Offers</code>	The top 20 competitive offers for the item and condition that triggered the notification. Required. Type: Array of <code>Offer</code>

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

> **BuyBoxPrice**

The following table shows the objects and properties of the `BuyBoxPrice` object:

Name	Description
<code>LandedPrice</code>	<code>ListingPrice</code> + <code>Shipping</code> - <code>Points</code> . Required. Type: <code>MoneyType</code>
<code>ListingPrice</code>	The price of the item. Required. Type: <code>MoneyType</code>
<code>Shipping</code>	The shipping cost. Required. Type: <code>MoneyType</code>

Call Structure

>

Development Tools

>

Performance Management

>

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Points	The number of Amazon Points offered with the purchase of an item. Optional. Note: The Points object is only returned in Japan (JP). Type: Points
Condition	Indicates the condition of the item. For example: New , Used , Collectible , Refurbished , or Club . Required. Type: String

LowestPrice

The following table shows the objects and properties of the **LowestPrice** object:

Name	Description
LandedPrice	ListingPrice + Shipping - Points . Required. Type: MoneyType
ListingPrice	The price of the item. Required. Type: MoneyType
Shipping	The shipping cost. Required. Type: MoneyType
Points	The number of Amazon Points offered with the purchase of an item. Optional. Note: The Points object is only returned in Japan (JP). Type: Points
Condition	Indicates the condition of the item. For example: New , Used , Collectible , Refurbished , or Club . Required. Type: String
FulfillmentChannel	Indicates whether the item is fulfilled by Amazon or by the seller. Required.

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide >

VAT Calculation Service >

Amazon Seller Data Access >
Best Practices

Type: [FulfillmentChannelType](#)

Offer

The following table shows the objects and properties of the Offer object:

Name	Description
<code>SellerId</code>	The seller identifier for the offer. Required. Type: <code>String</code>
<code>SubCondition</code>	The subcondition of the item. For example: <code>New</code> , <code>Mint</code> , <code>Very Good</code> , <code>Good</code> , <code>Acceptable</code> , <code>Poor</code> , <code>Club</code> , <code>Ocode</code> , <code>Warranty</code> , <code>Refurbished Warranty</code> , <code>Refurbished</code> , <code>Open Box</code> , or <code>Other</code> . Required. Type: <code>String</code>
<code>SellerFeedbackRating</code>	Information about the seller's feedback, including the percentage of positive feedback, and the total count of feedback received. Optional. Type: SellerFeedbackRating
<code>ShippingTime</code>	The minimum and maximum time, in hours, that the item will likely be shipped after the order has been placed. Required. Type: ShippingTime
<code>ListingPrice</code>	The price of the item. Required. Type: MoneyType
<code>Points</code>	The number of Amazon Points offered with the purchase of an item. Optional. Note: The <code>Points</code> object is only returned in Japan (JP). Type: Points
<code>Shipping</code>	The shipping cost. Required. Type: MoneyType

Customer Feedback API Rate Limits

OfferChangeTrigger

The following table shows the properties of the `OfferChangeTrigger` object:

Name	Description
<code>MarketplaceId</code>	The marketplace identifier of the item that had an offer change.

DATA KIOSK			Notification Type Values
Data Kiosk API	>	d	Required. Type: string
Data Kiosk Schema Explorer User Guide		ASIN	The ASIN for the item that had an offer change. Required. Type: string
Data Kiosk Query Processing Finished Notification		ItemCondition	The condition of the item that had an offer change. For example, if a used offer changes, the array of offers in the <code>Offers</code> object will be only used items. The <code>Summary</code> object provides a summary for the other conditions that can be used for repricing. Required. Type: string
Building Data Kiosk workflows guide		TimeOfOfferChange	The update time for the offer that caused this notification, in ISO 8601 format. Required. Type: string
Vendor Analytics Dataset Use Case Guide		OfferChangeType	The type of offer that changed and triggered this notification. <code>OfferChangeType</code> values: <code>External</code> - The <code>CompetitivePriceThreshold</code> in the <code>Summary</code> object has changed, triggered by a new offer from a non-Amazon seller. <code>Internal</code> - The price of an offer on Amazon's retail website has changed. <code>Featured Offer</code> - The Buy Box winner or Buy Box price has changed. Required. Type: string
Schedule Data Kiosk Queries			
DELIVERY BY AMAZON API			
Delivery by Amazon API	>		
EASY SHIP API			
Easy Ship API	>		
EXTERNAL FULFILLMENT			
External Fulfillment Inventory API	>		
External Fulfillment Returns API	>		
External Fulfillment Shipping API	>		

OfferCount

The following table shows the objects and properties of the `OfferCount` object:

External Fulfillment Errors			
External Fulfillment APIs Rate Limits			
FULFILLMENT BY AMAZON (FBA)			
FBA Inventory API	>	Condition	Indicates the condition of the item. For example: <code>New</code> , <code>Used</code> , <code>Collectible</code> , <code>Refurbished</code> , or <code>Club</code> . Required. Type: string
FBA Inventory Dynamic Sandbox Guide			
FEEDS API			

Feeds API

>

Feed Type Values

>

Feeds JSON Schemas

↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API

>

Transfers API

>

FULLFILLMENT INBOUND API

Fulfillment Inbound API

>

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULLFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API

>

FulfillmentChannel	Indicates whether the item is fulfilled by Amazon or by the seller. Required. Type: FulfillmentChannelType
OfferCount	The total number of offers for the specified condition and fulfillment channel. Required. Type: integer

Points

The following table shows the properties of the **Points** object:

Name	Description
PointsNumber	The number of Amazon Points offered with the purchase of an item. Required. Type: integer

PrimeInformation

The following table shows the objects and properties of the **PrimeInformation** object:

Name	Description
IsOfferNationalPrime	Indicates whether the offer is an Amazon Prime offer throughout the entire marketplace where it is listed. Required. Type: boolean
IsOfferPrime	Indicates whether the offer is an Amazon Prime offer. Required. Type: boolean

SalesRank

The following table shows the properties of the **SalesRank** object:

Name	Description
ProductCategoryId	The product category identifier of the item. Required. Type: string

Rank	The sales rank of the item in the given product category. Required. Type: integer
------	---

SellerFeedbackRating

The following table shows the objects and properties of the SellerFeedbackRating object:

Name	Description
SellerPositiveFeedbackRating	The percentage of positive feedback for the seller in the past 365 days. Optional. Type: double
FeedbackCount	The count of feedback received about the seller. Required. Type: long

ShippingTime

The following table shows the properties of the ShippingTime object:

Name	Description
MinimumHours	The minimum time, in hours, that the item will likely be shipped after the order has been placed. Optional. Type: short
MaximumHours	The maximum time, in hours, that the item will likely be shipped after the order has been placed. Optional. Type: short
AvailableDate	The date when the item will be available for shipping. Only displayed for items that are not currently available for shipping. Optional. Type: string
AvailabilityType	Indicates whether the item is available for shipping now, or on a known or an unknown date in the future. If known, the availableDate attribute indicates the date that the item will be available for shipping.

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API

Invoices API FAQ

LISTINGS

Listings Items API

	Optional.
	Type: string

ShipsFrom

The following table shows the objects and properties of the ShipsFrom object:

Name	Description
State	The state from where the item is shipped. Optional. Type: string
Country	The country from where the item is shipped. Optional. Type: string
IsFulfilledByAmazon	Indicates whether the offer is fulfilled by Amazon. Required. Type: boolean

Summary

The following table shows the objects and properties of the Summary object:

Name	Description
NumberOfOffers	A list that contains the total number of offers for the item for the given conditions and fulfillment channels. Required. Type: Array of OfferCount
LowestPrices	A list that contains the lowest prices of the item for the given conditions and fulfillment channels. Required. Type: Array of LowestPrice
BuyBoxPrices	A list that contains the Buy Box price of the item for the given conditions. Optional. Type: Array of BuyBoxPrice
ListPrice	The list price of the item as suggested by the manufacturer.

Listings Items API Rate Limits	
Listings Restrictions API	>
Listings Restrictions API Rate Limits	
Manage Product Listings with the Selling Partner API	
Building Listings Management Workflows Guide	
Understanding Amazon listing status and seller-fulfilled inventory management	
Listings Management Workflow Migration	>
Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases	
Listings APIs FAQ	
Product Type Definitions API	>
Product Type Definitions API Rate Limits	
MERCHANT FULFILLMENT API	
Merchant Fulfillment API	>
MESSAGING API	
Messaging API	>

NOTIFICATIONS API	
Notifications API	>
Notification Type Values	
Tutorial: Subscribe to the ORDER_CHANGE Notification	↗
ORDERS API	
Orders API	>
Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier	
Orders API Migration Guide	
Orders API Rate Limits	
PRODUCT FEES API	
Product Fees API	>
PRODUCT PRICING API	
Product Pricing API	>
Product Pricing API and Notifications FAQ	

	Optional. Type: MoneyType
<code>SuggestedLowerPricePlusShipping</code>	The suggested lower price of the item, including shipping (minus Amazon Points). The suggested lower price is based on a range of factors, including historical selling prices, recent Buy Box-eligible prices, and input from customers for your products. Optional. Type: MoneyType
<code>SalesRankings</code>	A list that contains the sales rank of the item in the given product categories. Optional. Type: Array of SalesRank
<code>NumberOfBuyBoxEligibleOffers</code>	A list that contains the total number of offers that are eligible for the Buy Box for the given conditions and fulfillment channels. Required. Type: Array of OfferCount
<code>CompetitivePriceThreshold</code>	This price is based on competitive prices from other retailers (excluding other Amazon sellers). Your offer may be ineligible for the Buy Box if your price + shipping is greater than this competitive price. Optional. Type: MoneyType

Notification schema: [AnyOfferChangedNotification.json](#)

Notification example:

JSON	
<pre>{ "NotificationVersion": "1.0", "NotificationType": "ANY_OFFER_CHANGED", "PayloadVersion": "1.0", "EventTime": "2020-01-11T00:09:53.109Z", "NotificationMetadata": { "ApplicationId": "amzn1.sellerapps.app.f1234566-aaec-55a6-b123-bcb752069ec5", "SubscriptionId": "7d78cc50-95c8-4641-add7-10af4b1fedc9", "PublishTime": "2020-01-11T00:02:50.501Z", "NotificationId": " 2012e8e5-b365-4cb1-9fd8-be9dfc6d5eaf" }, "Payload": { </pre>	

```
"AnyOfferChangedNotification":
{
  "SellerId": "merchantId",
  "OfferChangeTrigger":
  {
    "MarketplaceId": "marketplaceId",
    "ASIN": "ysp2k4cziG",
    "ItemCondition": "Collectible",
    "TimeOfOfferChange": "2020-01-
11T00:02:50.501Z",
    "OfferChangeType": ""
  },
  "Summary":
  {
    "NumberOfOffers": [
      {
        "Condition": "new",
        "FulfillmentChannel": "Merchant",
        "OfferCount": 28
      }
    ],
    "LowestPrices": [
      {
        "Condition": "new",
        "FulfillmentChannel": "Merchant",
        "LandedPrice":
        {
          "Amount": 28.59,
          "CurrencyCode": "USD"
        },
        "ListingPrice":
        {
          "Amount": 28.59,
          "CurrencyCode": "USD"
        },
        "Shipping":
        {
          "Amount": 0,
          "CurrencyCode": "USD"
        }
      }
    ]
  }
}
```

B2B_ANY_OFFER_CHANGED

Sellers can subscribe to this notification.

The B2B_ANY_OFFER_CHANGED notification is sent whenever there is a change in any of the top 20 B2B offers for Amazon Business, in the form of any price change (for single-unit and seven pre-defined quantity discount tiers: 2, 3, 5, 10, 20, 30, and 50) for an item listed by the seller. The top 20 B2B offers are determined by the single-unit landed price, which is the price plus shipping. If multiple sellers are charging the same landed price, the results will be returned in random order.

Note

This notification supports filterExpression for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

You will only receive B2B_ANY_OFFER_CHANGED notifications for items for which the seller has active offers. You cannot subscribe to notifications for items for which the seller does not have active offers.

```
{
  "Amount": 14,
  "CurrencyCode": "USD",
  "SalesRankings": [
    {
      "ProductCategoryId": "lawn_and_garden_display_on_website",
      "Rank": 4013
    }
  ]
}
```

The following table shows the objects and properties of the B2BAnyOfferChangedNotification object:

Name	Description
OfferChangeTrigger	The event that caused the notification to be sent. Required. Type: OfferChangeTrigger
Summary	Information about the product that had the offer change. The information in this summary applies to all conditions of the product. Required. Type: Summary
Offers	The top 20 competitive B2B offers for the item and condition that triggered the notification. Required. Type: Array of Offer
SellerId	The seller identifier for the offer. Required. Type: string

```
{
  "BuyBoxPrice": 28.59,
  "CurrencyCode": "USD",
  "Shipping": 0.0
}
```

The following table shows the objects and properties of the BuyBoxPrice object:

Name	Description
LandEndPrice	ListingPrice + Shipping. Optional. Type: MoneyType
ListingPrice	The price of the item. Required. Type: MoneyType
Shipping	The shipping cost. Optional.

Seller Wallet API Rate Limits

SELLERS API

Sellers API

SERVICES API

Services API

SHIPMENT INVOICING API

Shipment Invoicing API

SHIPPING API

Shipping API v2 Resources

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API

SUPPLY SOURCES API

Supply Sources API

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API			Type: MoneyType
Tokens API	>	Offer Type	Indicates whether the offer is a B2B offer or a B2C offer. When the offer type is B2C in a quantity discount, the seller is winning the Buy Box because others do not have inventory at that quantity, not because they have a quantity discount on the ASIN. Required. Type: string
UPLOADS API		QuantityTie	The quantity tier for the offer. Required. Type: integer
Uploads API	>	DiscountType	Indicates whether the quantity tier is for Quantity Discount or Progressive Discount. Optional. Type: string
VEHICLES API		Condition	Indicates the condition of the item. For example: New, Used, Collectible, Refurbished, or Club. Required. Type: string
Vehicles API	>	SellerId	The seller identifier for the offer. Optional. Type: string
Vehicles API Rate Limits		Points	The number of Amazon Points offered with the purchase of an item. Optional. Type: Points
VENDOR DIRECT FULFILLMENT APIS			
Vendor Direct Fulfillment Dynamic Sandbox Guide			
Vendor Direct Fulfillment Workflow Guide			
SP-API Bill-to-Party Addresses			
VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API			
Vendor Direct Fulfillment Transaction Status API	>		
VENDOR DIRECT FULFILLMENT INVENTORY API			
Vendor Direct Fulfillment Inventory API	>		
VENDOR DIRECT FULFILLMENT ORDERS API			
Vendor Direct Fulfillment Orders API	>		
VENDOR DIRECT FULFILLMENT SHIPPING API			
Vendor Direct Fulfillment Shipping API	>		

LowestPrice

The following table shows the objects and properties of the `LowestPrice` type under `Summary` object:

Name	Description
LandedPrice	<code>ListingPrice</code> + <code>Shipping</code> . Optional. Type: MoneyType
ListingPrice	The price of the item. Required. Type: MoneyType
Shipping	The shipping cost.

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

	Optional. Type: <code>MoneyType</code>
<code>OfferType</code>	Indicates whether the offer is a B2B offer or a B2C offer Required. Type: string
<code>QuantityTier</code>	The quantity tier for the offer Required. Type: integer
<code>DiscountType</code>	Indicates whether the quantity tier is for Quantity Discount or Progressive Discount. Optional. Type: string
<code>Condition</code>	Indicates the condition of the item. For example: <code>New</code> , <code>Used</code> , <code>Collectible</code> , <code>Refurbished</code> , or <code>Club</code> . Required. Type: string
<code>FulfillmentChannel</code>	Indicates whether the item is fulfilled by Amazon or by the seller. Required. Type: <code>FulfillmentChannelType</code>
<code>Points</code>	The number of Amazon Points offered with the purchase of an item. Optional. Type: <code>Points</code>

Offer

The following table shows the objects and properties of the `Offer` object:

Name	Description
<code>SellerId</code>	The seller identifier for the offer. Required. Type: string
<code>SubCondition</code>	The subcondition of the item. For example: <code>New</code> , <code>Mint</code> , <code>Very Good</code> , <code>Good</code> , <code>Acceptable</code> , <code>Poor</code> , <code>Club</code> , <code>Ocode</code> , <code>Warranty</code> , <code>Refurbished Warranty</code> , <code>Refurbished</code> , <code>Open Box</code> , or <code>Other</code> . Required.



	Type: string
SellerFeedbackRating	Information about the seller's feedback, including the percentage of positive feedback, and the total count of feedback received. Optional. Type: SellerFeedbackRating
ShippingTime	The minimum and maximum time, in hours, that the item will likely be shipped after the order has been placed. Required. Type: ShippingTime
ListingPrice	The price of the item. Required. Type: MoneyType
Shipping	The shipping cost. Required. Type: MoneyType
ShipsFrom	The country from where the item is shipped. Optional. Type: ShipsFrom
IsFulfilledByAmazon	Indicates whether the offer is fulfilled by Amazon. Required. Type: boolean
IsBuyBoxWinner	Indicates whether the offer is currently in the Buy Box. There can be up to two Buy Box winners at any time per ASIN, one that is eligible for Prime and one that is not eligible for Prime. Optional. Type: boolean
ConditionNotes	Information about the condition of the item. Optional. Type: string
PrimeInformation	Amazon Prime information. Optional. Type: PrimeInformation
IsFeaturedMerchant	Indicates whether the seller of the item is eligible to win the Buy Box.

Notification Type Values	
ant	Optional. Type: boolean
Points	The number of Amazon Points offered with the purchase of an item. Optional. Type: Points
QuantityDiscountPrice	Contains pricing information that includes special pricing when buying in bulk. Optional. Type: Array of QuantityDiscountPrice

OfferChangeTrigger

The following table shows the properties of the `OfferChangeTrigger` object:

Name	Description
MarketplaceId	The marketplace identifier of the item that had an offer change. Required. Type: string
ASIN	The ASIN for the item that had an offer change. Required. Type: string
ItemCondition	The condition of the item that had an offer change. For example, if a used offer changes, the array of offers in the <code>Offers</code> object will be only used items. The <code>Summary</code> object provides a summary for the other conditions that can be used for repricing. Required. Type: string
TimeOfOfferChange	The update time for the offer that caused this notification. Required. Type: string

OfferCount

The following table shows the objects and properties of the `OfferCount` type:

Name	Description
------	-------------

Condition	Indicates the condition of the item. For example: New , Used , Collectible , Refurbished , or Club . Required. Type: string
FulfillmentChannel	Indicates whether the item is fulfilled by Amazon or by the seller. Required. Type: FulfillmentChannelType
OfferCount	The total number of offers for the specified condition and fulfillment channel. Type: integer

Points

The following table shows the properties of the `Points` object:

Name	Description
PointsNumber	The number of Amazon Points offered with the purchase of an item. Required. Type: integer

PrimeInformation

The following table shows the properties of the `PrimeInformation` object:

Name	Description
IsNationalPrime	Indicates whether the offer is an Amazon Prime offer throughout the entire marketplace where it is listed. Required. Type: boolean
IsPrime	Indicates whether the offer is an Amazon Prime offer. Required. Type: boolean

QuantityDiscountPrice

The following table shows the properties of the `QuantityDiscountPrice` object:

Name	Description
------	-------------

Notification Type Values	
QuantityTier	Indicates at what quantity this price becomes active. Required. Type: integer
QuantityDiscountType	Indicates the type of quantity discount this price applies to. Required. Type: string
ListingPrice	The price at this quantity tier. Required. Type: MoneyType

SellerFeedbackRating

The following table shows the properties of the SellerFeedbackRating object:

Name	Description
SellerPositiveFeedbackRating	The percentage of positive feedback for the seller in the past 365 days. Optional. Type: integer
FeedbackCount	The count of feedback received about the seller. Required. Type: integer

ShippingTime

The following table shows the properties of the ShippingTime object:

Name	Description
MinimumHours	The minimum time, in hours, that the item will likely be shipped after the order has been placed. Optional. Type: integer
MaximumHours	The maximum time, in hours, that the item will likely be shipped after the order has been placed. Optional. Type: integer
AvailableDate	The date when the item will be available for shipping. Only displayed for items that are not

Notification Type Values	
e	currently available for shipping. Optional. Type: string
AvailabilityType	Indicates whether the item is available for shipping now, or on a known or an unknown date in the future. If known, the <code>availableDate</code> property indicates the date that the item will be available for shipping. Optional. Type: string

ShipsFrom

The following table shows the properties of the `ShipsFrom` object:

Name	Description
Country	The ISO 3166-1 alpha-2 code for the country from where the item is shipped. Optional. Type: string
State	The two-letter postal abbreviation for the state from where the item is shipped. Optional. Type: string

Summary

The following table shows the objects and properties of the `Summary` object:

Name	Description
NumberOfOffers	A list that contains the total number of B2B offers for the item for the given conditions and fulfillment channels. Required. Type: Array of OfferCount
LowestPrices	A list that contains the lowest prices of the item for the given conditions, fulfillment channels, quantity tiers, and discount types. The seven pre-defined quantity tiers for discount type "Quantity Discounts" are 2, 3, 5, 10, 20, 30 and 50. Required. Type: Array of LowestPrice

BuyBoxPrices	A list that contains the Buy Box price of the item for the given conditions, quantity tiers, and discount types. Up to the first 50 quantity tiers are shown. Optional. Type: Array of BuyBoxPrice
BuyBoxEligibleOffers	A list that contains the total number of B2B offers that are eligible for the Buy Box for the given conditions and fulfillment channels. Required. Type: Array of OfferCount

Notification schema: [B2bAnyOfferChangedNotification.json](#)

Notification example

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "B2B_ANY_OFFER_CHANGED",
  "PayloadVersion": "1.0",
  "EventTime": "2020-09-23T21:30:13.713Z",
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.1da85d14-a68d-4ff3-9ff0-df6429e00d9a",
    "SubscriptionId": "e3a059ca-677a-442a-8d39-05b2848971b6",
    "PublishTime": "2020-09-23T21:30:16.903Z",
    "NotificationId": "23ae41cd-3537-4676-af46-6ee9abf8802e"
  },
  "Payload": {
    "B2BAnyOfferChangedNotification": {
      "SellerId": "A3EZFOFNDPFB8R",
      "OfferChangeTrigger": {
        "MarketplaceId": "ATVPDKIKX0DER",
        "ASIN": "B007IBIWZY",
        "ItemCondition": "new",
        "TimeOfOfferChange": "2020-09-23T21:30:13.409Z"
      },
      "Summary": {
        "NumberOfOffers": [
          {
            "Condition": "new",
            "FulfillmentChannel": "Merchant",
            "OfferCount": 3
          }
        ],
        "BuyBoxEligibleOffers": [
          {
            "Condition": "new",
            "FulfillmentChannel": "Merchant",
            "OfferCount": 3
          }
        ]
      }
    }
  }
}
```

```
"LowestPrices": [
  {
    "Condition": "new",
    "FulfillmentChannel": "Merchant",
    "OfferType": "B2B",
    "QuantityTier": 1,
    "ListingPrice": {
      "Amount": 8184.23,
      "CurrencyCode": "USD"
    },
    "Shipping": {
      "Amount": 4.49,
      "CurrencyCode": "USD"
    },
    "LandedPrice": {
      "Amount": 8188.72,
      "CurrencyCode": "USD"
    }
  },
  {
    "Condition": "new",
    "FulfillmentChannel": "Merchant",
    "OfferType": "B2B",
    "QuantityTier": 20,
    "ListingPrice": {
      "Amount": 7306,
      "CurrencyCode": "USD"
    },
    "Shipping": {
      "Amount": 1.99,
      "CurrencyCode": "USD"
    },
    "LandedPrice": {
      "Amount": 7307.99,
      "CurrencyCode": "USD"
    }
  }
],
"DiscountType": "QUANTITY_DISCOUNT",
"Amount": 6975,
"CurrencyCode": "USD"
}
```

BRANDED_ITEM_CONTENT_CHANGE

Sellers can subscribe to this notification.

Amazon sends a `BRANDED_ITEM_CONTENT_CHANGE` notification whenever there is a change to the title, description, bullet points, or images, for any ASIN that the selling partner has a brand relationship with. A selling partner has a brand relationship with an ASIN, as defined in the Amazon Registered Brands program, when they are a verified brand owner. The selling partner is the party who authorizes an application to call the Notifications API on their behalf, for the purpose of creating and managing notification subscriptions. Amazon sends `BRANDED_ITEM_CONTENT_CHANGE` notifications for items listed in any Amazon marketplace.

Payload schema: Version 1.0

Workflow: [Amazon EventBridge workflow](#)

A `BRANDED_ITEM_CONTENT_CHANGE` notification with `PayloadVersion = 1.0` includes the following properties in the `Payload` object.

Name	Description	Required
MarketplaceId	The marketplace that the item is listed in. Type: string	Yes
BrandName	The brand name of the item. Type: string	Yes
Asin	The ASIN of the item. Type: string	Yes
AttributesChanged	The array of item attributes that have changed. Attribute names, descriptions, and requirements are available by calling the Product Type Definitions API. For more information, refer to the Product Type Definitions API Use Case Guide .	Yes

	Notification Type Values Type: Array of string Possible values: bullet_point item_name product_description ...and all product image attributes (main_product_image_locator , other_product_image_locator_1 , etc.). Refer to the images property group of this JSON response example in the Product Type Definitions API Use Case Guide for the complete list of image attributes. NOTE: The presence of one or more of the above values that contain the word image (for example, main_product_image_locator , other_product_image_locator_1 , and so on) indicates that <i>at least one</i> image changed on the product detail page. The number of values that contain the word image <i>does not necessarily</i> match the number of images changed on the product detail page.	
--	---	--

Notification schema:

```
"SellerId": "A2VUIDM8BZ902A",
"Condition": "new",
"BrandedItemContentChangeNotification": {
  "FeedbackCount": 1,
  "SellerPositiveFeedbackRating": 0
},
```

Notification example:

JSON

```
"ShippingTime": {
{
  "NotificationVersion": "1.0",
  "NotificationType": "BRANDED_ITEM_CONTENT_CHANGE",
  "PayloadVersion": "1.0",
  "EventTime": "2019-03-20T18:59:30.194Z",
  "Payload": {
    "MarketplaceId": "ATVPDKIKX0DER",
    "BrandName": "Great Brand",
    "Asin": "B1234567",
    "AttributesChanged": [
      "bullet_point",
      "item_name",
      "product_description",
      "main_product_image_locator",
      "other_product_image_locator_1",
      "other_product_image_locator_2",
      "other_product_image_locator_3",
      "other_product_image_locator_4",
      "other_product_image_locator_5",
      "other_product_image_locator_6",
      "other_product_image_locator_7",
      "other_product_image_locator_8",
      "swatch_product_image_locator"
    ]
  }
},
```

```
"NotificationMetadata":
{
  "ApplicationId": "amzn1.sellerapps.app.f1234566-
aaec-55a6-b123-bcb752069ec5",
  "SubscriptionId": "93b098e1-c42-2f45-93a1-
78910a6a8369",
  "PublishTime": "2019-03-20T18:59:48.768Z",
  "NotificationId": "8e009934-da2c-4f9c-9bc7-
93f23b7e1f60"
}
```

DETAIL_PAGE_TRAFFIC_EVENT

Sellers and vendors can subscribe to this notification.

The `DETAIL_PAGE_TRAFFIC_EVENT` notification is sent five minutes after the beginning of each hour. This notification shares traffic data at an ASIN level and includes data for the hour before the previous hour, as well as any delayed data from up to 24 hours earlier. ASINs that have glance views are included. Each notification may include multiple ASINs, and a selling partner can expect to receive multiple notifications every hour.

Note

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

DetailPageTrafficEventNotifications

The following table shows the objects and properties of the `DetailPageTrafficEventNotifications` object:

Name	Description	Required	Type
<code>detailPageTrafficEventNotifications</code>	A list of hourly grain traffic metrics by ASIN.	Yes	Array of DetailPageTrafficEventNotification

DetailPageTrafficEventNotification

Name	Description	Required	Type
<code>accountId</code>	The merchant customer ID or vendor group ID of the partner account this notification is sent to.	Yes	String
<code>marketplaceId</code>	The marketplace identifier of the traffic data.	Yes	String

Name	Description	Required	Type
d			
startTime	The start of the date-time range of the traffic data ISO 8601 format in UTC time.	Yes	String
endTime	The end of the date-time range of the traffic data in ISO 8601 format in UTC time.	Yes	String
asin	The Amazon Standard Identification Number of the product.	Yes	String
glanceViews	The number of customer views of the product detail page for this ASIN.	Yes	Integer

Notification Schema: [DetailPageTrafficEventNotification](#)

Notification Example

JSON

```
{
  "notificationVersion": "2020-09-04",
  "notificationType": "DETAIL_PAGE_TRAFFIC_EVENT",
  "payloadVersion": "2020-09-04",
  "eventTime": "2023-02-07T16:05:32.378Z",
  "payload": {
    "detailPageTrafficEventNotifications": [
      {
        "accountId":
"amzn1.merchant.o.A21CXK3C4ERTY8",
        "marketplaceId": "ATVPDKIKX0DER",
        "startTime": "2023-02-07T15:00:00Z",
        "endTime": "2023-02-07T16:00:00Z",
        "asin": "B00032HE00",
        "glanceViews": 42
      }, {
        "accountId":
"amzn1.merchant.o.A21CXK3C4ERTY8",
        "marketplaceId": "ATVPDKIKX0DER",
        "startTime": "2023-02-07T15:00:00Z",
        "endTime": "2023-02-07T16:00:00Z",
        "asin": "B00094A20U",
        "glanceViews": 69
      }
    ]
  },
  "notificationMetadata": {
    "applicationId": "amzn1.sellerapps.app.aacccfff-4455-4b7c-4422-664ecacdd336",
    "subscriptionId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746",
    "publishTime": "2023-02-07T16:45:32.378Z",
    "notificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
  }
}
```

```
}  
}
```

FBA_INVENTORY_AVAILABILITY_CHANGES

Sellers can subscribe to this notification.

The FBA_INVENTORY_AVAILABILITY_CHANGES notification is sent whenever there is a change in the Fulfillment By Amazon (FBA) inventory quantities. This notification includes a snapshot of the FBA inventory in all eligible marketplaces in a particular region.

 **Note**

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

FBAInventoryAvailabilityChangeNotification

The following table shows the objects and properties of the FBAInventoryAvailabilityChangeNotification object:

Name	Description
<code>SellerId</code>	The seller identifier. Type: string
<code>FNSKU</code>	The Fulfillment Network SKU of the affected inventory item. Type: string
<code>ASIN</code>	The Amazon Standard Identification Number of the affected inventory item. Type: string
<code>SKU</code>	The seller SKU of the affected inventory item. Type: string
<code>FulfillmentInventoryByMarketplace</code>	A list of fulfillment inventory details for each marketplace. Type: Array of FulfillmentInventoryDetails

FulfillmentInventoryDetails

The following table describes the objects and properties of a FulfillmentInventoryDetails object:

Name	Description
------	-------------

MarketplaceId	The marketplace identifier for the destination where the affected inventory can be used to fulfill the order. Type: string
ItemName	The product title of the affected inventory item. Type: string
FulfillmentInventory	Detail of the affected item's inventory availability. Type: FulfillmentInventory
Stores	A list of seller-enrolled stores that apply to this seller SKU. Type: Array of string

FulfillmentInventory

The following table describes the objects and properties of a `FulfillmentInventory` object:

Name	Description
InboundQuantityBreakdown	Details of the affected item's inbound units, which are either still in <code>WORKING</code> status or on the way to be received in Amazon warehouses. Type: InboundQuantityBreakdown
Fulfillable	The number of units of the affected item that can be used to fulfill orders in the given marketplace. Type: int
Unfulfillable	The number of units of the affected item that can not be used to fulfill orders due to the item's current condition. Type: int
Researching	Number of units of the affected item currently being investigated upon adjustments. Type: int
ReservedQuantityBreakdown	Details of the inventory that is temporarily undergoing internal processes. Type: ReservedQuantityBreakdown
FutureSupplyBuyable	The number of units available for customers to find and buy while inventory is on its way to an Amazon fulfillment center through In-Stock Head Start. Type: int

PendingCustomerOrderInTransit	The number of units that customers have purchased while inventory is on its way to an Amazon fulfillment center through In-Stock Head Start. Type: int
-------------------------------	---

InboundQuantityBreakdown

The following table describes the objects and properties of a `InboundQuantityBreakdown` object:

Name	Description
Working	The number of units of the affected item that currently reside in a <code>WORKING</code> status shipment. Type: int
Shipped	The number of units of the affected item that currently reside in a <code>SHIPPED</code> , <code>IN_TRANSIT</code> , <code>DELIVERED</code> or <code>CHECKED_IN</code> status shipment. Type: int
Receiving	Number of units of the affected item that arrived and are in progress to be received in Amazon warehouses. Type: int

ReservedQuantityBreakdown

The following table describes the objects and properties of a `ReservedQuantityBreakdown` object:

Name	Description
WarehouseProcessing	The number of units of the affected item temporarily sidelined for internal processing. Type: int
WarehouseTransfer	The number of units of the affected item in progress to be trans-shipped to another Amazon Warehouse location. Type: int
PendingCustomerOrder	The number of units of the affected item that will soon be shipped out as a customer order shipment. Type: int

Notification schema:

[FBAInventoryAvailabilityChangeNotification.json](#)

Notification example

```
JSON
```

```

{
  "NotificationVersion": "1.0",
  "NotificationType":
  "FBA_INVENTORY_AVAILABILITY_CHANGES",
  "PayloadVersion": "1.0",
  "EventTime": "2020-07-13T19:42:04.284Z",
  "Payload": {
    "SellerId": "A3TH9S8BH6G0GM",
    "FNSKU": "X001ABCDEF",
    "ASIN": "B00001ABCD",
    "SKU": "SELLERSKU-1",
    "FulfillmentInventoryByMarketplace": [
      {
        "MarketplaceId": "ATVPDKIKX0DER",
        "ItemName": "Product Title",
        "FulfillmentInventory": {
          "InboundQuantityBreakdown": {
            "Working": 0,
            "Shipped": 5,
            "Receiving": 10
          },
          "Fulfillable": 50,
          "Unfulfillable": 0,
          "Researching": 0,
          "ReservedQuantityBreakdown": {
            "WarehouseProcessing": 5,
            "WarehouseTransfer": 15,
            "PendingCustomerOrder": 10
          },
          "FutureSupplyBuyable": 10,
          "PendingCustomerOrderInTransit": 0
        },
        "Stores": [
          "Low-Cost Store"
        ]
      },
      {
        "MarketplaceId": "A2EUQ1WTGCTBG2",
        "ItemName": "Product Title",
        "FulfillmentInventory": {
          "InboundQuantityBreakdown": {
            "Working": 1,
            "Shipped": 2,
            "Receiving": 3
          },
          "Fulfillable": 40,
          "Unfulfillable": 0,
          "Researching": 0,
          "ReservedQuantityBreakdown": {
            "WarehouseProcessing": 5,
            "WarehouseTransfer": 15,
            "PendingCustomerOrder": 10
          },
          "FutureSupplyBuyable": 0,
          "PendingCustomerOrderInTransit": 0
        },
        "Stores": [
          "Low-Cost Store"
        ]
      }
    ]
  }
}

```

EXTERNAL_FULFILLMENT_SHIPMENT_STATUS_CHANGE

Sellers can subscribe to this notification.

The `EXTERNAL_FULFILLMENT_SHIPMENT_STATUS_CHANGE` notification is sent whenever there is a change in the order status for a warehouse integration order. Possible status values are:

- `ACCEPTED`
- `CONFIRMED`
- `PACKAGE_CREATED`
- `PICKUP_SLOT_RETRIEVED`
- `INVOICE_GENERATED`
- `SHIPLABEL_GENERATED`
- `SHIPPED`
- `DELIVERED`
- `CANCELLED`

 Note

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

The `EXTERNAL_FULFILLMENT_SHIPMENT_STATUS_CHANGE` notification with `PayloadVersion` = 1.0 includes the following properties in the `Payload` object:

Name	Description	Type	
<code>externalFulfillmentShipmentNotification</code>	Information about the shipment, including the merchant, location, and shipment IDs, as well as the channel name and shipment status.	object	

Notification schema:

[ExternalFulfillmentShipmentStatusChangeNotification.json](#)

Notification Example:

```
JSON
{
  "notificationVersion": "1.0",
  "notificationType": "EXTERNAL_FULFILLMENT_SHIPMENT_STATUS_CHANGE",
  "payloadVersion": "1.0",
  "eventTime": "2024-01-22T13:32:15.686Z",
  "payload": {
    "externalFulfillmentShipmentNotification": {
      "merchantId": "ABCDEFGHIJKL",
      "locationId": "ec4621aa-76a7-4e5f-b158-
```

Notification Type Values

```
4c8b0ac87",
  "shipmentId": "U3CgWfn",
  "channelName": "FBA",
  "shipmentStatus": "CONFIRMED"
},
"notificationMetadata": {
  "applicationId": "amzn1.sp.solution.9531e-5d47-45e5-aa9a-11dcd3b00cf",
  "subscriptionId": "d2d37640-e1f-46b-ad4-71a5e5520f",
  "publishTime": "2024-01-22T13:32:17.197Z",
  "notificationId": "b7f4884b-a046-43ca-8cb4-fb0f106321"
}
```

FBA_OUTBOUND_SHIPMENT_STATUS

Sellers can subscribe to this notification.

The `FBA_OUTBOUND_SHIPMENT_STATUS` notification is sent whenever Amazon creates or cancels a Fulfillment by Amazon shipment for a seller. This notification is only for FBA Onsite shipments. This notification is available only in the Brazil marketplace.

Note

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

FBAOutboundShipmentStatusNotification

The following table shows the objects and properties of the `FBAOutboundShipmentStatusNotification` object:

Name	Description
<code>SellerId</code>	The seller identifier. Type: string
<code>AmazonOrderId</code>	The Amazon-defined order identifier. Type: string
<code>AmazonShipmentId</code>	The Amazon-defined shipment identifier. Type: string
<code>ShipmentStatus</code>	The shipment status. ShipmentStatus values: <code>Created</code> , <code>Cancelled</code> . Type: string

Notification schema:`FBAOutboundShipmentStatusNotification.json`**Notification example**

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "FBA_OUTBOUND_SHIPMENT_STATUS",
  "PayloadVersion": "1.0",
  "EventTime": "2020-01-11T00:09:53.109Z",
  "Payload": {
    "FBAOutboundShipmentStatusNotification": {
      {
        "SellerId": "merchantId",
        "AmazonOrderId": "113-2646096-4474645",
        "AmazonShipmentId": "DrLqQwqvb",
        "ShipmentStatus": "Created"
      }
    },
    "NotificationMetadata": {
      {
        "ApplicationId": "appId",
        "SubscriptionId": "subId",
        "PublishTime": "2020-01-11T00:02:50.501Z",
        "NotificationId": "requestId"
      }
    }
  }
}
```

FEE_PROMOTION

Sellers can subscribe to this notification.

Sellers using Selling Partner API can benefit from time-limited fee promotions. To receive notification of available fee promotions, sellers must subscribe to the `FEE_PROMOTION` notification. When the seller initially signs up for the subscription and `isEnabled` is set to `true`, the seller receives all currently active promotions. Each promotion is sent as a single message. Subsequent promotion notifications are sent when the promotion becomes active.

The `FEE_PROMOTION` notification is made up of a set of data fields describing the details of that promotion. All qualifying criteria for each promotion will be described in those data fields.

Note: The estimated fees returned by this API are not guaranteed. Actual fees may vary. For more information on fees, refer to [Selling on Amazon Fee Schedule](#) and [FBA features and fees](#) on Seller Central.

Note

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)**FeeDetail**

The following table shows the objects and properties of a `FeeDetail` object:

Name	Description	Required	Value
<code>FeeType</code>	The type of fees charged.	Yes	Allowed Fee types: <code>ReferralFee</code> , <code>VariableClosingFee</code> , <code>PerItemFee</code> , <code>FBAFees</code> , <code>FBAPickAndPack</code> , <code>FBAWeightHandling</code> , <code>FBAOrderHandling</code> , <code>FBADeliveryServicesFee</code> . Type: string
<code>FeeAmount</code>	The fee amount corresponding to the fee type.	Yes	Type: MoneyType
<code>FeePromotion</code>	The fee promotion amount corresponding to the fee type.	No	Type: MoneyType
<code>TaxAmount</code>	The tax calculated over fee that would be charged to the seller.	No	Type: MoneyType
<code>FinalFee</code>	The final fee that would be charged to the seller.	Yes	The <code>FeeAmount</code> minus the <code>FeePromotion</code> . Type: MoneyType
<code>IncludedFees</code>	A structured list of <code>FeeDetail</code> that contains the itemization of a specific fee type.	No	Type: Array of FeeDetail

FeesEstimate

The following table shows the objects and properties of the `FeesEstimate` object:

Name	Description	Required	Value
<code>TimeOffFeesEstimated</code>	The date time when the fees were estimated.	Yes	Type: string
<code>TotalFeesEstimate</code>	The total amount of fees if the price is lowered to or below the price threshold.	Yes	Type: MoneyType
<code>FeeDetails</code>	An itemization of the <code>TotalFeesEstimate</code> .	Yes	Type: Array of FeeDetail

FeePromotionNotification

Each `FeePromotionNotification` object is made up of the following data objects:

Name	Description	Required	Value
<code>FeePromotionType</code>	The type of promotion.	Yes	Values: <code>Pricing</code> , <code>SelectionASIN</code> , or <code>SelectionCategory</code> . Additional types may become available in the future. Type: string
<code>FeePromotionTypeDescription</code>	Provides more details on the purpose of a promotion.	No	A friendly, localized string description. Useful for integrators to display on a UI. Type: string
<code>MarketplaceId</code>	The promotion applies to this marketplaceId.	Yes	Type: string
<code>MerchantId</code>	The promotion applies to this merchantId.	Yes	Type: string
<code>Identifiers</code>	A list of items to which this promotion applies.	Yes	Type: Array of Identifier
<code>PromotionActiveTimeRange</code>	The range of time when this promotion is active.	Yes	Type: PromotionActiveTimeRange

Notification Type Values			
meRange			
PromotionInformation	An object containing additional details about the promotion. A fee estimate is included if applicable.	Yes	Type: PromotionInformation

Identifier

The following table describes the objects and properties of an object from the `Identifiers` array:

Name	Description	Required	Value
IdentifierType	The selling partner (merchant) identifier type for which this promotion will apply to.	Yes	For example: ASIN, SKU, Browse node, Brand. Type: string
IdentifierValues	The friendly name of the ID value.	Yes	For example: the selling partner's actual ASINs or SKUs, an actual list of brands (like Nike), an actual list of browse nodes. Type: Array of IdentifierValue

IdentifierValue

A description of identifier values to which this promotion applies.

Name	Description	Required	Value
IdentifierValueId	The actual browse node ID, actual ASIN/SKU, or brand value.	Yes	Type: string
IdentifierValueFriendlyName	The selling partner (merchant) identifier values to which this	No	Only relevant/populated for things like browse nodes. For example, this would be a browse node's <i>friendly</i> name. Type: string

	promotion will apply.		
--	--------------------------	--	--

PromotionInformation

The following table shows the objects and properties of the `PromotionInformation` object:

Name	Description	Required	Value
<code>FeeType</code>	The fee type which is being discounted in this promotion.	Yes	Allowed Fee types: <code>ReferralFee</code> , <code>VariableClosingFee</code> , <code>PerItemFee</code> , <code>FBAFees</code> , <code>FBAPickAndPack</code> , <code>FBAWeightHandling</code> , <code>FBAOrderHandling</code> , <code>FBADeliveryServicesFee</code> . Type: string
<code>FeediscountType</code>	The type of promotion you will be receiving for your fees.	Yes	Either Fixed, Discount, or Percentage points off. Type: string
<code>PriceThreshold</code>	The qualifying threshold offer price, or less, that must be met for the promotion to apply.	No	Type: MoneyType
<code>FeediscountMonetaryAmount</code>	The amount you will receive off of your fees if the <code>FeediscountType</code> involves a monetary amount.	No	If the <code>FeediscountType</code> involves a monetary amount, this value will be populated. Type: MoneyType
<code>FeediscountValue</code>	The percentage discount of your fees if the <code>FeediscountType</code> involves a non-monetary amount.	No	If the <code>FeediscountType</code> involves a non-monetary amount, this value will be populated. Type: number
<code>FeesEstimate</code>	The fee estimate for this promotion, if it is	No	Type: FeesEstimate

Notification Type Values			
	available. The estimate assumes that all condition required for the promotion have been met.		

PromotionActiveTimeRange

The following table shows the properties of the PromotionActiveTimeRange object:

Name	Description	Required	Value
EffectiveFromDate	Date (inclusive) when the promotion becomes active.	Yes	Type: string
EffectiveThroughDate	Date (exclusive) when the promotion has ended.	Yes	Type: string

Notification schema: [FeePromotionNotification.json](#)

Notification example

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "FEE_PROMOTION",
  "PayloadVersion": "1.0",
  "EventTime": "2020-01-11T00:09:53.109Z",
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.f1234566-aaec-55a6-b123-bcb752069ec5",
    "SubscriptionId": "7d78cc50-95c8-4641-add7-10af4b1fedc9",
    "PublishTime": "2020-01-11T00:02:50.501Z",
    "NotificationId": " 2012e8e5-b365-4cb1-9fd8-be9dfc6d5eaf"
  },
  "Payload": {
    "FeePromotionNotification": {
      "MerchantId": "merchantId",
      "MarketplaceId": "marketplaceId1",
      "FeePromotionType": "Pricing",
      "FeePromotionTypeDescription": "To help you offer a lower price to customers, we are offering you a temporary referral fee discount for every sale when the total sale price (price + shipping + gift wrap) is at or below the pricing threshold.",
      "PromotionActiveTimeRange": {
        "EffectiveFromDate": "2016-05-04T22:24:39.615Z",
        "EffectiveThroughDate": "2016-04-
```

```
28T02:45:12.786Z"
},
"Identifiers": [
  {
    "IdentifierType": "ASIN",
    "IdentifierValues": [
      {
        "IdentifierValueId": "B0000000",
        "IdentifierValueFriendlyName": "1234"
      }
    ]
  }
],
"PromotionInformations": [
  {
    "FeeType": "ReferralFee",
    "FeeDiscountType": "Percentage points off",
    "FeeDiscountValue": 5,
    "PriceThreshold": {
      "Amount": 1,
      "CurrencyCode": "USD"
    }
  },
  {
    "FeesEstimate": {

```

FEED_PROCESSING_FINISHED 2016-05-

05T22:24:39.635Z",
Sellers and vendors can subscribe to this notification.

The FEED_PROCESSING_FINISHED notification is sent whenever any feed submitted using the Selling Partner API for Feeds reaches a feed processing status of DONE, CANCELLED, or FATAL.

Note

This notification supports filterExpression for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

```
"FeeDetails": [
  {
    "FeeType": "feeType",
    "FeeAmount": {
      "Amount": 1,
      "CurrencyCode": "USD"
    },
    "FeePromotion": {

```

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

A FEED_PROCESSING_FINISHED notification with PayloadVersion = 2020-09-04 includes the following objects in the feedProcessingFinishedNotification object.

Name	Description	Type	Required
accountId	The merchant customer identifier or vendor group identifier of the selling partner account on whose behalf the feed was submitted.	string	Yes
sellerId	The merchant customer identifier of the selling partner account on whose behalf the feed was	string	No

	submitted. This field will be null when the feed was submitted on behalf of a vendor group identifier.		
feedId	The identifier for the feed.	string	Yes
feedType	The feed type. For more information, refer to feedType values .	string	Yes
processingStatus	The processing status of the feed.	string	Yes
resultFeedDocumentId	The identifier for the feed document. This identifier is unique only in combination with a seller ID.	string	No

Notification schema:

[FeedProcessingFinishedNotification.json](#)

Notification example for merchants

JSON

```
{
  "notificationVersion": "2020-09-04",
  "notificationType": "FEED_PROCESSING_FINISHED",
  "payloadVersion": "2020-09-04",
  "eventTime": "2020-07-13T19:42:04.284Z",
  "payload": {
    "feedProcessingFinishedNotification": {
      "sellerId": "A3TH9S8BH6G0GM",
      "accountId": "amzn1.merchant.o.A3TH9S8BH6G0GM",
      "feedId" : "53347018456",
      "feedType" : "POST_PRODUCT_DATA",
      "processingStatus" : "DONE",
      "resultFeedDocumentId":
"amzn1.tortuga.3.edbcd0d8-3434-8222-1234-52ad8ade1208.URUTI57URI9BMZ"
    }
  },
  "notificationMetadata": {
    "applicationId": "amzn1.sellerapps.app.aacccfff-44aa-4b7c-b42b-ed4ec98dd746",
    "subscriptionId": "subscription-id-d0e9e693-c3ad-4373-979f-ed4ec98dd746",
    "publishTime": "2020-07-13T19:45:04.284Z",
    "notificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
  }
}
```

Notification example for vendors

JSON

```
{
  "notificationVersion": "2020-09-04",
  "notificationType": "FEED_PROCESSING_FINISHED",
  "payloadVersion": "2020-09-04",
  "eventTime": "2020-07-13T19:42:04.284Z",
  "payload": {
    "feedProcessingFinishedNotification": {
      "accountId": "amzn1.vg.6213651",
      "feedId" : "53347018456",
      "feedType" : "POST_PRODUCT_DATA",
      "processingStatus" : "DONE",
      "resultFeedDocumentId":
"amzn1.tortuga.3.edbcd0d8-3434-8222-1234-52ad8ade1208.URUTI57URI9BMZ"
    }
  },
  "notificationMetadata": {
    "applicationId": "amzn1.sellerapps.app.aacccfff-44aa-4b7c-b42b-ed4ec98dd746",
    "subscriptionId": "subscription-id-d0e9e693-c3ad-4373-979f-ed4ec98dd746",
    "publishTime": "2020-07-13T19:45:04.284Z",
    "notificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
  }
}
```

FULFILLMENT_ORDER_STATUS

Sellers can subscribe to this notification.

The FULFILLMENT_ORDER_STATUS notification is sent whenever there is a change in the status of a Multi-Channel Fulfillment order.

Note

This notification supports filterExpression for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

FulfillmentOrderStatusNotification

The following table shows the objects and properties of the FulfillmentOrderStatusNotification object:

Name	Description
EventType	Indicates whether the notification contains order, shipment, or return information. EventType values: Order - This notification contains information about a fulfillment order.

	Shipment - This notification contains information about a fulfillment shipment. For more information, refer to the FulfillmentShipment object. Return - This notification contains information about a fulfillment return. Required Type: string
Seller Id	The identifier of the seller. Type: string
Status Updated DateTime	The date and time when the status was last updated. In ISO 8601 format. Required Type: string
Seller FulfillmentOrderId	The fulfillment order identifier that you created and submitted using the CreateFulfillmentOrder operation. Required Type: string
FulfillmentOrderStatus	The current status of the fulfillment order. FulfillmentOrderStatus values: Received - The fulfillment order was received and validated. Validation includes determining that the destination address is valid and that Amazon's records indicate that the seller has enough sellable (undamaged) inventory to fulfill the order. The seller can cancel a fulfillment order that has a status of Received. Invalid - The fulfillment order was received but could not be validated. The reasons for this include an invalid destination address or Amazon's records indicating that the seller does not have enough sellable inventory to fulfill the order. When this happens, the fulfillment order is invalid and no items in the order will ship. Planning - The fulfillment order has been sent to Amazon's fulfillment network to begin shipment planning, but no unit in any shipment has been picked from inventory yet. The seller can cancel a fulfillment order that has a status of Planning.

	Processing - The process of picking units from inventory has begun on at least one shipment in the fulfillment order. The seller cannot cancel a fulfillment order that has a status of Processing. Cancelled - The fulfillment order has been cancelled by the seller. Complete - All item quantities in the fulfillment order have been fulfilled. CompletePartialled - Some item quantities in the fulfillment order were fulfilled; the rest were either cancelled or unfulfillable. Unfulfillable - No item quantities in the fulfillment order could be fulfilled because the Amazon fulfillment center workers found no inventory for those items or found no inventory that was in sellable (undamaged) condition. Required Type: string
FulfillmentShipment	Delivery and item information for a shipment in a fulfillment order. Optional. Returned only when EventType is Shipment. Type: FulfillmentShipment
FulfillmentReturnItem	Information about an item that was returned to an Amazon fulfillment center. Optional. Returned only when EventType is Return. Type: FulfillmentReturnItem

FulfillmentReturnItem

The following table shows the objects and properties of the **FulfillmentReturnItem** object:

Name	Description
ReceivedDateTime	The date and time when the returned item was received by the Amazon fulfillment center. In ISO 8601 date time format. Required Type: string
ReturnedQuantity	The quantity that was returned. Required

	Type: integer
<code>SellerSKU</code>	The seller SKU of the item. Required Type: string

FulfillmentShipment

The following table shows the objects and properties of the `FulfillmentShipment` object:

Name	Description
<code>FulfillmentShipmentStatus</code>	The current status of the shipment. FulfillmentShipmentStatus values: <code>Pending</code> - The process of picking units from inventory has begun. <code>Shipped</code> - All packages in the shipment have left the fulfillment center. <code>CancelledByFulfiller</code> - The Amazon fulfillment center could not fulfill the shipment as planned. This might be because the inventory was not at the expected location in the fulfillment center. After cancelling the fulfillment order, Amazon immediately creates a new fulfillment shipment and again attempts to fulfill the order. <code>CancelledBySeller</code> - The shipment was cancelled using the <code>CancelFulfillmentOrder</code> operation. Required Type: string
<code>AmazonShipmentId</code>	A shipment identifier assigned by Amazon. Required Type: string
<code>EstimatedArrivalDateTime</code>	The estimated arrival time of the shipment, in ISO 8601 date time format. Note that this value can change over time. If a shipment includes more than one package, <code>EstimatedArrivalDateTime</code> applies to all of the packages in the shipment. If the shipment has been cancelled, <code>EstimatedArrivalDateTime</code> is not returned. Required Type: string
<code>FulfillmentShipment</code>	Contains all the packages in the fulfillment shipment.

hipmen tPacka ges	Optional Type: Array of FulfillmentShipmentPackage
-------------------------	---

FulfillmentShipmentPackage

The following table shows the objects and properties of the FulfillmentShipmentPackage object:

Name	Description
PackageNumber	Identifies a package within a shipment. Required Type: integer
CarrierCode	Identifies the carrier that will deliver the package. Required Type: string
TrackingNumber	The tracking number used to obtain tracking and delivery information. Required Type: string

Notification schema:

[FulfillmentOrderStatusNotification.json](#)

Notification example

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "FULFILLMENT_ORDER_STATUS",
  "PayloadVersion": "1.0",
  "EventTime": "2020-01-11T00:09:53.109Z",
  "Payload": {
    "FulfillmentOrderStatusNotification": {
      {
        "SellerId": "merchantId",
        "EventType": "Shipment",
        "StatusUpdatedDateTime": "2020-01-11T00:09:53.109Z",
        "SellerFulfillmentOrderId": "OrderId",
        "FulfillmentOrderStatus": "Complete",
        "FulfillmentShipment": {
          "FulfillmentShipmentStatus": "Shipped",
          "AmazonShipmentId": "DZRSmwG2N",
          "EstimatedArrivalDateTime": "2014-12-19T22:59:59Z",
          "FulfillmentShipmentPackages": [
            {
              "PackageNumber": 1,
              "CarrierCode": "HERMESIT",
```

Notification Type Values

```
"TrackingNumber":
"&0113838XXXXX8300169397"
}
]
}
},
"NotificationMetadata":
{
  "ApplicationId": "amzn1.sellerapps.app.f1234566-
aaec-55a6-b123-bcb752069ec5",
  "SubscriptionId": "7d78cc50-95c8-4641-add7-
10af4b1fedc9",
  "PublishTime": "2020-01-11T00:02:50.501Z",
  "NotificationId": " 2012e8e5-b365-4cb1-9fd8-
be9dfc6d5eaf"
}
}
```

ITEM_INVENTORY_EVENT_CHANGE

Sellers and vendors can subscribe to this notification.

The `ITEM_INVENTORY_EVENT_CHANGE` notification is sent five minutes after the beginning of each hour. This notification shares inventory data at an ASIN level, and includes data for the previous hour, as well as any delayed data from up to 24 hours earlier. ASINs are included if the number of units available for purchase by customers has changed. Each notification may include multiple ASINs, and a selling partner can expect to receive multiple notifications every hour.

Note

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

ItemInventoryEventChangeNotifications

Name	Description	Required	Type
itemInven toryEventC hangeNotif ications	A list of hourly grain inventory metrics by ASIN.	Yes	Array of <code>Ite mInventory EventChang eNotificat ion</code>

ItemInventoryEventChangeNotification

Name	Description	Required	Type
accountId	The merchant customer ID or vendor group ID of the partner account this notification is sent to.	Yes	String
marketplaceId	The marketplace identifier of the inventory data.	Yes	String
startTime	The start of the date-time range of the inventory data ISO 8601 format in UTC time.	Yes	String
endTime	The end of the date-time range of the inventory data in ISO 8601 format in UTC time.	Yes	String
asin	The Amazon Standard Identification Number of the product.	Yes	String
highlyAvailableInventory	The number of units available to be sold on the website, based on units in Amazon fulfillment centers that are in sellable condition, minue units in customer shopping carts or otherwise bound for other orders (for example, subscribe-and-save orders).	Yes	Integer

Notification Schema: [ItemInventoryEventChangeNotification](#)

Notification example

JSON

```
{
  "notificationVersion": "2020-09-04",
  "notificationType": "ITEM_INVENTORY_EVENT_CHANGE",
  "payloadVersion": "2020-09-04",
  "eventTime": "2023-02-07T16:05:32.378Z",
  "payload": {
    "itemInventoryEventChanges": [
      {
        "accountId":
"amzn1.merchant.o.A21CXK3C4ERTY8",
        "marketplaceId": "ATVPDKIKX0DER",
        "startTime": "2023-02-07T15:00:00Z",
        "endTime": "2023-02-07T16:00:00Z",
        "asin": "B00032HE00",
        "highlyAvailableInventory": 650
      }, {
        "accountId":
"amzn1.merchant.o.A21CXK3C4ERTY8",
        "marketplaceId": "ATVPDKIKX0DER",
```

```
Notification Type Values
{
  "startTime": "2023-02-07T15:00:00Z",
  "endTime": "2023-02-07T16:00:00Z",
  "asin": "B00094A20U",
  "highlyAvailableInventory": 519
},
{
  "notificationMetadata": {
    "applicationId": "amzn1.sellerapps.app.aacccfff-4455-4b7c-4422-664ecacdd336",
    "subscriptionId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746",
    "publishTime": "2023-02-07T16:45:32.378Z",
    "notificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
  }
}
```

ITEM_SALES_EVENT_CHANGE

Sellers and vendors can subscribe to this notification.

The `ITEM_SALES_EVENT_CHANGE` notification is sent five minutes after the beginning of each hour. This notification shares sales data at an ASIN level and includes data for the previous hour, as well as any delayed data from up to 24 hours earlier. ASINs are included when they have orders or cancellations during a given hour. Each notification may include multiple ASINs, and a selling partner can expect to receive multiple notifications every hour.

Note

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

ItemSalesEventNotifications

Name	Description	Required	Type
itemSalesEventChangeNotifications	A list of hourly grain sales metrics by ASIN.	Yes	Array of ItemSalesEventChangeNotification

ItemSalesEventChangeNotification

Name	Description	Required	Type
accountId	The merchant customer ID or vendor group ID of the partner account this notification is sent to.	Yes	String

Name	Description	Required	Type
marketplaceId	The marketplace identifier of the sales data.	Yes	String
currencyCode	The currency code of any monetary amounts in ISO 4217 format.	Yes	String
startTime	The start of the date-time range of the sales data in ISO 8601 format in UTC time.	Yes	String
endTime	The end of the date-time range of the sales data in ISO 8601 format in UTC time.	Yes	String
asin	The Amazon Standard Identification Number of the product.	Yes	String
orderedUnits	The number of units ordered by Amazon customers in the specified time frame. This number can be negative if there are more cancellations than orders.	Yes	Integer
orderedRevenue	The ordered product sales in the specified time frame. Adjustments are made for cancellations.	Yes	Number

Notification Schema: [ItemSalesEventChangeNotification](#)

Notification example

JSON

```
{
  "notificationVersion": "2020-09-04",
  "notificationType": "ITEM_SALES_EVENT_CHANGE",
  "payloadVersion": "2020-09-04",
  "eventTime": "2023-02-07T16:05:32.378Z",
  "payload": {
    "itemSalesEventChanges": [
      {
        "accountId":
"amzn1.merchant.o.A21CXK3C4ERTY8",
        "marketplaceId": "ATVPDKIKX0DER",
        "currencyCode": "USD",
        "startTime": "2023-02-07T15:00:00Z",
        "endTime": "2023-02-07T16:00:00Z",
        "asin": "B00032HE00",
        "orderedUnits": 9,
        "orderedRevenue": 80.91
      }, {
```



```
Notification Type Values
{
  "accountId":
  "amzn1.merchant.o.A21CXK3C4ERTY8",
  "marketplaceId": "ATVPDKIKX0DER",
  "currencyCode": "USD",
  "startTime": "2023-02-07T15:00:00Z",
  "endTime": "2023-02-07T16:00:00Z",
  "asin": "B00094A20U",
  "orderedUnits": 5,
  "orderedRevenue": 527.60
}
},
{
  "notificationMetadata": {
    "applicationId": "amzn1.sellerapps.app.aacccfff-4455-4b7c-4422-664ecacdd336",
    "subscriptionId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746",
    "publishTime": "2023-02-07T16:45:32.378Z",
    "notificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
  }
}
```

ITEM_PRODUCT_TYPE_CHANGE

Sellers can subscribe to this notification.

Amazon sends an ITEM_PRODUCT_TYPE_CHANGE notification whenever there is a change to the product type of any item that the selling partner has a brand relationship with. A selling partner has a brand relationship with an item, as defined in the Amazon Registered Brands program, when they are a verified brand owner. The selling partner is the party who authorizes an application to call the Notifications API on their behalf, for the purpose of creating and managing notification subscriptions. Amazon sends ITEM_PRODUCT_TYPE_CHANGE notifications for items listed in any Amazon marketplace.

Payload schema: Version 1.0

Workflow: Amazon EventBridge workflow

An ITEM_PRODUCT_TYPE_CHANGE notification with PayloadVersion =1.0 includes the following objects in the Payload object.

Object	Description
MarketplaceId	The marketplace that the item is listed in.
Asin	The ASIN of the item.
PreviousProductType	The previous product type.
CurrentProductType	The current product type.

Notification schema: ItemProductTypeChangeNotification.json

Notification example

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "ITEM_PRODUCT_TYPE_CHANGE",
  "PayloadVersion": "1.0",
  "EventTime": "2019-03-20T18:59:30.194Z",
  "Payload": {
    "MarketplaceId": "ATVPDKIKX0DER",
    "Asin": "B1234567",
    "PreviousProductType": "PET_HEALTH_CARE",
    "CurrentProductType": "PET_APPAREL"
  },
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.f1234566-aaec-55a6-b123-bcb752069ec5",
    "SubscriptionId": "93b098e1-c42-2f45-93a1-78910a6a8369",
    "PublishTime": "2019-03-20T18:59:48.768Z",
    "NotificationId": "0e999936-da2c-4f9c-9fc2-02b67bae5f49"
  }
}
```

LISTINGS_ITEM_STATUS_CHANGE

Sellers can subscribe to this notification.

Amazon sends a LISTINGS_ITEM_STATUS_CHANGE notification when the status of a listings item changes for a selling partner. LISTINGS_ITEM_STATUS_CHANGE notifications are published when a listings item is created, deleted, or its buyability changes. The notification payload provides the current listings item information and status. Amazon sends LISTINGS_ITEM_STATUS_CHANGE notifications for items listed in any Amazon marketplace.

To retrieve additional associated details about the listing, such as listings item issues, call the **Selling Partner API for Listings Items**. For more information, refer to the [Listings Items API Use Case Guide](#).

The selling partner is the party who authorizes an application to call the Notifications API on their behalf for the purpose of creating and managing notification subscriptions.

Payload schema: Version 1.0

Workflow: [Amazon EventBridge workflow](#)

A LISTINGS_ITEM_STATUS_CHANGE notification with PayloadVersion =1.0 includes the following objects in the Payload object.

Name	Description	Type	Required
------	-------------	------	----------

SellerID	Selling partner identifier, such as a selling partner (merchant) account, of the affected listings item.	string	Yes
MarketplaceId	Amazon marketplace identifier of the affected listings item.	string	No
Asin	The Amazon Standard Identification Number (ASIN) identifier of the catalog item associated with the listings item.	string	No
Sku	Identifier of the affected listings item.	string	Yes
CreatedDate	Timestamp of when the listings item was created, formatted as ISO 8601 date-time.	string	No
Status	List of status states currently associated with the affected listings item. The absence of a value indicates the status state is not currently applicable to the listings item. For example, if BUYABLE is not present, the listings item is not currently buyable.	Array of ListingsItemStatus	Yes

ListingsItemStatus

This table shows the possible values for **ListingsItemStatus** :

Name	Description
BUYABLE	Indicates the listings item is available for purchase on the Amazon retail website for the corresponding Amazon marketplace. When provided, the listings item is buyable. When omitted, the listings item is non-buyable.
DISCOVERABLE	Indicates the associated Amazon catalog item (ASIN) is discoverable in search results on the Amazon retail website for the corresponding Amazon marketplace. When provided, the listings item is discoverable. When omitted, the listings item is non-discoverable.
DELETED	When provided, the listings item is deleted. When omitted, the listings item is non-deleted.

Notification schema:

[ListingsItemStatusChangeNotification.json](#)

Notification example

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "LISTINGS_ITEM_STATUS_CHANGE",
  "PayloadVersion": "1.0",
  "EventTime": "2021-02-03T18:59:30.194Z",
  "Payload": {
    "SellerId": "XXXXXXXXXXXX",
    "MarketplaceId": "ATVPDKIKX0DER",
    "Asin": "BT6RZ7JM4H",
    "Sku": "NLS-SHOES-03",
    "CreatedDate": "2021-02-03T18:50:26.196Z",
    "Status": [
      "BUYABLE",
      "DISCOVERABLE"
    ]
  },
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.f1234566-aaec-55a6-b123-bcb752069ec5",
    "SubscriptionId": "93b098e1-c42-2f45-93a1-78910a6a8369",
    "PublishTime": "2021-02-03T18:59:30.194Z",
    "NotificationId": "0e999936-da2c-4f9c-9fc2-02b67bae5f49"
  }
}
```

LISTINGS_ITEM_ISSUES_CHANGE

Sellers and vendors can subscribe to this notification.

Amazon sends a `LISTINGS_ITEM_ISSUES_CHANGE` notification whenever there is a change to the issues associated with a listings item that the selling partner owns. Issues point out that the listings item has problems which cause listing inactive, search suppression, or other quality problems. For example, if the selling partner's product image has low resolution, this issue will cause search suppression for this product. Amazon sends

`LISTINGS_ITEM_ISSUES_CHANGE` notifications for items listed in any Amazon marketplace.

`LISTINGS_ITEM_ISSUES_CHANGE` notifications are triggered when an issue on a listing is either created, fixed, or updated. The notification payload includes basic listing information, related issue severity, and enforcement actions caused by issues. To retrieve more details about issues associated with a listing, call the **Selling Partner API for Listings Items**. For more information, refer to the [Listings Items API Use Case Guide](#).

All problems that can occur with a listing do not have corresponding defined issues. As a result, this notification does not necessarily represent all problems with a listing (neither does the **Selling Partner API for Listings Items**). Amazon is working to define more issues to more closely represent the listings problems that can occur.

The selling partner is the party who authorizes an application to call the Notifications API on their behalf for the purpose of creating and managing notification subscriptions.

Currently, LISTINGS_ITEM_ISSUES_CHANGE notification supports two payload versions: "2023-12-13", and "1.0". "2023-12-13" is newer than "1.0". "2023-12-13" has more "EnforcementActions" than "1.0", which provides more listings item Issues' impact information. For example, "LISTING_SUPPRESSED" enforcement action takes down the current listing item's buyability. Please subscribe or migrate to newer version "2023-12-13", and "1.0" version will be deprecated soon.

Payload schema: Version 2023-12-13

Workflow: [Amazon EventBridge workflow](#)

A LISTINGS_ITEM_ISSUES_CHANGE notification with PayloadVersion =2023-12-13 includes the following objects in the Payload object.

Name	Description	Type	Required
SellerId	Selling partner identifier, such as a selling partner (merchant) account or vendor code, of the affected listings item.	string	Yes
MarketplaceId	Amazon marketplace identifier of the affected listings item.	string	No
Asin	The Amazon Standard Identification Number (ASIN) identifier of the catalog item associated with the listings item.	string	No
Sku	Identifier of the affected listings item.	string	Yes
Severities	List of severities for the issues associated with the affected listings item. When no issues are affecting the listings item, NONE is provided instead.	Array of IssueSeverity	Yes
EnforcementActions	List of enforcement actions taken by Amazon for the issues associated with the affected listings item. Current possible values: LISTING_SUPPRESSED - This enforcement	Array of string	No

	takes down the current listing item's buyability. • <code>ATTRIBUTE_SUPPRESSED</code> - An attribute's value on the listing item is invalid, which causes it to be rejected by Amazon. • <code>CATALOG_ITEM_REMOVED</code> - This catalog item is inactive on Amazon, and all offers against it in the applicable marketplace are non-buyable. • <code>SEARCH_SUPPRESSED</code> - This value indicates that the catalog item is hidden from search results.		
--	--	--	--

IssueSeverity

This table shows the possible values for `IssueSeverity` :

Name	Description
<code>ERROR</code>	When provided, at least one issue with <code>ERROR</code> severity has occurred preventing the submission from processing, such as validation error.
<code>WARNING</code>	When provided, at least one issue with <code>WARNING</code> severity has occurred that should be reviewed, but has not prevented the submission from processing.
<code>NONE</code>	When provided, there are no defined issues affecting the listings item. However, there may be other problems with the listing.

Notification schema:

[ListingsItemIssuesChangeNotification_2023-12-13.json](#)

Notification example

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "LISTINGS_ITEM_ISSUES_CHANGE",
  "PayloadVersion": "2023-12-13",
  "EventTime": "2021-02-03T18:59:30.194Z",
  "Payload": {
    "SellerId": "XXXXXXXXXXXX",
    "MarketplaceId": "ATVPDKIKX0DER",
    "Asin": "BT6RZ7JM4H",
    "Sku": "NLS-SHOES-03",
```

```
"Severities": [
  "ERROR",
  "WARNING"
],
"EnforcementActions": [
  "SEARCH_SUPPRESSED",
  "LISTING_SUPPRESSED",
  "ATTRIBUTE_SUPPRESSED",
  "CATALOG_ITEM_REMOVED"
]
},
"NotificationMetadata":{
  "ApplicationId":"amzn1.sellerapps.app.f1234566-
aaec-55a6-b123-bcb752069ec5",
  "SubscriptionId":"93b098e1-c42-2f45-93a1-
78910a6a8369",
  "PublishTime":"2021-02-03T18:59:30.194Z",
  "NotificationId":"0e999936-da2c-4f9c-9fc2-
02b67bae5f49"
}
}
```

LISTINGS_ITEM_ISSUES_CHANGE Payload schema: Version 1.0

A LISTINGS_ITEM_ISSUES_CHANGE notification with PayloadVersion =1.0 includes the following objects in the Payload object.

Name	Description	Type	Required
SellerId	Selling partner identifier, such as a selling partner (merchant) account or vendor code, of the affected listings item.	string	Yes
MarketplaceId	Amazon marketplace identifier of the affected listings item.	string	No
Asin	The Amazon Standard Identification Number (ASIN) identifier of the catalog item associated with the listings item.	string	No
Sku	Identifier of the affected listings item.	string	Yes
Severities	List of severities for the issues associated with the affected listings item. When no issues are affecting the listings item, NONE is provided instead.	Array of IssueSeverity	Yes
EnforcementActions	List of enforcement actions taken by Amazon for the issues associated	Array of IssueEnforcement	No

	with the affected listings item.	entActi ons	
--	----------------------------------	----------------	--

IssueSeverity

This table shows the possible values for IssueSeverity :

Name	Description
ERROR	When provided, at least one issue with ERROR severity has occurred preventing the submission from processing, such as a validation error.
WARNING	When provided, at least one issue with WARNING severity has occurred that should be reviewed, but has not prevented the submission from processing.
NONE	When provided, there are no defined issues affecting the listings item. However, there may be other problems with the listing.

IssueEnforcementActions

This table shows the possible values for IssueEnforcementActions :

Name	Description
SEARCH_SUPPRESSED	When provided, the listing item is suppressed from search results caused by at least one issue currently associated with the affected listing item.

Notification schema:

[ListingsItemIssuesChangeNotification.json](#)

Notification example

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "LISTINGS_ITEM_ISSUES_CHANGE",
  "PayloadVersion": "1.0",
  "EventTime": "2021-02-03T18:59:30.194Z",
  "Payload": {
    "SellerId": "XXXXXXXXXXXX",
    "MarketplaceId": "ATVPDKIKX0DER",
    "Asin": "BT6RZ7JM4H",
    "Sku": "NLS-SHOES-03",
    "Severities": [
      "ERROR",
      "WARNING"
    ],
    "EnforcementActions": [
      "SEARCH_SUPPRESSED"
    ]
  },
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.f1234566-aaec-55a6-b123-bcb752069ec5",
    "SubscriptionId": "93b098e1-c42-2f45-93a1-
```



```
78910a6a8369",
  "PublishTime":"2021-02-03T18:59:30.194Z",
  "NotificationId":"0e999936-da2c-4f9c-9fc2-02b67bae5f49"
}
```

LISTINGS_ITEM_MFN_QUANTITY_CHANGE

Sellers can subscribe to this notification.

Amazon sends a LISTINGS_ITEM_MFN_QUANTITY_CHANGE notification to an integrator or seller whenever the available quantity for the seller-fulfilled (MFN) listings item changes. The available quantity is the number of units available at Amazon for customers to order. When a customer places an order, Amazon decrements the number of ordered units from the available quantity for that listings item. When the available quantity reaches zero, customers can no longer place orders on the item. Selling partners typically update Amazon with the exact number of units available in their stock to allow customers to place orders.

The available quantity for a listings item changes because of various factors, such as inventory quantity updates from the selling partner, new orders being placed, and existing orders being canceled. With this notification, subscribing selling partners no longer need to constantly poll the Selling Partner getListingsItem operation or the Orders API to retrieve the latest available quantity.

The key features of this notification are:

- Selling partners stay up to date on the actual inventory available at Amazon.
- Selling partners plan ahead based on the inventory levels to meet the demand for their listings items.
- Selling partners synchronize and update inventory levels of their listings items with their internal systems and across their other sales channels.
- Selling partners do not need to frequently poll the inventory report or call the Selling Partner getListingsItem operation to determine the available quantity.

Payload schema: Version 1.0

Workflow: Amazon EventBridge workflow

A LISTINGS_ITEM_MFN_QUANTITY_CHANGE notification with PayloadVersion =1.0 includes the following properties in the Payload object.

Name	Description	Type	Required
Seller Id	The Merchant Token of the selling partner who owns the listings item.	string	Yes

FulfillmentChannelCode	The Fulfillment channel code representing the MFN (seller-fulfilled) fulfillment program, network, or channel where the quantity is applicable.	string	Yes
Sku	A selling partner provided identifier for an Amazon listings item.	string	Yes
Quantity	The number of units available at Amazon.	integer	Yes

Notification schema: [ListingsItemMfnQuantityChange.json](#)

Notification example

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType":
    "LISTINGS_ITEM_MFN_QUANTITY_CHANGE",
  "PayloadVersion": "1.0",
  "EventTime": "2021-02-03T18:59:30.194Z",
  "Payload": {
    "SellerId": "XXXXXXXXXXXX",
    "FulfillmentChannelCode": "DEFAULT",
    "Sku": "NLS-SHOES-03",
    "Quantity": 99
  },
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.f108f511-
    eeac-46a6-b125-bcb752069ed0",
    "SubscriptionId": "93b098e1-c42-2f45-93a1-
    78910a6a8369",
    "PublishTime": "2021-02-03T18:59:30.194Z",
    "NotificationId": "8e009934-da2c-4f9c-9bc7-
    93f23b7e1f60"
  }
}
```

ORDER_CHANGE

Sellers can subscribe to this notification.

The `ORDER_CHANGE` notification is sent whenever there is an important change in the order. Important changes include order status changes and buyer requested cancelations.

This notification supports the following `eventFilter` value: `orderChangeTypes`. To use this filter, you must also provide the `eventFilterType`: `"eventFilterType": "ORDER_CHANGE"`.

This notification also supports `filterExpression` for CEL-based filtering. You cannot use `eventFilter` and `filterExpression` together. For more information, refer to [Filter notification subscriptions](#).

Refer to [Processing Directives](#) for more information.

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

The `ORDER_CHANGE` notification with `PayloadVersion = 1.0` includes the following properties in the `OrderNotification` object.

Name	Description	Type	Required
<code>NotificationLevel</code>	The notification level of the current notification.	string	Yes
<code>SellerId</code>	The selling partner identifier.	string	Yes
<code>AmazonOrderId</code>	An Amazon-defined order identifier in 3-7-7 format.	string	Yes
<code>OrderChangeType</code>	The type of order change that triggered the notification to be sent. Possible values are: <code>BuyerRequestedChange</code> <code>DeliveryTipChange</code> <code>OrderStatusChange</code>	string	Yes
<code>OrderChangeTrigger</code>	Details about what caused this <code>ORDER_CHANGE</code> notification to be sent.	OrderChangeReason	Yes
<code>Summary</code>	Information about the order and order items that had the change.	OrderChangeSummary	Yes

OrderChangeReason

Name	Description	Type	Required
<code>TimeOfOrderChange</code>	The time of the change that caused this notification, in ISO 8601 date/time format. Will be null when there is no related timestamp.	string	Yes
<code>ChangeReason</code>	The reason this <code>ORDER_CHANGE</code> notification was sent.	string	Yes

OrderChangeSummary

Name	Description	Type	Required
Marketplace ID	The Amazon marketplace identifier of the order.	string	Yes
Order Status	The current order status. The possible values are Up Coming , Pending , Unshipped , PartiallyShipped , PendingAvailability , Canceled , InvoiceUnconfirmed , Shipped , and Unfulfillable .	string	Yes
PurchaseDate	The purchase date of the order, in ISO 8601 date/time format. It will be null when there is no related information.	string	Yes
Destination Postal Code	The destination postal code. It will be null when there is no related information.	string	Yes
Fulfillment Type	Fulfillment type of the affected order, MFN or AFN.	string	Yes
Order Type	The type of the order.	string	Yes
NumberOfItemsShipped	The number of items shipped.	integer	No
NumberOfItemsUnshipped	The number of items unshipped.	integer	No
EarliestDeliveryDate	The start of the time period during which you committed to fulfill the order, in ISO 8601 date/time format. Returned only for seller-fulfilled orders.	string	No
LatestDeliveryDate	The end of the time period during which you committed to fulfill the order, in ISO 8601 date/time format. Returned only for seller-fulfilled orders that do not	string	No

	have a PendingAvailability, Pending, or Canceled status.		
EarliestShipDate	The start of the time period during which you committed to ship the order, in ISO 8601 date/time format.	string	No
LatestShipDate	The end of the time period during which you committed to ship the order, in ISO 8601 date/time format.	string	No
CancellationNotificationDate	The end of the time period during which you must notify the seller of possible cancellation, in ISO 8601 date/time format.	string	No
OrderPrograms	The order programs in which this order participates.	array of string	No
ShippingPrograms	The shipping programs in which this order participates.	array of string	No
EasyShipShipmentsStatus	The status of the Amazon Easy Ship order. This property is included only for Amazon Easy Ship orders.	string	No
ElectronicInvoiceStatus	The status of the electronic invoice.	string	No
OrderItems	Information about order items included in this order. For OrderItemLevel notifications, one payload includes one item, while for OrderLevel notifications, one payload includes all items.	Array of OrderItem	Yes

OrderItem

Name	Description	Type	Required
OrderItemId	The Amazon-defined order item identifier.	string	Yes

<code>SellerSKU</code>	The seller-specific SKU for an item.	string	Yes
<code>SupplySourceId</code>	The unique identifier of the supply source. Will be null when there is no related information.	string	Yes
<code>OrderItemStatus</code>	The current status of the order item. This field Will have a non-null value when items' statuses are different.	string	No
<code>Quantity</code>	The number of items in the order.	integer	Yes
<code>QuantityShipped</code>	The number of items shipped.	integer	No
<code>IsBuyerRequestedCancellation</code>	True when the buyer has requested cancelation.	boolean	No
<code>ItemEarliestDeliveryDate</code>	The start of the time period during which you have committed to fulfill the order.	string	No
<code>ItemLatestDeliveryDate</code>	The end of the time period during which you have committed to fulfill the order.	string	No

Notification schema: [OrderChangeNotification.json](#)

Notification example

JSON

```
{
  "NotificationVersion" : "1.0",
  "NotificationType" : "ORDER_CHANGE",
  "PayloadVersion" : "1.0",
  "EventTime" : "2020-01-11T00:09:53.109Z",
  "Payload" : {
    "OrderChangeNotification": {
      "NotificationLevel": "OrderLevel",
      "SellerId": "A3TH9S8BH6G0GM",
      "AmazonOrderId": "903-8868176-2219830",
      "OrderChangeType": "BuyerRequestedChange",
      "OrderChangeTrigger": {
        "TimeOfOrderChange": "2022-11-29T19:42:04.284Z",
        "ChangeReason": "Buyer Requested Cancel"
      },
      "Summary": {
        "MarketplaceId": "ATVPDKIKX0DER",
        "OrderStatus": "Unshipped",
```

```

    "PurchaseDate": "2022-07-13T19:42:04.284Z",
    "DestinationPostalCode": "48110",
    "FulfillmentType": "MFN",
    "OrderType": "StandardOrder",
    "NumberOfItemsShipped": 0,
    "NumberOfItemsUnshipped": 10,
    "EarliestDeliveryDate": "2022-11-07T19:42:04.284Z",
    "LatestDeliveryDate": "2022-12-07T19:42:04.284Z",
    "EarliestShipDate": "2022-11-07T19:42:04.284Z",
    "LatestShipDate": "2022-12-07T19:42:04.284Z",
    "CancelNotifyDate": "2022-12-07T19:42:04.284Z",
    "OrderPrograms": ["Business"],
    "ShippingPrograms": ["EasyShip"],
    "EasyShipShipmentStatus": "Delivered",
    "ElectronicInvoiceStatus": "NotFound",
    "OrderItems": [
      {
        "OrderItemId": "OIID34853450",
        "SellerSKU": "SellerSKUID1",
        "SupplySourceId": "d7679e14-031b-4ab3-a81b-ec4fc7a460b3",
        "OrderItemStatus": "Unshipped",
        "Quantity": 10,
        "QuantityShipped": 0,
        "IsBuyerRequestedCancel": true,
        "ItemEarliestDeliveryDate": "2022-11-07T19:42:04.284Z",
        "ItemLatestDeliveryDate": "2022-12-07T19:42:04.284Z"
      }
    ]
  },
  "NotificationMetadata": {

```

PRICING_HEALTH

"app-id-d0e9e693-c3ad-4373-979f-ed4ec98dd746".
Sellers can subscribe to this notification.

"SubscriptionId": "subscription-id-d0e9e693-c3ad-4373-979f-ed4ec98dd746".
The PRICING_HEALTH notification is sent whenever a seller offer is ineligible to be the Featured Offer (Buy Box offer) because of an uncompetitive price. Sellers can take steps to restore featured offer eligibility by adjusting an offer's total price (price plus shipping minus points) so that it matches or is lower than the competitive price, or is in line with the reference prices provided. These include the Featured Offer price, 60-day average selling price, highest 14-day price (shipped and sold by Amazon), and the list price. To be Featured Offer eligible, you must price competitively and meet other qualifying criteria designed to give customers a great shopping experience, including great prices, availability, and delivery speed. The Featured Offer is the offer selected when the customer chooses **Add to Cart** on the product detail page.

Note

This notification supports `filterExpression` for CEL-based filtering. For more information, refer to [Filter](#)

Payload schema: Version 1.0**Workflow:** [Amazon Simple Queue Service workflow](#)

The `PRICING_HEALTH` notification with `payloadVersion=1.0` includes the following properties in the payload object.

Name	Description
<code>issueType</code>	The issue type for the notification. Required. Type: <code>string</code>
<code>sellerId</code>	The seller identifier for the offer. Required. Type: <code>string</code>
<code>offerChangeTrigger</code>	The event that caused the notification to be sent. Required. Type: <code>offerChangeTrigger</code>
<code>merchantOffer</code>	Offer details of the selling partner (merchant) receiving the notification. Required. Type: <code>merchantOffer</code>
<code>summary</code>	Information about the item that had the offer change. The information in this summary applies to all conditions of the product. Required. Type: <code>summary</code>

`buyBoxPrice`

The following table shows the objects and properties of the `buyBoxPrice` object:

Name	Description
<code>condition</code>	Indicates the condition of the item. Required. Type: <code>string</code>
<code>landedPrice</code>	The <code>listingPrice</code> plus shipping. Required. Type: <code>moneyType</code>
<code>listingPrice</code>	The price of the item. Required.

Notification Type Values	
	Type: <code></code>
<code>shipping</code>	The shipping cost. Required. Type: <code>moneyType</code>
<code>points</code>	The number of Amazon Points offered with the purchase of an item. Optional. Type: <code>points</code>

merchantOffer

The following table shows the objects and properties of the `merchantOffer` object:

Name	Description
<code>condition</code>	Indicates the condition of the item. Required. Type: string
<code>fulfillmentType</code>	Indicates whether the item is fulfilled by Amazon or by the seller. Required. Type: string
<code>landedPrice</code>	The <code>listingPrice</code> plus shipping. Required. Type: <code>moneyType</code>
<code>listingPrice</code>	The price of the item. Required. Type: <code>moneyType</code>
<code>shipping</code>	The shipping cost. Required. Type: string
<code>points</code>	The number of Amazon Points offered with the purchase of an item. Optional. Note: The <code>Points</code> object is only returned in Japan (JP). Type: <code>points</code>

offerChangeTrigger

The following table shows the objects and properties of the `offerChangeTrigger` object:

Name	Description
------	-------------

Notification Type Values	
marketplaceId	The marketplace identifier of the item that had an offer change. Required. Type: string
asin	The ASIN for the item that had an offer change. Required. Type: string
itemCondition	The condition of the item that had an offer change. Required. Type: string
timeOfOfferChange	The update time for the offer that caused this notification. Optional. Type: string

offerCount

The following table shows the objects and properties of the offerCount object:

Name	Description
condition	Indicates the condition of the item. Required. Type: string
fulfillmentType	Indicates whether the item is fulfilled by Amazon or by the seller. Required. Type: string
offerCount	The total number of offers for the specified condition and fulfillment channel. Required. Type: integer

points

The following table shows the objects and properties of the points object:

Name	Description
pointsNumber	The number of Amazon Points offered with the purchase of an item. Required.

Type: integer

referencePrice

The following table shows the objects and properties of the `referencePrice` object:

Name	Description
<code>averageSellingPrice</code>	The average selling price of the item. Optional. Type: <code>moneyType</code>
<code>competitivePriceThreshold</code>	The competitive price threshold from external competitors of Amazon. Optional. Type: <code>moneyType</code>
<code>retailOfferPrice</code>	The 14 day maximum of retail offer price. Optional. Type: <code>moneyType</code>
<code>msrpPrice</code>	The manufacturer suggested retail price for the ASIN. Optional. Type: <code>moneyType</code>

salesRank

The following table shows the objects and properties of the `salesRank` object:

Name	Description
<code>productCategoryId</code>	The product category for the rank. Required. Type: string
<code>rank</code>	The sales rank of the ASIN. Required. Type: integer

summary

The following table shows the objects and properties of the `summary` object:

Name	Description
<code>numberOfOffers</code>	A list that contains the total number of offers for the item for the given conditions and fulfillment channels.

	Required. Type: array of offerCount
buyBoxEligibleOffers	A list that contains the total number of offers that are eligible for the Buy Box for the given conditions and fulfillment channels. Required. Type: array of offerCount
buyBoxPrices	A list that contains the Buy Box price of the item for the given conditions. Optional. Type: array of buyBoxPrice
salesRankings	A list that contains the sales rankings of the ASIN in various product categories. Optional. Type: array of salesRank
referencePrice	A set of reference prices for the given ASIN. Required. Type: referencePrice

Notification schema: [PricingHealthNotification.json](#)

Notification example

JSON

```
{
  "notificationVersion": "1.0",
  "notificationType": "PRICING_HEALTH",
  "payloadVersion": "1.0",
  "eventTime": "2020-09-23T21:30:13.713Z",
  "payload": {
    "issueType": "BuyBoxDisqualification",
    "sellerId": "A3EZFOFNDPFB8R",
    "offerChangeTrigger": {
      "marketplaceId": "ATVPDKIKX0DER",
      "asin": "B007IBIWZY",
      "itemCondition": "new",
      "timeOfOfferChange": "2020-09-23T21:30:13.409Z"
    },
    "merchantOffer": {
      "condition": "new",
      "fulfillmentType": "MFN",
      "listingPrice": {
        "amount": 8184.23,
```

Notification Type Values

```
    "currencyCode": "USD"
  },
  "shipping": {
    "amount": 4.49,
    "currencyCode": "USD"
  },
  "landedPrice": {
    "amount": 8188.72,
    "currencyCode": "USD"
  },
  "points": {
    "pointsNumber": 34343
  }
},
"summary": {
  "numberOfOffers": [
    {
      "condition": "new",
      "fulfillmentType": "MFN",
      "offerCount": 3
    }
  ],
  "buyBoxEligibleOffers": [
    {
      "condition": "new",
      "fulfillmentType": "MFN",
      "offerCount": 3
    }
  ],
  "buyBoxPrices": [
    {
      "listingPrice": {
        "amount": 8184.23,
        "currencyCode": "USD"
      },
      "shipping": {
        "amount": 4.49,
        "currencyCode": "USD"
      },
      "landedPrice": {
        "amount": 8188.72,
        "currencyCode": "USD"
      },
      "points": {
        "pointsNumber": 34343
      }
    }
  ]
}
```

PRODUCT_TYPE_DEFINITIONS_CHANGE

Sellers and vendors can subscribe to this notification.

The PRODUCT_TYPE_DEFINITIONS_CHANGE notification is sent whenever there is a new Product Type or Product Type Version.

If the notification is triggered by the addition of one or more new product types in a marketplace, the notification payload provides the names of the new product types and the product type version applicable to those product types.

If the notification is triggered only by a new product type version, the notification payload provides the new product type version.

For more information about product types, refer to the [Product Type Definitions API Use Case Guide](#).

Payload schema: Version 1.0

Workflow: [Amazon EventBridge workflow](#)

A PRODUCT_TYPE_DEFINITIONS_CHANGE notification with PayloadVersion = 1.0 includes the following properties in the Payload object.

Name	Description	Type	Required
------	-------------	------	----------

Notification Type Values			
AccountId	The selling partner identifier, such as a selling partner (merchant) account or vendor group ID.	string	Yes
MarketplaceId	Amazon marketplace identifier of the affected product type or product type version.	string	No
ProductTypeVersion	Version of the newly released Amazon product type definition.	string	Yes
NewProductTypes	List of product types launched in a marketplace.	Array of string	No

`"amount": 7900,`
`"currencyCode": "USD"`
[ProductTypeDefinitionsChangeNotification.json](#)

Notification example

Example 1: Notification with new product types
`"amount": 8000,`
`"currencyCode": "USD"`

```
JSON  }
```

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "PRODUCT_TYPE_DEFINITIONS_CHANGE",
  "PayloadVersion": "1.0",
  "EventTime": "2021-02-03T18:59:30.194Z",
  "Payload": {
    "AccountId": "XXXXXXXXXXXX",
    "MarketplaceId": "ATVPDKIKX0DER",
    "ProductTypeVersion": "Uyp-
Z6z_y2HhQD2x8sDBXkRAuxBqBionr",
    "NewProductTypes": [
      "LUGGAGE",
      "SHOES"
    ]
  },
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.f1234566-
aaec-55a6-b123-bcb752069ec5",
    "SubscriptionId": "93b098e1-c42-2f45-93a1-
78910a6a8369",
    "PublishTime": "2021-02-03T18:59:30.194Z",
    "NotificationId": "0e999936-da2c-4f9c-9fc2-
02b67bae5f49"
  }
}
```

Example 2: Notification with a product type version change

```
JSON
```

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "PRODUCT_TYPE_DEFINITIONS_CHANGE",
  "PayloadVersion": "1.0",
  "EventTime": "2021-02-03T18:59:30.194Z",
  "Payload": {
    "AccountId": "XXXXXXXXXXXX",
    "ProductTypeVersion": "Uyp-
Z6z_y2HhQD2x8sDBXkRAuxBqBionr"
  },
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.f1234566-
aaec-55a6-b123-bcb752069ec5",
    "SubscriptionId": "93b098e1-c42-2f45-93a1-
78910a6a8369",
    "PublishTime": "2021-02-03T18:59:30.194Z",
    "NotificationId": "0e999936-da2c-4f9c-9fc2-
02b67bae5f49"
  }
}
```

REPORT_PROCESSING_FINISHED

Sellers and vendors can subscribe to this notification.

The REPORT_PROCESSING_FINISHED notification is sent whenever any report that you have requested using the Selling Partner API for Reports reaches a report processing status of DONE , CANCELLED , or FATAL .

Note

This notification supports filterExpression for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

The REPORT_PROCESSING_FINISHED notification with PayloadVersion =2020-09-04 includes the following objects in the reportProcessingFinishedNotification object.

Name	Description	Type	Required
accou ntId	The merchant customer identifier or vendor group identifier of the selling partner account on whose behalf the report was submitted.	string	Yes
selle rId	The merchant customer identifier of the selling partner account on whose	string	No

	behalf the feed was submitted. This field will be null when the feed was submitted on behalf of a vendor group identifier.		
reportId	The identifier of the report.	string	Yes
reportType	The report type. For more information, refer to report Type values .	string	Yes
processingStatus	The processing status of the report.	string	Yes
reportDocumentId	The identifier for the report document. This identifier is unique only in combination with a seller ID.	string	No

Notification schema:

[ReportProcessingFinishedNotification.json](#)

Notification example for merchants

JSON

```
{
  "notificationVersion": "2020-09-04",
  "notificationType": "REPORT_PROCESSING_FINISHED",
  "payloadVersion": "2020-09-04",
  "eventTime": "2020-07-14T03:35:13.214Z",
  "payload": {
    "reportProcessingFinishedNotification": {
      "sellerId": "A3TH9S8BH6G0GM",
      "accountId": "amzn1.merchant.o.A3TH9S8BH6G0GM",
      "reportId": "54517018502",
      "reportType":
"GET_FLAT_FILE_ACTIONABLE_ORDER_DATA",
      "processingStatus": "CANCELLED",
      "reportDocumentId": "amzn1.tortuga.3.edbcd0d8-3434-8222-1234-52ad8ade1208.REP4567URI9BMZ"
    }
  },
  "notificationMetadata": {
    "applicationId": "amzn1.sellerapps.app.aacccfff-4455-4b7c-4422-664ecacdd336",
    "subscriptionId": "subscription-id-d0e9e693-c3ad-4373-979f-ed4ec98dd746",
    "publishTime": "2020-07-13T19:45:04.284Z",
    "notificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
  }
}
```

Notification example for vendors

JSON


```
{
  "notificationVersion": "2020-09-04",
  "notificationType": "REPORT_PROCESSING_FINISHED",
  "payloadVersion": "2020-09-04",
  "eventTime": "2020-07-14T03:35:13.214Z",
  "payload": {
    "reportProcessingFinishedNotification": {
      "accountId": "amzn1.vg.6213651",
      "reportId": "54517018502",
      "reportType":
"GET_FLAT_FILE_ACTIONABLE_ORDER_DATA",
      "processingStatus": "CANCELLED",
      "reportDocumentId": "amzn1.tortuga.3.edbcd0d8-3434-8222-1234-52ad8ade1208.REP4567URI9BMZ"
    },
    "notificationMetadata": {
      "applicationId": "amzn1.sellerapps.app.aacccfff-4455-4b7c-4422-664ecacdd336",
      "subscriptionId": "subscription-id-d0e9e693-c3ad-4373-979f-ed4ec98dd746",
      "publishTime": "2020-07-13T19:45:04.284Z",
      "notificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
    }
  }
}
```

TRANSACTION_UPDATE

Sellers can subscribe to this notification.

The TRANSACTION_UPDATE notification is sent whenever there is a new transaction posted to the seller's account.

Note

This notification supports filterExpression for CEL-based filtering. For more information, refer to [Filter notification subscriptions](#).

Payload schema: Version 1.0

Workflow: [Amazon Simple Queue Service workflow](#)

The TRANSACTION_UPDATE notification with payloadVersion=1.0 includes the following properties in the TransactionUpdateNotification payload object:

Name	Description	Type
SellingPartnerMetadata	Metadata that describes the seller.	SellingPartnerMetadata
RelatedIdentifiers	Identifiers related to the transaction, such as order and shipment IDs.	< RelatedIdentifier > array

Name	Description	Type
TransactionType	The type of transaction.	string
PostedDate	The date and time when the transaction was posted.	Date
TotalAmount	The total amount of money in the transaction.	Currency

SellingPartnerMetadata

Name	Description	Type
SellingPartnerId	A unique seller identifier.	string
AccountType	The type of account in the transaction.	string
MarketplaceId	The identifier of the marketplace where the transaction occurred.	string

RelatedIdentifier

Name	Description	Type
RelatedIdentifierName	An enumerated set of related business identifier names.	string
RelatedIdentifierValue	Corresponding value of RelatedIdentifierName	string

Currency

Name	Description	Type
CurrencyAmount	The monetary value.	int
CurrencyCode	The three-digit currency code in ISO 4217 format.	string

Notification schema: [TransactionUpdateNotification.json](#)

Notification example:

JSON

```
{
  "NotificationVersion": "1.0",
  "NotificationType": "TRANSACTION_UPDATE",
  "PayloadVersion": "1.0",
  "EventTime": "2023-07-14T03:35:13.214Z",
  "NotificationMetadata": {
    "ApplicationId": "amzn1.sellerapps.app.aacccfff-4455-4b7c-4422-664ecacdd336",
    "SubscriptionId": "subscription-id-d0e9e693-c3ad-4373-979f-ed4ec98dd746",
    "PublishTime": "2020-07-14T03:35:13.214Z",
```

Notification Type Values

```
"NotificationId": "d0e9e693-c3ad-4373-979f-ed4ec98dd746"
},
"Payload": {
  "TransactionUpdateNotification": {
    "SellingPartnerMetadata": {
      "SellingPartnerId": "A3TH9S8BH6GOGM",
      "MarketplaceId": "ATIV93840DER",
      "AccountType": "PAYABLE"
    },
    "RelatedIdentifiers": [
      {
        "RelatedIdentifierName": "OrderId",
        "RelatedIdentifierValue": "8129762527551"
      }
    ],
    "TransactionType": "Shipment",
    "PostedDate": "2020-07-14T03:35:13.214Z",
    "TotalAmount": {
      "CurrencyAmount": 10,
      "CurrencyCode": "USD"
    }
  }
}
```

Common types

Contains common types that are used by all notifications that are contained in the Notification payload objects.

FulfillmentChannelType

Indicates whether the item is fulfilled by Amazon or by the seller.

Type: string

FulfillmentChannelType values:

- Amazon
- Merchant

moneyType

Currency type and amount.

The following table shows the properties of the MoneyType object:

Name	Description
amount	The currency amount. Type: number
currencyCode	Three-digit currency code. In ISO 4217 format . Type: string

MoneyType

Currency type and amount.

The following table shows the properties of the `MoneyType` object:

Name	Description
<code>Amount</code>	The currency amount. Type: number
<code>CurrencyCode</code>	Three-digit currency code. In ISO 4217 format . Type: string

 Updated 19 days ago

← Set up notifications using the Amazon Simple Queue Service workflow

Orders API →

Did this page help you?  Yes  No