

Orders API Migration Guide

GET STARTED

- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview >

- Terminology
- Frequently Asked Questions >

CHANGELOG

- SP-API Release Notes
- SP-API Deprecation Schedule

Orders API Migration Guide

Learn how to migrate from the Orders API v0 to the Orders API v2026-01-01

Learn how to migrate order management from the [Orders API v0](#) to the [Orders API v2026-01-01](#).

Benefits

The Orders API v2026-01-01 includes following benefits:

- **Reduction in API calls:** Consolidated endpoints eliminate the need for multiple calls per order.
- **Simplified PII access:** Role-based permissions replace Restricted Data Token (RDT) generation.
- **Flexible data retrieval:** The `includedData` parameter lets you retrieve only the data you need.
- **Enhanced order information:** Access to package tracking, detailed financial breakdowns, and new program support.
- **Program integration:** Support for Amazon Bazaar, Amazon Haul, EasyShip, and Deliver by Amazon programs.
- **Pagination:** Token handling with 24-hour expiration.

Migration steps

Migrate to v2026-01-01.

Step 1: Assess your current integration

Identify which v0 endpoints your application currently uses:

v0 operation	v2026-01-01 operation
<code>GetOrders</code>	searchOrders
<code>GetOrder</code>	getOrder
<code>GetOrderItems</code>	<code>getOrder</code> (items always included)
<code>GetOrderBuyerInfo</code>	<code>getOrder</code> with <code>includedData=BUYER</code>
<code>GetOrderAddress</code>	<code>getOrder</code> with <code>includedData=RECIPIENT</code>

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

v0 operation	v2026-01-01 operation
GetOrderItemsBuyerInfo	getOrder with includedData=BUYER

 Note

The `searchOrders` operation supports the `includedData` parameter, which allows you to retrieve order items, buyer info, and recipient address data from the `searchOrders` response without a separate `getOrder` call. This is useful for bulk order sync workflows.

Step 2: Update application roles for PII access

Restricted Data Tokens (RDTs) are not required to access Personally Identifiable Information (PII) in v2026-01-01. To access PII in v2026-01-01, you only need the appropriate roles assigned.

For more information, refer to [Access Orders PII](#).

Step 3: Refactor API calls with the `includedData` parameter

Replace multiple v0 calls with single v2026-01-01 calls using the `includedData` parameter. The `includedData` parameter determines what data the response includes. Use it with both `getOrder` and `searchOrders`.

Value	Description	Corresponding Attributes
BUYER	Buyer information	<code>Order.buyer</code>
RECIPIENT	Delivery address and preferences	<code>Order.recipient</code>
FULFILLMENT	Shipping and fulfillment details	<code>Order.fulfillment</code> , <code>Order.orderItems.fulfillment</code>
PROCEEDS	Revenue and financial breakdown	<code>Order.proceeds</code> , <code>Order.orderItems.proceeds</code>
EXPENSE	Cost information	<code>Order.orderItems.expense</code>
PROMOTION	Discount and promotional offers	<code>Order.orderItems.promotion</code>
CANCELLATION	Cancellation information	<code>Order.orderItems.cancellation</code>
PACKAGES	Shipping packages and tracking	<code>Order.packages</code>
TAX	Tax information	<code>Order.tax</code> <code>Order.orderItems.tax</code>
PAYMENT	Payment information	<code>Order.payment</code>

The less data you request, the better the performance will be.

Step 4: Test and validate

Special Authorization Types	>	Verify functional parity by comparing v0 vs v2026-01-01 results for the same orders, and plan staged rollouts per seller or per workload.
Order attribute mapping		
Map order attributes from the Orders API v0 to the Orders API v2026-01-01.		
Query parameter mappings		
	>	The following table maps v0 parameters to <code>searchOrders</code> parameters.

v0 Parameter	v2026-01-01 Parameter	Notes
MarketplaceIds	marketplaceIds	Camel case naming.
LastUpdatedAfter	lastUpdatedAfter	Camel case naming.
LastUpdatedBefore	lastUpdatedBefore	Camel case naming.
CreatedAfter	createdAfter	Camel case naming.
CreatedBefore	createdBefore	Camel case naming.
MaxResultsPerPage	maxResultsPerPage	Camel case naming.
NextToken	paginationToken	Breaking change: Token expires after 24 hours in v2026-01-01.
OrderStatuses	fulfillmentStatuses	Breaking change: Different values (refer to Status Values).
FulfillmentChannels	fulfilledBy	Breaking change: Different values (refer to Fulfillment Channel).
PaymentMethods	Not available in v2026-01-01.	Not available in v2026-01-01.
BuyerEmail	Not available in v2026-01-01.	Not available in v2026-01-01.
EasyShipShipmentStatuses	Not available in v2026-01-01.	Use <code>includedData=PACKAGES</code> instead.
ActualFulfillmentSupplySourceId	Not available in v2026-01-01.	Not available in v2026-01-01.
IsISPU	Not available in v2026-01-01.	Check the <code>programs[]</code> array for <code>IN_STORE_PICKUP</code> .

Status value mappings

Fulfillment status (formerly order status)

SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK
- Tutorial: Automate your SP-API Calls Using a Java SDK
- Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js
- Tutorial: Automate your SP-API Calls Using a Python SDK
- Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
- Tutorial: Automate your SP-API Calls using prebuilt Java SDK
- Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
- Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
- Tutorial: Automate your SP-API calls using a prebuilt Python SDK
- Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
- Tutorial: Retrieve Merchant Shipping Templates
- Tutorial: Grant the SP-API Permission to an Amazon SQS Queue
- Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

- Troubleshoot SP-API Errors
- URL Encoding
- Resolve Common HTTP and Authorization Error Codes
- External Fulfillment Errors 
- Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore

Orders API Migration Guide

v0 Value	v2026-01-01 Value	Notes
Unshipped	UNSHIPPED	Upper snake case.
PartiallyShipped	PARTIALLY_SHIPPED	Upper snake case.
Shipped	SHIPPED	Upper snake case.
Canceled	CANCELLED	Spelling change (double L).
Pending	PENDING	Upper snake case.
Unfulfillable	UNFULFILLABLE	Upper snake case.
PendingAvailability	PENDING_AVAILABILITY	Upper snake case.
InvoiceUnconfirmed	INVOICE_UNCONFIRMED	Upper snake case.

Fulfillment channel

v0 Value	v2026-01-01 Value	Notes
MFN	MERCHANT	Merchant Fulfilled Network (FBM)
AFN	AMAZON	Amazon Fulfilled Network (FBA)

Package Tracking (New in v2026-01-01)

The `packages[]` array is a new feature providing comprehensive FBM package tracking information.

Attribute Path	Description
<code>Order.packages[].packageReferenceId</code>	A unique identifier for this package within the context of the order
<code>Order.packages[].carrier</code>	The carrier responsible for transporting this package to the customer
<code>Order.packages[].trackingNumber</code>	The carrier-provided tracking number that customers can use to monitor the package's delivery progress.
<code>Order.packages[].shippingService</code>	The specific shipping method or service used for delivering this package.
<code>Order.packages[].packageStatus.status</code>	Primary status classification of the package in the shipping workflow. (e.g., <code>IN_TRANSIT</code> , <code>DELIVERED</code>)
<code>Order.packages[].packageStatus.detailedStatus</code>	Granular status information providing specific details about the package's current location and handling stage. (e.g., <code>PENDING_PICK_UP</code> , <code>REJECTED_BY_BUYER</code>)
<code>Order.packages[].createdTime</code>	The exact time when this shipping package was created and prepared for shipment.

Edit Your Appstore Listing
Check Listing Status
Appstore Ratings and Reviews
Press Releases and Promotions
SERVICE PROVIDER NETWORK
List Your Service
SECURITY AND COMPLIANCE
SP-API Security and Compliance Overview
Amazon Selling Partner API Guard Implementation Guide

VAT Calculation Service
Amazon Seller Data Access
Best Practices

Attribute Path	Description
<code>Order.packages[].shipTime</code>	The exact time when this package was handed over to the carrier and began its journey to the customer.
<code>Order.packages[].shipFromAddress</code>	The physical address from which this package was shipped, typically the merchant's warehouse or fulfillment center.

Boolean flags

In v0, several order characteristics were represented as boolean flags or specific field values. In v2026-01-01, these are consolidated into a `programs[]` array at either the order level or order item level.

Order-level programs

v0 Attribute	v0 Identification	v2026-01-01	Notes
<code>IsPrime</code>	<code>IsPrime = true</code>	<code>Order.programs[]</code> contains <code>PRIME</code>	
<code>IsBusinessOrder</code>	<code>IsBusinessOrder = true</code>	<code>Order.programs[]</code> contains <code>AMAZON_BUSINESS</code>	
<code>IsPremiumOrder</code>	<code>IsPremiumOrder = true</code>	<code>Order.programs[]</code> contains <code>PREMIUM</code>	
<code>IsISPU</code>	<code>IsISPU = true</code>	<code>Order.programs[]</code> contains <code>IN_STORE_PICK_UP</code>	In-Store Pick Up
<code>OrderType</code>	<code>OrderType == PrimeOrder</code>	<code>Order.programs[]</code> contains <code>PREORDER</code>	<code>LongLeadTimeOrder</code> , <code>SourcingOnDemandOrder</code> , <code>BackOrder</code> are not available in v2026-01-01
N/A	N/A	<code>Order.programs[]</code> contains <code>AMAZON_BAZAAR</code>	New in v2026-01-01
N/A	N/A	<code>Order.programs[]</code>	New in v2026-01-01

A+ CONTENT API	
A+ Content API	>
A+ Content Examples	
AMAZON WAREHOUSING AND DISTRIBUTION API	
Amazon Warehousing and Distribution API	>
Amazon Warehousing and Distribution API v2024-05-09 Reference	
APP INTEGRATIONS API	
App Integrations API	>
APPLICATION MANAGEMENT API	
Application Management API	>
CATALOG ITEMS API	
Catalog Items API	>
Catalog Items API Rate Limits	
Catalog Items API v2022-04-01 Reference	
CUSTOMER FEEDBACK API	
Customer Feedback API	>
Customer Feedback API Rate Limits	

v0 Attribute	v0 Identification	v2026-01-01	Notes
		contains AMA ZON_HAUL	
N/A	N/A	Order.prog rams[] contains AMA ZON_EASY_SH IP	New in v2026-01-01
N/A	N/A	Order.prog rams[] contains DEL IVERY_BY_AM AZON	New in v2026-01-01
orderItems[] .programs	orderItems[].programs contains FBM_SHIP_PLUS	Order.prog rams[] contains FBM _SHIP_PLUS	Moved to order level
IsIBA	IsIBA = true	Order.prog rams[] contains INV OICE_BY_AMA ZON	

Order item-level programs

v0 Attribute	v0 Identification	v2026-01-01
IsTransparency	IsTransparency = true	Order.orderItems[].programs[] contains TRANSPARENCY
orderItems[].programs	orderItems[].programs contains SUBSCRIBE_AND_SAVE	Order.orderItems[].programs[] contains SUBSCRIBE_AND_SAVE

Programs list

The Programs List will continuously be updated with the latest programs supported

Order-level programs (v2026-01-01)

- AMAZON_BAZAAR
- AMAZON_BUSINESS
- AMAZON_EASY_SHIP
- AMAZON_HAUL
- DELIVERY_BY_AMAZON
- FBM_SHIP_PLUS
- IN_STORE_PICK_UP

DATA KIOSK

Data Kiosk API

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API

EASY SHIP API

Easy Ship API

EXTERNAL FULFILLMENT

External Fulfillment Inventory API

External Fulfillment Returns API

External Fulfillment Shipping API

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API

FBA Inventory Dynamic Sandbox Guide

FEEDS API

- PREMIUM
- PREORDER
- PRIME
- INVOICE_BY_AMAZON

Order item-level programs (v2026-01-01)

- TRANSPARENCY
- SUBSCRIBE_AND_SAVE

Order-Level attribute mappings

Order attributes (from getOrders and getOrder)

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
AmazonOrderId	Live	Order.orderId		
SellerOrderId	Live	Order.orderAliases[]	aliasType == SELLER_ORDER_ID	
MarketplaceId	Live	Order.salesChannel.marketplaceId		
PurchaseDate	Live	Order.createdTime		
LastUpdateDate	Live	Order.lastUpdatedTime		
OrderType	Live	Order.programs[]	PREORDER	Note: LongLeadTimeOrder, SourcingOnDemandOrder, BackOrder are deprecated
OrderStatus	Live	Order.fulfillment.fulfillmentStatus		Refer to Status Values
FulfillmentChannel	Live	Order.fulfillment.fulfillmentChannel	MERCHANT or AMAZON	Refer to Status Values

7/4/26, 1:50 PM

Orders API Migration Guide

Feeds API	>	v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
Feed Type Values	>			filledBy		
		SalesChannel	Live	Order.salesChannel.marketplaceName		
Feeds JSON Schemas	↗					
Feeds API Best Practices		OrderChannel	Deprecated			
Feeds API FAQ						
Feeds API Rate Limits		ShipServiceLevel	Deprecated			
FINANCES						
Finances API	>	ShipmentServiceLevelCategory	Live	Order.fulfillment.fulfillmentServiceLevel		
		OrderTotal	Live	Order.proceeds.grandTotal		Requires includedData=PROCEEDS
Transfers API	>	EasyShipShipmentStatus	Live	Order.packages[].packageStatus.detailedStatus		Requires includedData=PACKAGES
FULFILLMENT INBOUND API						
Fulfillment Inbound API	>					
		CbaDisplayableShippingLabel	Deprecated			
		EarliestShipDate	Live	Order.fulfillment.shipByWindow.earliestDateTime		Requires includedData=FULFILLMENT
Fulfillment Inbound API FAQ						
Migrating Fulfillment Inbound workflows						
Fulfillment Inbound API Rate Limits						
FULFILLMENT OUTBOUND API						
Fulfillment Outbound Dynamic Sandbox Guide		LatestShippingDate	Live	Order.fulfillment.shipByWindow.latest		Requires includedData=FULFILLMENT
Fulfillment Outbound API	>					

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
		stDateT ime		
EarliestDeliveryDate	Live	Order.f ulfillm ent.del iverByW indow.e arliest DateTim e		Requires inc ludedData=F ULFILLMENT
LatestDeliveryDate	Live	Order.f ulfillm ent.del iverByW indow.l atestDa teTime		Requires inc ludedData=F ULFILLMENT
IsBusinessOrder	Live	Order.p rograms []	AMAZON_BUSINESS	
IsPrime	Live	Order.p rograms []	PRIME	
IsPremiumOrder	Live	Order.p rograms []	PREMIUM	
IsGlobalExpressEnabled	Deprecated			
ReplacedOrderId	Live	Order.a ssociat edOrder s[]	associationTy pe == REPLACEM ENT_ORIGINAL_I D or EXCHANGE_ ORIGINAL_ID	
IsReplacementOrder	Live	Order.a ssociat edOrder s[]	Check for REPLA CEMENT_ORIGINA L_ID or EXCHAN GE_ORIGINAL_I D	
PromiseResponseDueDate	Deprecated			

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API



Invoices API FAQ

LISTINGS

Listings Items API



		v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
Listings Items API Rate Limits Listings Restrictions API	>	IsEstimatedShippingDateSet	Deprecated			
		IsSoldByAB	Deprecated			
		IsISPU	Live	Order.programs[]	IN_STORE_PICKUP	
		IsAccessPointOrder	Live	Order.recipient.deliveryAddress.addressType	PICKUP_POINT	
Manage Amazon listing status and seller-fulfilled inventory management Listings Management Workflow Migration	>					
		ShippingAddresses	Live	Order.recipient.deliveryAddress		Requires includedData=RECIPIENT
		BuyerInfo.BuyerEmail	Live	Order.buyer.buyerEmail		Requires includedData=BUYER
		BuyerInfo.BuyerName	Live	Order.buyer.buyerName		Requires includedData=BUYER
Product Type Definitions API Rate Limits MERCHANT FULFILLMENT API Merchant Fulfillment API	>	BuyerInfo.BuyerCounty	Deprecated			
		BuyerInfo.PurchaseOrderNumber	Live	Order.buyer.buyerPurchaseOrderNumber		Requires includedData=BUYER
		PaymentExecutionDetail	Live	Order.payment.paymentExecutions[]		Requires includedData=PAYMENT
		PaymentMethod	Live	Order.payment.		Requires includedData=P

		v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
NOTIFICATIONS API	Notifications API			payment Executi ons[].p aymentM ethod		AYMENT
	Notification Type Values Tutorial: Subscribe to the ORDER_CHANGE Notification	Payment MethodD etails	Live	Order.p ayment. payment Executi ons[].p aymentM ethod		Requires inc ludedData=P AYMENT
ORDERS API	Orders API	IsIBA	Live	Order.p rograms []	INVOICE_BY_AM AZON	
		Electro nicInvo iceStat us	Live	Order.t ax.taxI nvoicin g.invoi ceStatu s		Requires inc ludedData=T AX
		BuyerIn voicePr eferenc e	Live	Order.t ax.taxI nvoicin g.buyer Invoice Prefere nce		Requires inc ludedData=T AX
	Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier	BuyerTa xInform ation.B uyerLeg alCompa nyName	Live	Order.t ax.taxR egistra tions [].lega lName	Order.tax.tax Registrations [].entityType == "BUYER"	Requires inc ludedData=T AX
	Orders API Rate Limits					
PRODUCT FEES API	Product Fees API	BuyerTa xInform ation.B uyerBus inessAd dress	Live	Order.t ax.taxR egistra tions [].taxR egistra tionAdd ress	Order.tax.tax Registrations [].entityType == "BUYER"	Requires inc ludedData=T AX
PRODUCT PRICING API	Product Pricing API					
	Product Pricing API and Notifications FAQ	BuyerTa xInform ation.B uyerTax	Live	Order.t ax.taxR egistra tions	Order.tax.tax Registrations [].entityType == "BUYER"	Requires inc ludedData=T AX

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API
Replenishment API

REPORTS API
Reports API

Report Type Values

Reports JSON Schemas
Reports API FAQ

SALES API
Sales API

SELLER WALLET API
Seller Wallet API

>

>

>

↗

>

>

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
RegistrationId		[].taxRegistrationNumber		
BuyerTaxInformation.BuyerTaxOffice	Live	Order.taxRegistrations[].taxRegistrationAttribute.s.value	Order.tax.Registrations[].entityType == "BUYER" && Order.tax.Registrations[].taxRegistrationAttributes.key == "TAX_OFFICE"	Requires includedData=TAX
MarketplaceTaxInfo.TaxClassifications.Name	Live	Order.taxRegistrations[].taxRegistrationType	Order.tax.Registrations[].entityType == "MARKETPLACE"	Requires includedData=TAX
MarketplaceTaxInfo.TaxClassifications.Value	Live	Order.taxRegistrations[].taxRegistrationNumber	Order.tax.Registrations[].entityType == "MARKETPLACE"	Requires includedData=TAX
SellerDisplayName	Live	Order.taxRegistrations[].legalName	Order.tax.Registrations[].entityType == "MERCHANT"	Requires includedData=TAX
NumberOfItemsShipped	This attribute is not supported in Orders v2026-01-01			Under consideration
NumberOfItemsUnshipped	This attribute is not supported			Under consideration

		v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
Seller Wallet API Rate Limits			in Orders v2026-01-01			
SELLERS API						
Sellers API	>	HasRegulatedItems	This attribute is not supported in Orders v2026-01-01			Under consideration
SERVICES API						
Services API	>	DefaultShipFromLocationAddress	This attribute is not supported in Orders v2026-01-01			Under consideration
SHIPMENT INVOICING API						
Shipment Invoicing API	>	FulfillmentInstruction	This attribute is not supported in Orders v2026-01-01			Under consideration
SHIPPING API						
Shipping API v2 Resources	↗	AutomatedShippingSettings	This attribute is not supported in Orders v2026-01-01			Under consideration
Shipping API v1 Reference						
SOLICITATIONS API						
Solicitations API	>					

OrderBuyerInfo attributes (from GetOrderBuyerInfo)

		v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
SUPPLY SOURCES API						
Supply Sources API	>	BuyerEmail	Live	Order.buyer.buyerEmail		Requires includedData= BUYER
Multi-Location Inventory Integration Guide						
Supply Sources API Rate Limits		BuyerName	Live	Order.buyer.buyerName		Requires includedData= BUYER
		BuyerCountry	Deprecated			

TOKENS API

Tokens API

>

UPLOADS API

Uploads API

>

VEHICLES API

Vehicles API

>

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API

>

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API

>

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API

>

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API

>

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Condition	Notes
PurchaseOrderNumber	Live	Order.buyer.buyerPurchaseOrderNumber		Requires includedData=BUYER
BuyerTaxInfo.CompanyLegalName	Live	Order.tax.taxRegistrations[].legalName	Order.tax.taxRegistrations[].entityType == "BUYER"	Requires includedData=TAX
BuyerTaxInfo.TaxingRegion	Live	Order.salesChannel.marketplaceId		
BuyerTaxInfo.TaxClassifications.Name	Live	Order.tax.taxRegistrations[].taxRegistrationType	Order.tax.taxRegistrations[].entityType == "BUYER"	Requires includedData=TAX
BuyerTaxInfo.TaxClassifications.Value	Live	Order.tax.taxRegistrations[].taxRegistrationNumber	Order.tax.taxRegistrations[].entityType == "BUYER"	Requires includedData=TAX

OrderAddress attributes (from GetOrderAddress)

v0 Attribute	Status	v2026-01-01 Attribute	Notes
BuyerCompanyName	Live	Order.buyer.buyerCompanyName	Requires includedData=BUYER
ShippingAddress	Live	Order.recipient.deliveryAddress	Requires includedData=RECIPIENT
DeliveryPreferences	Live	Order.recipient.deliveryPreference	Requires includedData=RECIPIENT

Order Item Attribute Mappings

OrderItem attributes (from GetOrderItems)

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
ASIN	Live	Order.orderItems[].product.asin		
SellerSKU	Live	Order.orderItems[].product.sellerSKU		
OrderItemId	Live	Order.orderItems[].orderId		
Title	Live	Order.orderItems[].product.title		
QuantityOrdered	Live	Order.orderItems[].quantityOrdered		
QuantityShipped	Live	Order.orderItems[].fulfillment.quantityFulfilled		Requires includedData=FULFILLMENT
ConditionId	Live	Order.orderItems[].product.condition.type		
ConditionSubtypeId	Live	Order.orderItems[].product.condition		



v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
		n.conditionSubtype		
ConditionNote	Live	Order.orderItems[].product.condition.conditionNote		
IsGift	Live	Order.orderItems[].fulfillment.packing.giftoption		Requires includedData=FULFILLMENT
ScheduledDeliveryStartDate	Live	Order.orderItems[].fulfillment.shipping.scheduledDeliveryWindow.earliestDateTime		Requires includedData=FULFILLMENT
ScheduledDeliveryEndDate	Live	Order.orderItems[].fulfillment.shipping.scheduledDeliveryWindow.latestdatetime		Requires includedData=FULFILLMENT
LossNumber	Live	Order.orderItems[].fulfillment.ship		Requires includedData=FULFILLMENT

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
		ping.internationalShipping.iossNumber		
ItemPrice	Live	orderItems[].proceeds.breakdowns[].subtotal	type == ITEM	Requires includedData=PROCEEDS
ShippingPrice	Live	orderItems[].proceeds.breakdowns[].subtotal	type == SHIPPING	Requires includedData=PROCEEDS
ItemTax	Live	orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value	type == TAX AND subtype == ITEM	Requires includedData=PROCEEDS
ShippingTax	Live	orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value	type == TAX AND subtype == SHIPPING	Requires includedData=PROCEEDS
PromotionDiscount	Live	orderItems[].proceeds.breakdowns[].subtotal	type == DISCOUNT	Requires includedData=PROCEEDS

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
PromotionDiscountTax	Live	orderItems[].proceeds.breakdowns[].detailBreakdowns[].value	type == TAX AND subtype == DISCOUNT	Requires includedData=PROCEEDS
ShippingDiscount	Live	orderItems[].proceeds.breakdowns[].detailBreakdowns[].value	type == DISCOUNT AND subtype == SHIPPING	Requires includedData=PROCEEDS
ShippingDiscountTax	Live	Covered in PromotionDiscountTax		
CODFee	Live	orderItems[].proceeds.breakdowns[].subtotal	type == COD_FEE	Requires includedData=PROCEEDS
CODFeeDiscount	Live	orderItems[].proceeds.breakdowns[].detailBreakdowns[].value	type == DISCOUNT AND subtype == COD_FEE	Requires includedData=PROCEEDS
PriceDesignation	Live	Order.orderItems[].product.price.pr		

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
		iceDesignation		
PromotionIds	Live	Order.orderItems[].promotionBreakdowns[].promotionId		Requires includedData=PROMOTION
PointsGranted. PointsNumber	Live	Order.orderItems[].expense.pointsCost.pointsGranted.pointsNumber		Requires includedData=EXPENSE
PointsGranted. PointsMonetaryValue	Live	Order.orderItems[].expense.pointsCost.pointsGranted.pointsMonetaryValue		Requires includedData=EXPENSE
IsTransparency	Live	Order.orderItems[].programs[]	TRANSPARENCY	
BuyerInfo. BuyerCustomizedInfo	Live	Order.orderItems[].productCustomization		
BuyerInfo. BuyerCustomizedInfo. Custo	Live	Order.orderItems[].productCustomiz		

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
mizedURL		ation.customizedUrl		
BuyerInfo.GiftMessageText	Live	Order.orderItems[].fulfillment.packing.giftMessage		Requires includedData=FULFILLMENT
BuyerInfo.GiftWrapLevel	Live	Order.orderItems[].fulfillment.packing.giftWrapLevel		Requires includedData=FULFILLMENT
BuyerInfo.GiftWrapPrice	Live	orderItems[].proceeds.breakdowns[].subtotal	type == GIFT_WRAP	Requires includedData=PROCEEDS
BuyerInfo.GiftWrapTax	Live	orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value	type == TAX AND subtype == GIFT_WRAP	Requires includedData=PROCEEDS
BuyerRequestedCancel.IsBuyerRequestedCancel	Live	Order.orderItems.cancellation.requester	BUYER	Requires includedData=CANCELLATION

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
BuyerRequestedCancel. BuyerCancelReason	Live	Order.orderItems.cancellation.cancellationReason		Requires includedData=CANCELLATION
SerialNumbers	Live	Order.orderItems[].product.serialNumbers		
SubstitutionPreferences	Live	Order.orderItems[].fulfillment.picking.substitutionPreference		Requires includedData=FULFILLMENT
Measurement	Live	Order.orderItems[].measurement		
ShippingConstraints	Live	Order.orderItems[].fulfillment.shipping.shippingConstraints		Requires includedData=FULFILLMENT
AmazonPrograms	Live	Order.orderItems[].programs[] or Order.programs[]		
AssociatedItems	Live	Order.orderItems[].as		

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
		sociate dOrderI tems[]		
Associa tedIte m.Order Id	Live	Order.o rderIte ms[].as sociate dOrderI tems[]. orderId		
Associa tedIte m.Order ItemId	Live	Order.o rderIte ms[].as sociate dOrderI tems[]. orderIt emId		
Associa tedIte m.Assoc iationT ype	Live	Order.o rderIte ms[].as sociate dOrderI tems[]. associa tionTyp e		
SerialN umberRe quired	Live	Order.o rderIte ms[].fu llfillme nt.pack ing.ser ialNumb erRequi rement		Requires inc ludedData=F ULFILLMENT
TaxColl ection	Live	Order.o rderIte ms[].ta x.taxCo llectio ns[]		Requires inc ludedData=T AX
TaxColl ection. Model	Live	Order.o rderIte ms[].ta x.taxCo llectio		Requires inc ludedData=T AX

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
		ns[].model		
TaxCollection.ResponsibleParty	Live	Order.orderItems[].taxCollection.responsibleParty		Requires includedData=TA
DeemedResellerCategory	Live	Order.orderItems[].taxCalculationBreakdowns[].reportingScheme		Requires includedData=TA
StoreChainStoreId	This attribute is not supported in Orders v2026-01-01 yet.			Under consideration
Product Info	This attribute is not supported in Orders v2026-01-01 yet.			Under consideration
Product Info.NumberOfItems	This attribute is not supported in Orders v2026-01-01 yet.			Under consideration

OrderItemBuyerInfo attributes (from **GetOrderItemsBuyerInfo**)

v0 Attribute	Status	v2026-01-01 Attribute	v2026-01-01 Value/Conditions	Notes
OrderItemId	Live	Order.orderItems[].orderId		Used to match items
BuyerCustomizedInfo	Live	Order.orderItems[].product.customization		
BuyerCustomizedInfo.CustomizedURL	Live	Order.orderItems[].product.customization.customizedUrl		
GiftWrapPrice	Live	orderItems[].proceeds.breakdowns[].subtotal	type == GIFT_WRAP	Requires includeData=PROCEEDS
GiftWrapTax	Live	orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value	type == TAX AND subtype == GIFT_WRAP	Requires includeData=PROCEEDS
GiftMessageText	Live	Order.orderItems[].fulfillment.packing.giftMessage		Requires includeData=FULFILLMENT
GiftWrapLevel	Live	Order.orderItems[].fulfillment.packing.giftWrapLevel		Requires includeData=FULFILLMENT

Pricing

The pricing structure has changed between v0 and v2026-01-01.

Unit price

v2026-01-01 introduces a new `unitPrice` attribute that represents the price that displays on the Amazon retail website

Attribute	Location	Description
unitPrice	<code>Order.orderItems[].product.price.unitPrice</code>	Price per unit as displayed on Amazon retail website

Item price tax treatment

Aspect	v0 Behavior	v2026-01-01 Behavior
Item Price	Could be tax-inclusive OR tax-exclusive; developers could not reliably determine which	Explicit tax handling; when tax is shown separately, ITEM proceeds is tax-exclusive; when tax is not separate, it is tax-inclusive
Tax clarity	No clear indication of whether ItemPrice included tax	Clear separation with <code>type=TAX</code> breakdown when taxes are separate

Pricing attribute mappings

The v2026-01-01 API introduces a multi-layered financial breakdown structure that replaces the flat monetary values in v0. This provides more granular and actionable financial data.

v0 Attribute	v2026-01-01 Path	Filter Condition	Notes
ItemPrice	<code>orderItems[].proceeds.breakdowns[].subtotal</code>	<code>type == ITEM</code>	Requires <code>includedData=PROCEEDS</code>
ShippingPrice	<code>orderItems[].proceeds.breakdowns[].subtotal</code>	<code>type == SHIPPING</code>	Requires <code>includedData=PROCEEDS</code>
ItemTax	<code>orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value</code>	<code>type == TAX AND subtype == ITEM</code>	Requires <code>includedData=PROCEEDS</code>
ShippingTax	<code>orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value</code>	<code>type == TAX AND subtype == SHIPPING</code>	Requires <code>includedData=PROCEEDS</code>
Promotion Discount	<code>orderItems[].proceeds.breakdowns[].subtotal</code>	<code>type == DISCOUNT</code>	Requires <code>includedData=PROCEEDS</code>
Promotion DiscountTax	<code>orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value</code>	<code>type == TAX AND subtype == DISCOUNT</code>	Requires <code>includedData=PROCEEDS</code>
ShippingDiscount	<code>orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value</code>	<code>type == DISCOUNT AND subtype == SHIPPING</code>	Requires <code>includedData=PROCEEDS</code>

v0 Attribute	v2026-01-01 Path	Filter Condition	Notes
ShippingDiscountTax	Included in PromotionDiscountTax	Refer to PromotionDiscountTax mapping	
CODFee	orderItems[].proceeds.breakdowns[].subtotal	type == COD_FEE	Requires includedData=PROCEEDS
CODFeeDiscount	orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value	type == DISCOUNT AND subtype == COD_FEE	Requires includedData=PROCEEDS
GiftWrapPrice	orderItems[].proceeds.breakdowns[].subtotal	type == GIFT_WRAP	Requires includedData=PROCEEDS
GiftWrapTax	orderItems[].proceeds.breakdowns[].detailedBreakdowns[].value	type == TAX AND subtype == GIFT_WRAP	Requires includedData=PROCEEDS

v0 structure (flat):

JSON

```
{
  "OrderItem": {
    "ItemPrice": { "Amount": "25.00" },
    "ItemTax": { "Amount": "2.00" },
    "ShippingPrice": { "Amount": "5.00" },
    "ShippingTax": { "Amount": "0.40" },
    "PromotionDiscount": { "Amount": "3.00" },
    "PromotionDiscountTax": { "Amount": "0.24" }
  }
}
```

v2026-01-01 structure (hierarchy):

JSON

```
{
  "orderItems": [{
    "proceeds": {
      "proceedsTotal": { "amount": "29.16", "currencyCode": "USD" },
      "breakdowns": [
        {
          "type": "ITEM",
          "subtotal": { "amount": "25.00", "currencyCode": "USD" }
        },
        {
          "type": "SHIPPING",
          "subtotal": { "amount": "5.00", "currencyCode": "USD" }
        }
      ]
    }
  ]
}
```

```

        "type": "DISCOUNT",
        "subtotal": { "amount": "3.00", "currencyCode":
"USD" },
        "detailedBreakdowns": [
            {
                "subtype": "ITEM",
                "value": { "amount": "3.00", "currencyCode":
"USD" }
            }
        ],
        {
            "type": "TAX",
            "subtotal": { "amount": "2.16", "currencyCode":
"USD" },
            "detailedBreakdowns": [
                {
                    "subtype": "ITEM",
                    "value": { "amount": "2.00", "currencyCode":
"USD" }
                },
                {
                    "subtype": "SHIPPING",
                    "value": { "amount": "0.40", "currencyCode":
"USD" }
                },
                {
                    "subtype": "DISCOUNT",
                    "value": { "amount": "0.24", "currencyCode":
"USD" }
                }
            ]
        }
    ]
}

```

 Updated 19 days ago

[← Get all Amazon Business orders](#)

[Orders API Rate Limits →](#)

Did this page help you? [👍 Yes](#) [👎 No](#)

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)