

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview

Terminology

Frequently Asked Questions

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

Request a report

Learn how to use the Reports API to request and retrieve a report.

Learn how to use the Reports API to request and retrieve a report.

Prerequisites

To complete these tutorials, you need:

- Authorization from the selling partner for whom you are making calls. For more information, refer to [Authorizing Selling Partner API applications](#).
- One of the required [roles](#) for the Reports API assigned to your developer profile.
- One of the required [roles](#) for the Reports API selected in the app registration page for your application.
- The report type that you will request. Refer to [Report Type Values](#) for a list of the available report types.
- A working Java Development Kit (JDK) installation to run sample code.

Request and retrieve a report

Step 1. Request a report

To request a report, specify the report type and marketplaces that you are requesting, and any optional parameters.

- Call the `createReport` operation, passing the following parameters:

SP-API Product Metadata Updates		Name	Description	Required	
DIRECTORIES		reportOptions	Additional information passed to reports. This varies by report type. Type: ReportOptions	No	
SP-API Models					
SP-API Seller Use Cases					
SP-API Vendor Use Cases					
Seller Central URLs					
Vendor Central URLs					
REGISTRATION		reportType	The report type. For more information, refer to Report Type Values . Type: string	Yes	
SP-API Registration Overview					
Developer Registration Request Status					
Third-Party Provider Registration					
Service Provider Registration and Role Approval Process Overview					
Website Guidelines for Public Developers and Service Providers		dataStartTime	The start of a date and time range, in ISO 8601 date-time format, used for selecting the data to report. The default is now. The value must be prior to or equal to the current date and time. Not all report types make use of this. Type: string (date-time)	No	
User Permissions for Service Providers					
Register your Application					
Update your Application Information					
Rotate your Application's LWA Credentials					
View your Application Information and Credentials		dataEndTime	The end of a date and time range, in ISO 8601 date-time format, used for selecting the data to report. The default is now. The value must be prior to or equal to the current date and time. Not all report types make use of this. Type: string (date-time)	No	
Learn How Sellers Authorize Service Providers					
Selling Partner API Roles					
Policies and Agreements					
About Facial Data					
AUTHORIZATION					
Authorize Applications					
Renew Authorizations					
Revoke Authorizations					
Authorization Limits					

Special Authorization Types



INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs



Name	Description	Required
marketplaceIds	A list of marketplace identifiers. The report document's contents will contain data for all of the specified marketplaces, unless the report type indicates otherwise. Type: < string > array	Yes

createReport request example

JSON

```
POST https://sellingpartnerapi-na.amazon.com/reports/2021-06-30/reports
{
  "reportType":
  "GET_MERCHANT_LISTINGS_ALL_DATA",
  "dataStartTime": "2019-12-10T20:11:24.000Z",
  "marketplaceIds": [
    "A1PA6795UKMFR9",
    "ATVPDKIKX0DER"
  ]
}
```

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details



createReport response

A successful response includes the following:

Name	Description
reportId	The identifier for the report. This identifier is unique only in combination with a seller ID. Type: string

Call Structure



Development Tools



createReport response example

JSON

```
{
  "reportId": "ID323"
}
```

Performance Management



SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK
- Tutorial: Automate your SP-API Calls Using a Java SDK
- Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js
- Tutorial: Automate your SP-API Calls Using a Python SDK
- Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
- Tutorial: Automate your SP-API Calls using prebuilt Java SDK
- Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
- Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
- Tutorial: Automate your SP-API calls using a prebuilt Python SDK
- Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
- Tutorial: Retrieve Merchant Shipping Templates
- Tutorial: Grant the SP-API Permission to an Amazon SQS Queue
- Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

- Troubleshoot SP-API Errors
- URL Encoding
- Resolve Common HTTP and Authorization Error Codes
- External Fulfillment Errors 
- Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore

Step 2. Confirm that the report processing is complete

To confirm that the report processing is complete, refer to [Verify that report processing is complete](#).

Step 3. Retrieve the report

To retrieve the report, refer to [Retrieve a report](#).

Request and retrieve a bulk invoice report for MCF orders (India only)

Step 1. Request a report

To request a report, specify the report type and marketplaces that you are requesting, and any optional parameters.

- Call the `createReport` operation, passing the following parameters:

Name	Description	Required
<code>reportOptions</code>	Additional information passed to reports. This varies by report type. Type: <code>ReportOptions</code>	No
<code>reportType</code>	The report type. The value must be <code>FBA_BULK_INVOICE</code> . For more information, refer to Regulatory Compliance Report Type Values . Type: string	Yes
<code>dataStartTime</code>	The start of a date and time range, in ISO 8601 date-time format, used for selecting the	No

Edit Your Appstore Listing	
Check Listing Status	
Appstore Ratings and Reviews	
Press Releases and Promotions	
SERVICE PROVIDER NETWORK	
List Your Service	
SECURITY AND COMPLIANCE	
SP-API Security and Compliance Overview	
Amazon Selling Partner API Guard Implementation Guide	>
VAT Calculation Service	>
Amazon Seller Data Access	
Best Practices	>

Name	Description	Required
	data to report. The default is now. The value must be prior to or equal to the current date and time. Not all report types make use of this. Type: string (date-time)	
dataEndTime	The end of a date and time range, in ISO 8601 date-time format, used for selecting the data to report. The default is now. The value must be prior to or equal to the current date and time. Not all report types make use of this. Type: string (date-time)	No
marketplaceIds	A list of marketplace identifiers. The report document's contents will contain data for all of the specified marketplaces, unless the report type indicates otherwise. Type: < string > array	Yes

`createReport` request example

JSON

POST <https://sellingpartnerapi-na.amazon.com/reports/2021-06->

A+ CONTENT API

A+ Content API

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API

APPLICATION MANAGEMENT API

Application Management API

CATALOG ITEMS API

Catalog Items API

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API

Customer Feedback API Rate Limits

```
30/reports
{
  "marketplaceIds": [
    "A2XZLSVIQ0F4JT"
  ],
  "reportType":
"FBA_BULK_INVOICE",
  "dataEndTime": "2023-05-
27T23:59:59+00:00",
  "dataStartTime": "2023-05-
22T00:00:00+00:00"
}
```

createReport response

A successful response includes the following:

Name	Description
reportId	The identifier for the report. This identifier is unique only in combination with a seller ID. Type: string

createReport response example

```
JSON
{
  "reportId": "51665019712"
}
```

Step 2. Confirm that the report processing is complete

To confirm that the report processing is complete, refer to [Verify that report processing is complete](#).

Step 3. Retrieve the report

To retrieve the report, refer to [Retrieve a report](#).

Updated 19 days ago

← Reports API

Schedule and retrieve reports →

DATA KIOSK

Data Kiosk API >

Did this page help you?
 Yes No

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

[Request a report](#)

- Schedule and retrieve reports
- Retrieve automatically generated reports
- Verify that report processing is complete
- Retrieve a report
- Report Type Values >

Reports JSON Schemas ↗
Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

