

Request and filter data with a GraphQL query

- GET STARTED
- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview >

- Terminology
- Frequently Asked Questions >

- CHANGELOG
- SP-API Release Notes
- SP-API Deprecation Schedule
- SP-API Product Metadata Updates

- DIRECTORIES
- SP-API Models

Request and filter data with a GraphQL query

Learn how to request and filter data with a GraphQL query.

Learn how to request and filter data with a GraphQL query.

Prerequisites

To complete this tutorial you will need:

- The appropriate role for the data you're requesting. This tutorial uses Sales and Traffic data in its examples, which requires the [Brand Analytics role](#).

Step 1: Create a query request

Create an async query request by specifying the query. The query must be a valid GraphQL query which adheres to the [schema](#). The query input parameters can be modified as desired and response fields can be included or excluded in any order.

Call the [createQuery](#) operation, providing the query in the body.

Request examples

Example 1: Create a query request for `salesAndTrafficByDate` to get a subset of fields in the response.

JSON

```
POST https://sellingpartnerapi-na.amazon.com/dataKiosk/2023-11-15/queries
{
  "query": "
{analytics_salesAndTraffic_2024_04_24{salesAndTrafficByDate(startDate:\"2023-01-01\" endDate:\"2023-10-31\" aggregateBy:DAY marketplaceIds:[\"ATVPDKIKX0DER\"]){endDate marketplaceId startDate traffic{averageOfferCount browserPageViews averageParentItems browserPageViewsB2B browserSessions}sales{averageSalesPerOrderItem{amount currencyCode}averageSalesPerOrderItemB2B{amount currencyCode}averageSellingPrice{amount currencyCode}claimsGranted refundRate unitsOrderedB2B unitsRefunded unitsShipped}}}}"
```

Example 2: Create a query request for `salesAndTrafficByAsin` to get a subset of fields in the response.

JSON

```
POST https://sellingpartnerapi-na.amazon.com/dataKiosk/2023-11-15/queries
```

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

```
{
  "query": "
{analytics_salesAndTraffic_2024_04_24{salesAndTrafficByAsin(startDate:\"2023-01-01\" endDate:\"2023-10-31\" aggregateBy:PARENT marketplaceIds:[\"ATVPDKIKX0DER\"]){childAsin endDate marketplaceId parentAsin sales{orderedProductSales{amount currencyCode}totalOrderItems totalOrderItemsB2B}sku startDate traffic{browserPageViews browserPageViewsB2B browserPageViewsPercentage browserPageViewsPercentageB2B browserSessionPercentage unitSessionPercentageB2B unitSessionPercentage}}}"
}
```

Step 2: Confirm that query processing has completed

After you call the `createQuery` operation, Amazon receives the request and begins processing the query. Confirm that processing has completed before you continue. To confirm that the query processing is complete, refer to [Tutorial: Verify that query processing is complete](#).

Step 3: Get information required to retrieve the query result

Call the `getDocument` operation to get the information required for retrieving the query result document's contents. This includes a pre-signed URL for the document. If the document is compressed, the `Content-Encoding` header will show the compression algorithm. Note that this differs from the way the Reports API provides information on compression.

You will use the `documentUrl` from the response in the following step.

Step 4: Download the document

You must download the query document using the information returned in Step 3.

The following sample code demonstrates how to download a Data Kiosk document. Use the `documentUrl` value from the previous step as the argument for the `url` parameter of the `download` method of the `DownloadExample` class.

! Warning

You must always maintain encryption at rest. Unencrypted query result document content must never be stored on disk, even temporarily, because the query result document can contain sensitive information. The following sample code demonstrates this principle.

Java

```
// DownloadExample.java
// This example is for use with the Selling Partner API for Data Kiosk,
// Version: 2023-11-15

import java.io.BufferedReader;
import java.io.IOException;
import java.io.InputStream;
import java.io.InputStreamReader;
import java.nio.charset.StandardCharsets;

import com.squareup.okhttp.OkHttpClient;
import com.squareup.okhttp.Request;
import com.squareup.okhttp.Response;
import com.squareup.okhttp.ResponseBody;

/**
 * Example that downloads a Data Kiosk document.
```

```

*/
public class DownloadExample {

    public static void main(String[] args) {
        String url = "<URL from the getDocument response>";

        DownloadExample obj = new DownloadExample();
        try {
            obj.download(url);
        } catch (IOException e) {
            // Handle exceptions here.
            e.printStackTrace();
        }
    }

    /**
     * Download the document from the given Amazon Simple Storage
     * Service (Amazon S3) URL.
     *
     * @param url the signed Amazon S3 URL to retrieve the document
     * from.
     * @throws IOException when there is an error reading the response.
     */
    public void download(String url) throws IOException {
        OkHttpClient httpClient = new OkHttpClient();
        Request request = new Request.Builder()
            .url(url)
            .get()
            .build();

        Response response = httpClient.newCall(request).execute();
        if (!response.isSuccessful()) {
            System.out.printf("Call to download content was unsuccessful
with response code: %d and message: %s\n",
                response.code(), response.message());
            return;
        }

        try (ResponseBody responseBody = response.body();
            InputStream inputStream = responseBody.byteStream();
            // Note: If the Data Kiosk document is compressed, the
            'Content-Encoding' header will indicate the
            // compression algorithm. Most HTTP clients are capable of
            automatically decompressing downloaded files
            // based on the 'Content-Encoding' header.
            // More Information: https://developer.mozilla.org/en-
            US/docs/Web/HTTP/Headers/Accept-Encoding
            Updated 15 days ago
            // The OkHttpClient will automatically set the "Accept-
            Encoding" header and respect the
            // "Content-Encoding" header, so it is not required to
            unzip the stream.
            // For clients which do not automatically decompress,
            wrapping the stream in a GZIP stream may be
            // required, for example:
            // InputStream unzippedInputStream = new
            GZIPInputStream(inputStream);
            InputStreamReader inputStreamReader = new
            InputStreamReader(inputStream, StandardCharsets.UTF_8);
            BufferedReader reader = new
            BufferedReader(inputStreamReader)) {
                String line;
                while ((line = reader.readLine()) != null) {
                    // Process line by line.
                    System.out.println(line);
                }
            }
        }
    }
}

```

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

Call Structure

Development Tools

Performance Management

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in
Solution Provider Portal

Update Your Developer Profile in Solution Provider

Portal

[Policies and Agreements](#)

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

[Data Kiosk API](#)
[Verify that query processing is complete](#)

[Tutorial: Subscribe to the ORDER_CHANGE Notification](#)

[Tutorial: Test Selling Partner API Endpoints](#)

[Tutorial: Automate your SP-API Calls Using a C# SDK](#)

[Tutorial: Automate your SP-API Calls Using a Java SDK](#)

[Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js](#)

[Tutorial: Automate your SP-API Calls Using a Python SDK](#)

[Tutorial: Automate your SP-API Calls using a prebuilt C# SDK](#)

[Tutorial: Automate your SP-API Calls using prebuilt Java SDK](#)

[Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK](#)

[Tutorial: Automate your SP-API Calls using prebuilt PHP SDK](#)

[Tutorial: Automate your SP-API calls using a prebuilt Python SDK](#)

[Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application](#)

[Tutorial: Retrieve Merchant Shipping Templates](#)

[Tutorial: Grant the SP-API Permission to an Amazon SQS Queue](#)

[Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier](#)

TROUBLESHOOTING

[Troubleshoot SP-API Errors](#)

[URL Encoding](#)

[Resolve Common HTTP and Authorization Error Codes](#)

[External Fulfillment Errors](#) ↗

[Listings Items API Issues Troubleshooting](#) ↗

SELLING PARTNER APPSTORE

[What is the Selling Partner Appstore?](#)

[List Your App on the Selling Partner Appstore](#)

[Edit Your Appstore Listing](#)

[Check Listing Status](#)

[Appstore Ratings and Reviews](#)

[Press Releases and Promotions](#)

SERVICE PROVIDER NETWORK

[List Your Service](#)

SECURITY AND COMPLIANCE

[SP-API Security and Compliance Overview](#)

[Amazon Selling Partner API Guard Implementation Guide](#) >

VAT Calculation Service >

Amazon Seller Data Access
Best Practices >

A+ CONTENT API
A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API
Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09
Reference

APP INTEGRATIONS API
App Integrations API ▾

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Request and filter data with a GraphQL query

Verify that query processing is complete

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors
External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗
Feeds API Best Practices
Feeds API FAQ
Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ
Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗
Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

Powered
by

