

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview

Terminology

Frequently Asked Questions

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

Resolve Common HTTP and Authorization Error Codes

Resolve Common HTTP and Authorization Error Codes

Learn how to resolve common errors that can affect every API.

This page describes common errors you may encounter when using a Selling Partner API (SP-API) and provides guidance on how to resolve them.

If these steps don't resolve your issue, refer to [Troubleshoot SP-API Errors](#) for additional guidance or [open a case](#).

HTTP 400 Bad Request

This error occurs due to invalid request parameters or a malformed request.

Common 400 error messages

If an error message accompanies the `400` status code, search the following table for its meaning and solution.

Error message	Meaning	Solution
Missing header or required fields	Your API request is missing a required header or body field.	Validate your request against the SP-API Swagger schema to find missing or invalid fields.
Invalid date and time format	Your API request uses an incorrect date/time format.	Use ISO 8601 date/time formatting in your API requests.
Body or Content-Type	Your GET request	Remove request body

SP-API Product Metadata Updates		
DIRECTORIES		
SP-API Models		
SP-API Seller Use Cases		
SP-API Vendor Use Cases		
Seller Central URLs		
Vendor Central URLs		
REGISTRATION		
SP-API Registration Overview	>	
Developer Registration Request Status		
Third-Party Provider Registration	>	
Service Provider Registration and Role Approval Process Overview		
Website Guidelines for Public Developers and Service Providers		
User Permissions for Service Providers		
Register your Application		
Update your Application Information		
Rotate your Application's LWA Credentials	>	
View your Application Information and Credentials		
Learn How Sellers Authorize Service Providers		
Selling Partner API Roles	>	
Policies and Agreements		
About Facial Data		
AUTHORIZATION		
Authorize Applications	>	
Renew Authorizations		
Revoke Authorizations		
Authorization Limits		

Error message	Meaning	Solution
Length included in a GET request	includes a body or Content-Length .	or Content-Length from GET request.
Incorrect headers and Content-Type	Your request uses duplicate or malformed Host headers, or an incorrect Content-Type .	Use one valid Host header and a correct Content-Type .
Invalid nextToken handling	Your request modifies or encrypts the nextToken .	Pass the nextToken back exactly as returned. Use URL Encoding if needed.
Incorrect URL encoding	Your request uses incorrect URL encoding.	Encode the URL path and query parameters, including SKUs and nextToken . Do not double-encode. For additional help, refer to URL Encoding .
API request did not have a required child object	Your API request doesn't include a required child object.	Include required child objects in your API requests (for example, orderDetails , transportDetails). To review if your API requires a child object, refer to the API's reference page .
Incorrect identifiers	Your request uses an incorrect identifier (for example: order ID, shipment ID,	Confirm order IDs, shipment IDs, invoice IDs, SKU/ASIN formats, and marketplace

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

Error message	Meaning	Solution
	invoice ID, SKU/ASIN, or marketplace) in your API request.	scope are correct.
Developer ID XX-XX-XXXX-XXXX is not associated with the application id	The Developer ID is not associated with the application ID.	Provide the developer ID for the correct region. Also, submit the application for a review.
Application is missing OAuth setup	The application is missing OAuth setup.	Ensure the application includes a redirect URI and the OAuth configuration is complete. Refer to Step 6: Set up the Authorization Workflow for more information.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

Troubleshoot 400 errors

If the preceding table doesn't resolve your 400 error, follow these troubleshooting steps.

Step 1. Verify your developer profile and application have all required roles

To learn more, refer to [Selling Partner API Roles](#).

Step 2. Ask the affected seller to confirm their account is active

Inactive accounts display a banner on the Seller Central **Charge Information** page requesting a credit card update. The seller must update their credit card information and allow 48 hours for the updates to propagate through all Amazon systems before they can try again.

Step 3. Inspect HTTP client logs and wire logs

Use the following methods to inspect your outgoing requests and determine whether your HTTP client is sending them as expected:

- Try to reproduce the issue using `curl` or `wget` . If you cannot reproduce it with those

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

[Resolve Common HTTP and Authorization Error Codes](#)

External Fulfillment Errors



Listings Items API Issues Troubleshooting

**SELLING PARTNER APPSTORE**

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Resolve Common HTTP and Authorization Error Codes

tools, the problem is likely specific to your HTTP client.

- Identify where your code creates HTTP requests and inspect them before they are sent.
- Inspect all headers and URI values. Many HTTP clients provide programmatic methods to retrieve header information.
- Check whether your HTTP client supports logging, or whether logging can be enabled through configuration.
- If your HTTP client is open source, review the source code to identify how requests are constructed and check for incorrect assumptions.
- If you use an adapter or plugin in your request pipeline, verify that it is not modifying requests in unintended ways.
- Enable wire logs if your client supports them. Wire logs provide the most detailed view of outgoing requests.

Step 4. Verify the request conforms to HTTP RFC 7230

SP-API requires that requests conform to [HTTP RFC 7230](#). If you receive a `400` status code with an HTML response instead of a standard SP-API response body, your request likely contains a malformed element.

The following request errors commonly cause a `400` response with an HTML body:

- A body, `Content-Length` header, or `Transfer-Encoding` header is included in a `GET` or `HEAD` request.
- `Content-Length` contains a non-parseable value or an invalid number.
- Multiple `Content-Length` headers are present.
- Both `Content-Length` and `Transfer-Encoding` headers are present.
- The `Host` header is duplicated or malformed.
- A header is empty or contains only whitespace.
- A multi-line header doesn't conform to RFC 7230.
- A header line is not terminated correctly.
- A header line is missing the colon (`:`) separator.

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide

>

VAT Calculation Service

Amazon Seller Data Access

Best Practices

>

>

- Resolve Common HTTP and Authorization Error Codes
- The URI or a header value contains a carriage return, null character, or control (CTL) character.
 - The request ends with an empty line.
 - The request doesn't include a URI.
 - The HTTP method is malformed.

If the 400 response persists, the issue might be due to the requirements of the API. Refer to [Troubleshoot SP-API Errors](#) for additional troubleshooting steps.

HTTP 403 Forbidden

This error occurs due to failed authentication. Possible reasons include denied access, missing or expired credentials, or an invalid signature.

Common 403 error messages

If an error message accompanies the `403` status code, search the following table for its meaning and solution.

Error message	Meaning	Solution
Expired or revoked API tokens	Your API token is expired or revoked. Access tokens expire after 1 hour, refresh tokens are valid for 365 days, and client secrets for 180 days.	Generate a new access token every session with your refresh token and rotate LWA client secrets every 180 days. Have sellers reauthorize your application annually and do not reuse expired tokens. To rotate your LWA credentials programmatically, refer to Rotate your application's client secret .
Missing required SP-API roles or permissions	Your application isn't registered for the required API role or permissions.	Verify that your developer profile and application have the required roles in the Solution Provider Portal (SPP) for the API you want to call. If a role is

A+ CONTENT API

A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API >

Incorrect account credentials

Your request uses vendor credentials for a Seller API call.

You must call Seller APIs with seller credentials and Vendor APIs with vendor credentials. For more information, refer to [SP-API Seller Use Cases](#) and [SP-API Vendor Use Cases](#).

APPLICATION MANAGEMENT API

Application Management API >

Region mismatch

Your request targets the wrong regional endpoint. Seller accounts are region-specific even if applications are global.

Use the correct regional endpoint for the seller's or vendor's marketplace (for example, US endpoint `sellinpartnerapi-na.amazon.com`). For more information, refer to [SP-API Endpoints](#).

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Incorrect resource path or

Your request has a missing or outdated

Include the correct version or date in the API path (for example

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Error message	Meaning	Solution
version	version or date.	/listings/2021-12-01/items). For more information, refer to Welcome to API References .
Deprecated endpoint	Your request uses a deprecated API.	Ensure that you migrate off deprecated APIs before the cutoff date. To keep up-to-date on API deprecations, refer to the SP-API Deprecation Schedule .
Unsupported API marketplace	Your request calls an API in an unsupported marketplace.	Call APIs in the marketplaces they support. For more information, refer to Welcome to API References .
Seller account deactivated or suspension	The seller account is deactivated or suspended.	To track account health, you can use the ACCOUNT STATUS CHANGE notification or the GET_V2_SELLER_PERFORMANCE_REPORT .

Troubleshoot 403 errors

If the preceding table doesn't resolve your 403 error, follow these troubleshooting steps.

Step 1. Update your credentials

You must rotate your Login with Amazon (LWA) credentials for all applications every 180 days. For instructions, refer to [Rotate your Application's LWA Credentials](#).

Step 2. Verify regional support

Ensure that the seller account you're making a request to and the request endpoint are in the same region. The selling partner application is global but seller accounts are not. For details, refer to [SP-API Endpoints](#).

Step 3. Ensure that you have the correct roles to access the operation

Feeds API	>
Feed Type Values	>
Feeds JSON Schemas	>
Feeds API Best Practices	
Feeds API FAQ	
Feeds API Rate Limits	
FINANCES	
Finances API	>
Transfers API	>
FULFILLMENT INBOUND API	
Fulfillment Inbound API	>
Fulfillment Inbound API FAQ	
Migrating Fulfillment Inbound workflows	
Fulfillment Inbound API Rate Limits	
FULFILLMENT OUTBOUND API	
Fulfillment Outbound Dynamic Sandbox Guide	
Fulfillment Outbound API	>

Resolve Common HTTP and Authorization Error Codes

To verify role permissions in [Solution Provider Portal](#):

1. Next to the app that you want to verify, choose **Edit App**.
2. Review the [roles](#) selected for your application.

If you're missing the role that you need for API access, check your developer profile to verify that you requested access. If you're missing access to a restricted role, you might need to re-submit your developer profile to get access to that restricted role. After the role is added, generate a new LWA refresh token to make valid API calls.

If the 403 response persists, [open a case](#) to resolve the issue.

HTTP 404 Not Found

A 404 error occurs when the requested resource is not found.

Common 404 error messages

If an error message accompanies the `404` status code, search the following table for its meaning and solution.

Error message	Meaning	Solution
Invalid or mistyped resource identifier	The resource you want to request uses an invalid or mistyped identifier.	Use discovery APIs such as <code>getOrders</code> or <code>searchListingsItems</code> to search for a resource identifier value and review the spelling and casing. For more information about SP-API request and response formatting, refer to Call Structure .
Unavailable resource identifier	The resource you want to request doesn't exist.	Confirm that you didn't delete the resource identifier. Also ensure that the marketplace is correct for the requested SKU, subscription,

Error message	Meaning	Solution
		orders, or listings item.
Premature polling for an asynchronous creation	Early polling for a resource that the system hasn't finished generating (for example, a report, processing feed result, or a new listings item).	Some API endpoints create resources asynchronously. Ensure you retrieve data after enough time has passed. Rely on other mechanisms to check the status of the requested resource before polling.

Troubleshoot 404 errors

If the preceding table doesn't resolve your 404 error, follow these troubleshooting steps:

Step 1. Confirm the resource exists and has not been deleted

Verify that the resource you are requesting has not been removed or deactivated. Confirm that the marketplace scope in your request matches the marketplace where the resource was created.

Step 2. Verify that the resource identifier is valid and correctly formatted

Check the spelling and casing of all identifiers in your request, such as order IDs, SKUs, ASINs, shipment IDs, and subscription IDs. Ensure the identifier belongs to the correct marketplace.

For more information about SP-API request and response formatting, refer to [Call Structure](#).

Step 3. Verify the API endpoint and resource path

Confirm that the URL path is correctly formed and includes the required version or date (for example, `/listings/2021-12-01/items`). Ensure you are not using a deprecated endpoint. To keep up to date on API deprecations, refer to the [SP-API Deprecation Schedule](#).

Step 4. Check for premature polling on asynchronous operations

If you request a resource that is created asynchronously, ensure that enough time has

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API

Invoices API FAQ

LISTINGS

Listings Items API

passed for the system to finish generating it.

If the 404 response persists, [open a case](#) to resolve the issue.

HTTP 429 Too Many Requests

This error occurs when you exceed the allowed number of requests for an operation. Amazon enforces resource quotas and burst rates to ensure system stability. Wait a few minutes, then retry the request.

To reduce HTTP 429 responses, follow these best practices:

- **Respect Rate Limits:** Always review usage plans for an SP-API operation before integration, monitor `x-amzn-RateLimit-Limit` response headers, and design your application to stay within defined limits. Refer to [How to find your usage plan](#) for more information.
- **Implement Proactive Load Management:** Don't wait for throttling. Build retry mechanisms with exponential backoff into your application to ensure resilience. For implementation guidance, refer to [Implement retry and back-off techniques](#).
- **Optimize Request Pattern:** Avoid burst traffic that wastes quota. Consolidate API calls and distribute requests evenly throughout the day. For details on how to optimize large-scale operations, refer to [Optimize Calls to the Selling Partner API](#).

For more information, refer to [Performance Management](#).

Null enum value

A `null` enum value returns when you use an outdated model version after a new enum value has been introduced. Update the Swagger model version in your integration (for example, regenerate the client libraries) and try again.

Authorization error codes

Authorization errors occur during the OAuth authorization workflow and indicate issues with your application's configuration, credentials, or permissions. The following section covers solutions to common authorization error codes.

MD1000

Listings Items API Rate Limits

Listings Restrictions API

>

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration

>

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API

>

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API

>

MESSAGING API

Messaging API

>

NOTIFICATIONS API

Notifications API

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification

ORDERS API

Orders API

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API

PRODUCT PRICING API

Product Pricing API

Product Pricing API and Notifications FAQ

Resolve Common HTTP and Authorization Error Codes

This error occurs when you authorize an SP-API application in Draft state through the OAuth production workflow.

To resolve this error: Add the `version=beta` parameter to the OAuth authorization URI:
https://sellercentral.amazon.com/apps/authorize/consent?application_id=appidexample&state=stateexample&version=beta

After you publish your application, remove the `version=beta` parameter.

MD5101

This error occurs when the OAuth redirect URI that you provide during authorization doesn't match one of the redirect URIs listed for the SP-API application.

To resolve this error: Verify that you're using the correct redirect URI. For more information, refer to the following instructions:

► [Solution Provider Portal](#)

► [Seller Central](#)

MD5110

This error occurs when the redirect URI contains fragments. For more information, refer to [section 3.1.2](#) of the OAuth 2.0 authorization framework.

To resolve this error: Check the redirect URI for fragments. For more information, refer to the following instructions:

► [Solution Provider Portal](#)

► [Seller Central](#)

MD9100

This error occurs when your application doesn't have a login URI and redirect URI.

To resolve this error: Update your app's login URI and redirect URI. For more information, refer to the following instructions:

► [Solution Provider Portal](#)

► [Seller Central](#)

SPDC8143

This error occurs when you access the account as a non-primary user.

To resolve this error: Access the account as the primary user.

SPSA0404

This error occurs when your application doesn't support the business entity that attempts to authorize it.

To resolve this error: Update the supported business entities. For more information, refer to the following instructions:

- 1. From the [Solution Provider Portal](#) menu, choose **Apps**, and then choose **Develop Apps Console**.
- 2. Next to the app that you want to verify, choose **Edit App**.
- 3. Update the supported business entities.

SPSA2043

Vendors experience this error when the vendor group does not have the `SPDS-VC-MYA` role. This role is required to access the self-authorization page.

To resolve this error: Contact your vendor manager to add `SPDS-VC-MYA` to your vendor group.

CONSENT_LIMIT_REACHED for OAuths

This error occurs if you reach the limit of authorizations for your current application. For more information, refer to [App Authorization limits](#).

Updated 18 days ago

← URL Encoding

What is the Selling Partner Appstore? →

Did this page help you? ☐ Yes ☐ No

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API
Replenishment API

REPORTS API
Reports API

Report Type Values

Reports JSON Schemas
Reports API FAQ

SALES API
Sales API

SELLER WALLET API
Seller Wallet API

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >