

GET STARTED

- Welcome to SP-API Documentation
- What is the Selling Partner API?
- Selling Partner API Onboarding Overview >

- Terminology
- Frequently Asked Questions >

CHANGELOG

- SP-API Release Notes
- SP-API Deprecation Schedule
- SP-API Product Metadata Updates

DIRECTORIES

- SP-API Models
- SP-API Seller Use Cases

Retrieve a report

Learn how to use the Reports API to retrieve a report.

Learn how to use the Reports API to retrieve a report.

Prerequisites

To complete this tutorial, you need:

- Authorization from the selling partner for whom you are making calls. For more information, refer to [Authorizing Selling Partner API applications](#).
- One of the required [roles](#) for the Reports API assigned to your developer profile.
- One of the required [roles](#) for the Reports API selected in the app registration page for your application.

Step 1. Get the information required to retrieve the report

Note

- The `getReportDocument` operation is considered a restricted operation only when a restricted report type is specified.
- When calling the `createRestrictedDataToken` operation to get an RDT for the `getReportDocument` operation, the specified restricted resource can contain only a specific path, not a generic path.
- When using RDT to access the `getReportDocument` operation, make sure your application has the correct right roles to access the report. Refer to [Roles in the Selling Partner API](#) for roles to reports mapping.

Call the `getReportDocument` operation to get the information required for retrieving a report document's contents. This includes a pre-signed URL for the report document and optionally, the compression algorithm used if the report document contents have been compressed.

1. Call the `getReportDocument` operation, passing the following parameter:

Name	Description	Required
<code>reportDocumentId</code>	The identifier for the report document. Type: string	Yes

`getReportDocument` request example:

HTTP

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

Retrieve a report

GET <https://sellingpartnerapi-na.amazon.com/reports/2021-06-30/documents/D0C-b8b0-4226-b4b9-0ee058ea5760>

A successful response includes the following:

Name	Description
<code>reportDocumentId</code>	The identifier for the report document. This identifier is unique only in combination with a seller ID.
<code>url</code>	A pre-signed URL for the report document. This URL expires after five minutes. Type: string
<code>compressionAlgorithm</code>	If present, the report document contents have been compressed with the provided algorithm. Type: enum (<code>CompressionAlgorithm</code>)

`getReportDocument` response example:

JSON

```
{
  "reportDocumentId": "D0C-b8b0-4226-b4b9-0ee058ea5760",
  "url":
    "https://d34o8swod1owfl.cloudfront.net/SampleResult%2BKey%3DSample%2BINITVEC"
}
```

2. Save the `url`, and `compressionAlgorithm` (optional property) for use in Step 2.

Step 2. Download the report

You must download the report using the information returned in Step 1. The following sample code demonstrates how to download a plain text report document. You can also use the principles demonstrated in the sample code to guide you in building applications in other programming languages, or for other types of documents (such as XML, CSV, TSV).

1. Use the following as inputs for the sample code:

- The `url` and optional `compressionAlgorithm` values from the previous step are arguments for the `url`, and `compressionAlgorithm` parameters of the `download` method of the `DownloadExample` class.

Note

You must always maintain encryption at rest. Unencrypted report content must never be stored on disk, even temporarily, because reports can contain sensitive information. The sample code that we provide demonstrates this principle.

Sample code (Java)

Java

```
// DownloadExample.java
// This example is for use with the Selling Partner API for Reports,
// Version: 2021-06-30
// and the Selling Partner API for Feeds, Version: 2021-06-30
import java.io.BufferedReader;
import java.io.Closeable;
import java.io.IOException;
import java.io.InputStream;
import java.io.InputStreamReader;
import java.nio.charset.Charset;
import java.util.zip.GZIPInputStream;
```

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

Call Structure

Development Tools

Performance Management

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Retrieve a report

```
import com.squareup.okhttp.MediaType;
import com.squareup.okhttp.OkHttpClient;
import com.squareup.okhttp.Request;
import com.squareup.okhttp.Response;
import com.squareup.okhttp.ResponseBody;

/**
 * Example that downloads a document.
 */
public class DownloadExample {

    public static void main(String args[]) {
        String url = "<URL from the getFeedDocument/getReportDocument
response>";
        String compressionAlgorithm = "<compressionAlgorithm from the
getFeedDocument/getReportDocument response>";

        DownloadExample obj = new DownloadExample();
        try {
            obj.download(url, compressionAlgorithm);
        } catch (IOException e) {
            //Handle exception here.
        } catch (IllegalArgumentException e) {
            //Handle exception here.
        }
    }

    /**
     * Download and optionally decompress the document retrieved from the
     given url.
     *
     * @param url the url pointing to a document
     * @param compressionAlgorithm the compressionAlgorithm used for the
     document
     * @throws IOException when there is an error reading the
     response
     * @throws IllegalArgumentException when the charset is missing
     */
    public void download(String url, String compressionAlgorithm) throws
IOException, IllegalArgumentException {
        OkHttpClient httpClient = new OkHttpClient();
        Request request = new Request.Builder()
            .url(url)
            .get()
            .build();

        Response response = httpClient.newCall(request).execute();
        if (!response.isSuccessful()) {
            System.out.println(
                String.format("Call to download content was unsuccessful with
response code: %d and message: %s",
                    response.code(), response.message()));
            return;
        }

        try (ResponseBody responseBody = response.body()) {
            MediaType mediaType = MediaType.parse(response.header("Content-
Type"));
            Charset charset = mediaType.charset();
            if (charset == null) {
                throw new IllegalArgumentException(String.format(
                    "Could not parse character set from '%s'",
                    mediaType.toString()));
            }

            Closeable closeThis = null;
            try {
                InputStream inputStream = responseBody.byteStream();
                closeThis = inputStream;
            }
        }
    }
}
```

Updated 19 days ago

Verify that report processing is complete

Report Type Values

Did this page help you?

Yes

No

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide 

```

// This example assumes that the download content has a charset in
the content-type header, e.g.
// text/plain; charset=UTF-8
if ("text".equals(mediaType.type()) &&
    "plain".equals(mediaType.subtype())) {
    InputStreamReader inputStreamReader = new
    InputStreamReader(inputStream, charset);
    closeThis = inputStreamReader;

    BufferedReader reader = new BufferedReader(inputStreamReader);
    closeThis = reader;

    String line;
    do {
        line = reader.readLine();
        // Process line by line.
    } while (line != null);
} else {
    //Handle content with binary data/other media types here.
}
} finally {
    if (closeThis != null) {
        closeThis.close();
    }
}
}
}
}

```

VAT Calculation Service >

Amazon Seller Data Access
Best Practices >

A+ CONTENT API
A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API
Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09
Reference

APP INTEGRATIONS API
App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide
Data Kiosk Query Processing Finished Notification
Building Data Kiosk workflows guide
Vendor Analytics Dataset Use Case Guide
Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API	>
External Fulfillment Shipping API	>
External Fulfillment Errors	
External Fulfillment APIs Rate Limits	
FULFILLMENT BY AMAZON (FBA)	
FBA Inventory API	>
FBA Inventory Dynamic Sandbox Guide	
FEEDS API	
Feeds API	>
Feed Type Values	>
Feeds JSON Schemas	↗
Feeds API Best Practices	
Feeds API FAQ	
Feeds API Rate Limits	
FINANCES	
Finances API	>
Transfers API	>
FULFILLMENT INBOUND API	
Fulfillment Inbound API	>

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

- Reports API >
 - Request a report
 - Schedule and retrieve reports
 - Retrieve automatically generated reports
 - Verify that report processing is complete
 - Retrieve a report
- Report Type Values >

- Reports JSON Schemas ↗
- Reports API FAQ

SALES API

- Sales API >

SELLER WALLET API

- Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

- Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

