

Schedule Data Kiosk Queries



🏠 Home

📖 Documentation

<> API Reference

🔗 Code Samples

📢 Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Schedule Data Kiosk Queries

Learn how to schedule Data Kiosk queries.

Use this guide to learn how to automatically make regular calls to `createQuery` while avoiding redundant data requests.

 Note

A full code sample for this scheduling mechanism is published in our [Samples Repo on GitHub](#).

Overview of Data Kiosk

Using Data Kiosk involves the following steps:

1. **Subscribe to the notification:**
Subscribe an SQS queue to the

Terminology

Frequently Asked Questions >

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

`DATA_KIOSK_QUER``Y_PROCESSING_FIN``ISHED` notification,

which notifies you

when data

processing is

complete.

2. Create the query:

Submit a GraphQL query using the

`createQuery`

operation.

3. Retrieve the**document:** Use`dataDocumentId`

or

`errorDocumentI``d` to retrieve

document details

with the

`getDocument`

operation. These

attributes are in

the notification

payload. If you

receive

`errorDocumentI``d`, you can find the

reason for the

failure in the

document.

4. Store the data:

Retrieve and store

the `JSONL` file

from the

`documentUrl` for

further processing

and access.

**Note**

For more
information
on Data
Kiosk

[Policies and Agreements](#)[About Facial Data](#)

AUTHORIZATION

[Authorize Applications](#) >[Renew Authorizations](#)[Revoke Authorizations](#)[Authorization Limits](#)[Special Authorization Types](#) >

INTEGRATION

[Building Robust Amazon SP-API Applications](#)[SP-API SDKs](#) >

workflows,
refer to:

- [Building Data Kiosk workflows guide](#)
- [Samples Repo on GitHub](#)

Tutorial: Build a scheduling mechanism for Data Kiosk

Learn how to make automatic and regular queries to Data Kiosk, while avoiding redundant calls.

Step 1. Define schedule parameters

Determine the start date and the rate at which you want to make queries.



Note

If the query start date is in the past and you want the scheduler to backfill, create queries as often as possible until you're querying the present day.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

This ensures that your data remains current. For example, if the start date is one month ago and you want information from each day, adjust the solution so that the scheduler quickly runs queries for each day over the past month until it reaches the current day.

If you do not require backfilling, set the start date to the present or a future date to avoid the scheduler creating past queries.

Common frequencies include daily, weekly, or monthly. The choice of rate depends on how often your data updates. For example, if your data updates daily, a daily frequency is appropriate. Do not query too frequently. If a dataset updates daily,

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide 

an hourly query would be redundant.

Step 2. Adjust query parameters

Create a function that shifts the start and end dates in the query based on your desired rate so that each query retrieves new data. For example, if the schedule rate is daily, the function should adjust the start and end dates by one day for each new query.

Warning!

Different datasets have different attribute key names and different data reload periods. Know the attribute keys for the start and end dates for each dataset. When you update or shift the start and end date attributes, key names might vary across datasets.

Step 3. Create the query

To automatically submit queries, use an event scheduler such as [AWS EventBridge](#). With EventBridge, you can set up recurring tasks using cron expressions or rate expressions (for example, every five minutes, hourly, daily). Configure EventBridge to automatically adjust query dates and make the calls to

VAT Calculation Service

>

`createQuery` at defined intervals to continuously and efficiently retrieve data.

Step 4. Save schedule information

Store schedule information such as start dates, rates, and associated queries in a database. Make sure that you can cancel or delete schedules as needed, and keep logs of queries for auditing and reporting purposes.

Amazon Seller Data Access

Best Practices

>

Best practices and considerations

Avoid errors and handle redundancy. Some things to consider include:

A+ CONTENT API

A+ Content API

>

A+ Content Examples		
AMAZON WAREHOUSING AND DISTRIBUTION API		
Amazon Warehousing and Distribution API	>	• Avoid redundancy: Validate that queries request unique data. Ensure that there is no overlap with previously stored data timestamps, and don't create multiple schedules for the same query. Query creation fails if the previous query is still running.
Amazon Warehousing and Distribution API v2024-05-09 Reference		
APP INTEGRATIONS API		
App Integrations API	▼	• Log errors: Don't allow a failed query to stop the entire scheduling mechanism. Implement comprehensive logging to capture errors during query submission and data retrieval. Process the error documents that Data Kiosk returns and fix the errors that they contain.
APPLICATION MANAGEMENT API		
Application Management API	>	
CATALOG ITEMS API		
Catalog Items API	>	• Retry: If a query is throttled by the concurrent query limitation, incorporate retry mechanisms that use exponential backoff.
Catalog Items API Rate Limits		
Catalog Items API v2022-04-01 Reference		
CUSTOMER FEEDBACK API		
Customer Feedback API	>	• Monitor and alert: Monitor in real time and set error alerts for failed queries, exceeded rate limits, or prolonged
Customer Feedback API Rate Limits		

DATA KIOSK

Data Kiosk API >

processing times.
Quickly identify
and respond to
issues.

- Data Kiosk Schema Explorer User Guide
- Data Kiosk Query Processing Finished Notification
- Building Data Kiosk workflows guide
- Vendor Analytics Dataset Use Case Guide


[Schedule Data Kiosk Queries](#)

For details about
different errors and
how to fix them, refer
to [Handling processing
errors](#).

 Updated 19 days ago

DELIVERY BY AMAZON API

Delivery by Amazon API >



EASY SHIP API

Easy Ship API >

Did this page
help you?
 Yes  No

[Policies and Agreements](#)
EXTERNAL FULFILLMENT

[Privacy notice](#) | [Conditions of use](#)

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

- External Fulfillment Errors
- External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

