

Schedule and retrieve reports

English

🏠 Home

📖 Documentation

<> API Reference

🔗 Code Samples

📢 Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

[Welcome to SP-API Documentation](#)[What is the Selling Partner API?](#)[Selling Partner API Onboarding Overview](#) >[Terminology](#)[Frequently Asked Questions](#) >

CHANGELOG

[SP-API Release Notes](#)

Schedule and retrieve reports

Learn how to use the Reports API to schedule and retrieve reports.

Learn how to use the Reports API to schedule and retrieve reports. You can schedule requests for reports so that they are submitted periodically, using the [createReportSchedule](#) operation. Use the period enumeration to specify the time period. To identify which reports can be scheduled, review the [Report Type Values](#) in the Selling Partner API documentation.

Use the following process to request a report:

1. Call the [createReportSchedule](#) operation to create a schedule for periodically submitting report requests. Specify `reportType`, `marketplaceIds`, `period` values, and any optional parameters. For `reportType` values, refer to [reportType values](#).

Note

If a report schedule with the same report type and marketplace IDs already exists, it is cancelled and replaced with this schedule. Otherwise, a new report schedule is created.

2. Periodically poll the [Amazon Simple Queue Service \(Amazon](#)

SP-API Deprecation Schedule

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Schedule and retrieve reports

SQS) queue for a

`REPORT_PROCESSING_FINISHED`

notification event using an interval that is similar to the schedule that you configured in the first step.

If you receive a notification for the scheduled report, the notification event contains report information, including `reportDocumentId` value if report data is available.

3. For each `reportDocumentId` :

1. Call the `getReportDocument` operation, passing the `reportDocumentId` value. Amazon returns a pre-signed URL for the location of the report document, and the compression algorithm used if the report document contents have been compressed.

2. Download the report.



Note

- The `getReportDocument` operation is considered a restricted operation only when a restricted report type is specified.
- When calling the `createRestrictedDataToken` operation to get an RDT for the `getReportDocument` operation, the specified restricted resource can contain only a specific path, not a generic path.
- When using RDT to access the `getReportDocument` operation, make sure your application has the correct right roles to access the report. Refer

Renew Authorizations
Revoke Authorizations
Authorization Limits
Special Authorization Types

>

INTEGRATION

Building Robust Amazon SP-API Applications
SP-API SDKs

>

Schedule and retrieve reports
to [Roles in the Selling
Partner API](#) for roles to
reports mapping.

Prerequisites

To complete these tutorials, you need:

- Authorization from the selling partner for whom you are making calls. For more information, refer to [Authorizing Selling Partner API applications](#).
- One of the required [roles](#) for the Reports API assigned to your developer profile.
- One of the required [roles](#) for the Reports API selected in the app registration page for your application.
- The report type that you will request. Refer to [Report Type Values](#) for a list of the available report types.
- A working Java Development Kit (JDK) installation to run sample code.

Step 1. Create a schedule for report requests

Call the `createReportSchedule` operation to create a schedule for submitting report requests, specifying the `reportType`, `marketplaceIds`, and `period` values and any optional parameters. Refer to [reportType values](#) for a list of the available report types.

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

>

Call Structure

>

Development Tools

>

Name	Description	Required
<code>reportType</code>	The report type. Type: string	Yes
<code>marketplaceIds</code>	A list of marketplace identifiers for the report	Yes

Performance Management >

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

Name	Description	Required
	schedule. Type: < string > array	
reportOptions	Additional information passed to reports. This varies by report type. Type: ReportOptions	No
period	One of a set of predefined ISO 8601 periods that specifies how often a report should be created. Type: enum (Period)	Yes
nextReportCreationTime	The date and time when the schedule will create its next report, in ISO 8601 date-time format. Type: string (date-time)	No

createReportSchedule request example

HTTP

POST

```
https://sellingpartnerapi-na.amazon.com/reports/2021-06-30/schedules
{
  "reportType":
  "GET_XML_BROWSE_TREE_DATA",
  "period": "P2D",
```

- External Fulfillment Errors ↗
- Listings Items API Issues Troubleshooting ↗

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore
- Edit Your Appstore Listing
- Check Listing Status
- Appstore Ratings and Reviews
- Press Releases and Promotions

SERVICE PROVIDER NETWORK

- List Your Service

SECURITY AND COMPLIANCE

- SP-API Security and Compliance Overview
- Amazon Selling Partner API Guard Implementation Guide >

- VAT Calculation Service >

- Amazon Seller Data Access
- Best Practices >

```
"marketplaceIds":  
  ["ATVPDKIKX0DER"]  
}
```

A successful response includes the following:

Name	Description	Schema
CreateReportScheduleResponse	The payload for the createReportSchedule operation.	CreateReportScheduleResponse

createReportSchedule response example

```
JSON  
{  
  "reportScheduleId": "ID323"  
}
```


Step 2. Periodically retrieve information about the scheduled reports

Periodically poll the Amazon SQS queue for `REPORT_PROCESSING_FINISHED` notification event using an interval that is similar to the schedule that you configured in step 1. To confirm that report processing is complete, refer to `REPORT_PROCESSING_FINISHED`.

Step 3. Retrieve the report

To retrieve a report, refer to [Retrieve a report](#).

🕒 Updated 19 days ago



Did this page help you?



Yes



No

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

A+ CONTENT API

A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Request a report

Schedule and retrieve reports

Retrieve automatically generated reports

Verify that report processing is complete

Retrieve a report

Report Type Values >

Reports JSON Schemas [↗](#)

Reports API FAQ

SALES API

Sales API [>](#)

SELLER WALLET API

Seller Wallet API [>](#)

Seller Wallet API Rate Limits

SELLERS API

Sellers API [>](#)

SERVICES API

Services API [>](#)

SHIPMENT INVOICING API

Shipment Invoicing API [>](#)

SHIPPING API

Shipping API v2 Resources [↗](#)

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide
Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide
Vendor Direct Fulfillment Workflow Guide
SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

