



Search catalog items

 Home Documentation

<> API Reference

 Code Samples Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Terminology

Frequently Asked Questions >

Search catalog items

Learn how to search for and return a list of Amazon catalog items and associated information for the given ASIN, product identifier, or keyword.

Learn how to search for and return a list of Amazon catalog items and associated information for the given ASINs, product identifiers, or keywords. For searches that return lists that have multiple pages, learn how to retrieve subsequent and previous pages.

Prerequisites

To complete this tutorial, you need:

- Authorization from the Selling Partner for whom you are making calls. Go to [Authorizing Selling Partner API applications](#) for more information.
- Approval for the Product Listing

role in your
developer profile.

- The Product Listing role selected in the App registration page for your application.

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >



Handling generic JSON schemas in client libraries

If you have [generated a client library](#), it is important to note that Swagger Codegen generates types based on properties defined in the Swagger models, and that Swagger Codegen will produce empty or incomplete types when an object is defined with additional Properties : true

. To handle such objects, use the `--import-mappings` command-

[Policies and Agreements](#)[About Facial Data](#)**AUTHORIZATION**[Authorize Applications](#) >[Renew Authorizations](#)[Revoke Authorizations](#)[Authorization Limits](#)[Special Authorization Types](#) >**INTEGRATION**[Building Robust Amazon SP-API Applications](#)[SP-API SDKs](#) >

Search catalog items

line
parameter to
map these
objects to a
generic JSON
object type
or a custom
object type
of your
choosing.

Example
Swagger
Codegen
input
parameters:

C#:

```
--import-
mappings
ItemAttrib
utes=Newto
nsoft.Json
.Linq.JObj
ect
```

Java:

```
--import-
mappings
ItemAttrib
utes=com.g
oogle.gson
.JsonObjec
t
```

Step 1. Search for items

Call the

`searchCatalogItems`

operation. This returns
the first page of results.



**Multiple
results for
identifier
searches**

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

The Amazon catalog makes no guarantees about a 1:1 mapping between external product identifiers (such as EAN, UPC, ISBN) and ASINs. An ASIN can have multiple external product identifiers, and an external product identifier can map to multiple ASINs. If a search by identifier returns multiple ASINs, inspect the returned items' attributes (such as product type, brand, title, and parentage level) to identify the correct ASIN. Call the `getCatalogItem` operation for

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide 

Search catalog items

each ASIN to retrieve detailed attributes and validate which product matches your intended item before creating an offer.

Step 2. Check for results beyond the first page

Check the `pagination` object in the response to `searchCatalogItems`.

When the response does not exceed the `pageSize`, there is no pagination, so there is no `nextToken` or `previousToken`.



Note

Page tokens are special values that are decoded to determine which page is requested and how many pages are before or after. Page tokens are specific to the request. You cannot

VAT Calculation Service



Amazon Seller Data Access
Best Practices



change the page size on the next request when using a page token. Even though there can be more than 1,000 ASINs that match the search criteria, the maximum number of results that can be returned and paged through is limited to 1,000. For example, if the caller sets the `pageSize` to 10, the maximum number of possible pages is 100.

Example of a `searchCatalogItems` response that does not exceed the `pageSize`

JSON

```
"pagination": {  
  },
```



Examples of a `searchCatalogItems`

A+ CONTENT API
A+ Content API

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API v

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Retrieve catalog item details

Search catalog items

Catalog Items API Rate Limits

Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

Search catalog items

ems responses that exceed the pageSize

If the pagination object includes a nextToken value, there are more results beyond the first page.

JSON

```
"pagination": {
  "nextToken":
  "XXXXXX"
},
```

For the last page, there is no next page, so there is no nextToken :

JSON

```
"pagination": {
  "previousToken":
  "XXXXXX"
},
```

For all other pages:

JSON

```
"pagination": {
  "nextToken":
  "XXXXXX",

  "previousToken":
  "XXXXXX"
},
```

Step 3a. Go to the next page of results

To retrieve the next page, pass the nextToken value as the pageToken

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API


Easy Ship API >

parameter in the next request.

Step 3b. Go to the previous page of results

To retrieve the previous page, pass the `previousToken` value as the `pageToken` parameter in the next request.

 Updated 4 days ago



Did this page help you?
 Yes  No

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

