

Set up notifications using the Amazon EventBridge workflow

- Home Documentation <> API Reference
- Code Samples Announcements Models
- Release Notes FAQ GitHub Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Terminology

Frequently Asked Questions >

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

Set up notifications using the Amazon EventBridge workflow

Learn how to set up your system to receive notifications using the Amazon EventBridge workflow.

Learn how to set up your system to receive the following notifications using the Amazon EventBridge workflow:

- BRANDED_ITEM_CONTENT_CHANGE** : Sent when there is a change to the title, description, bullet points, or images for any ASIN that the selling partner has a brand relationship with.
- ITEM_PRODUCT_TYPE_CHANGE** : Sent when there is a change to the product type name of any ASIN that the selling partner has a brand relationship with.
- LISTINGS_ITEM_STATUS_CHANGE** : Sent when there is a listing status change including buyable transition, listing create, or listing delete for any SKU that the selling partner has.
- LISTINGS_ITEM_ISSUES_CHANGE** : Sent when there is an issues change for any SKU that the selling partner has.
- LISTINGS_ITEM_MFN_QUANTITY_CHANGE** : Sent when there is change in the available quantity of a listings item.
- PRODUCT_TYPE_DEFINITIONS_CHANGE** : Sent when there is a new Product Type or Product Type Version.

If you want to receive any other notification type, skip this tutorial and refer to [Set up notifications \(Amazon Simple Queue Service workflow\)](#).

Prerequisites

To complete this tutorial you need:

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

Developer Registration Request Status

Third-Party Provider Registration

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications

Renew Authorizations

Revoke Authorizations

Authorization Limits

- Authorization from the selling partners (sellers or vendors) for whom you are making calls. Refer to [Authorizing Selling Partner API applications](#) for more information.
- An AWS account. This AWS account will be responsible for charges related to receiving notifications. If you are not already an AWS customer, you can create a free AWS account. For more information, refer to [AWS Free Tier](#).
- A target resource to receive notification events from your Amazon EventBridge bus. For more information, refer to [What Is Amazon EventBridge?](#)
- A basic understanding of Amazon EventBridge. For more information, refer to [Amazon EventBridge](#).

Step 1. Create a destination

1. Call the `createDestination` operation to create an Amazon EventBridge destination.

Note

You can only create one EventBridge destination per AWS account.

Parameter	Description	Required
<code>resourceSpecification</code>	The information required to create a destination resource. In this workflow, include the <code>eventBridge</code> specification. Type: <code>resourceSpecification</code>	Yes
<code>name</code>	A developer-defined name to help identify this destination. Type: string	Yes

Note

Calling the `createDestination` operation does not require authorization from any selling partner. In this respect, this operation is a "grantless" operation and has a different authorization model from most other Selling Partner API operations. For more information, refer to [Grantless operations](#).

2. Save the following values:

- `resource:eventBridge:name` : Use this value in [Step 2. Configure Amazon EventBridge to handle notifications](#).
- `destinationId` : Pass in this value in [Step 4. Create a subscription](#).

Step 2. Configure Amazon EventBridge to handle notifications

Associate an event bus with your partner event source. For definitions, refer to [Terminology](#).

1. Go to [Amazon EventBridge](#) and sign in to the AWS Console using the AWS Account ID that you specified when you called the `createDestination` operation in [Step 1. Create a destination](#).
2. In the console, ensure that the AWS Region that you specified when you called the `createDestination` operation is selected.
3. In the navigation pane, choose **Partner event sources**.
4. In the **Partner event sources** area, under **Name**, select the partner event source that matches the `resource:eventBridge:name` value returned in [Step 1. Create a destination](#). The partner event source is in this format:
`aws.partner/sellingpartnerapi.amazon.com/{AWS Account Id}/{Application Id}`.
5. On the new page that appears, choose **Associate with event bus**.
6. On the **Associate with event bus** page, leave the checkboxes empty and choose **Associate**.

You have created a partner event bus and associated it with your partner event source. Go to [Step 3. Create a rule that starts on a notification event](#).

Step 3. Create a rule that starts on a notification event

Create a rule that watches for specific notification events and routes them to the target resource of your choice.

1. Go to [Amazon EventBridge](#). If you are not already signed in to the AWS Console, sign in using the AWS Account ID that you specified when you called the `createDestination` operation in [Step 1. Create a destination](#).
2. In the Console, ensure that the AWS Region that you specified when you called the `createDestination` operation is selected.

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors [↗](#)

Listings Items API Issues Troubleshooting [↗](#)

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Set up notifications using the Amazon EventBridge workflow

3. In the navigation pane, choose **Rules**.

4. Choose **Create rule**.

5. Enter a name and optional description for the rule.

6. For **Event bus**, select the bus that you associated with the partner event source.

7. Choose **Next**.

8. For **Event source**, select **AWS events or EventBridge partner events**.

9. For **Creation method**, select **Use pattern form**.

10. In **Event pattern**:

1. Choose **Event source**, select **EventBridge partners**.

2. For the **Partner** dropdown, select **Amazon Selling Partner APIs**.

3. For the **Event type** dropdown, select **All Events**.

The event pattern that displays should be similar to the following, which indicates that you will receive all events emitted by `sellingpartnerapi.amazon.com`:

JSON

```
{
  "source": [
    {
      "prefix":
"aws.partner/sellingpartnerapi.amazon.com"
    }
  ]
}
```

11. (Optional) Edit the event pattern to include rules that match only the notification events that you want. The following event pattern contains a rule that matches only `BRANDED_ITEM_CONTENT_CHANGE` events from `sellingpartnerapi.amazon.com`:

JSON

```
{
  "source": [
    {
      "prefix":
"aws.partner/sellingpartnerapi.amazon.com"
    }
  ],
  "detail-type":
["BRANDED_ITEM_CONTENT_CHANGE"]
}
```

For information about creating more complex rules, refer to [Event Patterns](#) in the Amazon EventBridge

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide >

VAT Calculation Service >

Amazon Seller Data Access

Best Practices >

Developer Guide.

12. Choose **Next**.

13. Now select the AWS service that is to act when an event of the selected type is detected. Enter other information specific to this target type, if required.

Note

For many target types, EventBridge needs permissions to send events to the target. In these cases, you can create a new IAM role or you can use an existing IAM role. Do one of the following:

1. To create an IAM role, select **Create a new role** for this specific resource.
2. To use an IAM role that you have already created, select **Use existing role**.

Note

To verify that events are coming through your EventBridge, you can use an SQS queue as a target for the rule you created, and then poll that SQS queue as notifications arrive.

14. (Optional) Choose **Add another target** to add another target for this rule if you need more than one.

15. Choose **Next**.

16. (Optional) Enter one or more tags for the rule. For more information, refer to [Tagging Your Amazon EventBridge Resources](#) in the AWS documentation.

17. Choose **Next**.

18. Choose **Create rule**.

Troubleshooting:

- If you create a rule with an encrypted Amazon SQS queue as a target, you must include a decrypt action in your [AWS Key Management Service](#) key policy for the event to be successfully delivered to the encrypted queue. For more information, refer to [My events are not delivered to the target Amazon SQS queue](#) in the AWS documentation.
- For more troubleshooting information, refer to [Troubleshooting Amazon EventBridge](#) in the Amazon EventBridge Developer Guide.

Step 4. Create a subscription

Subscribe to a notification type, to be delivered to the destination that you created in [Step 1. Create a destination](#).

Note: We allow multiple subscriptions with different payload versions per application, notification type, and party (seller/vendor). For supported payload versions of different notification type, refer to [notificationType](#).

- 1. Call the `createSubscription` operation, passing the following parameters:

Path parameters:

Parameter	Description	Required
<code>notificationType</code>	Information about the notification type and payload version to which you want to subscribe. Possible values: <code>BRANDED_ITEM_CONTENT_CHANGE</code> , <code>ITEM_PRODUCT_TYPE_CHANGE</code> , <code>LISTINGS_ITEM_STATUSES_CHANGE</code> , <code>LISTINGS_ITEM_ISSUES_CHANGE</code> , <code>LISTINGS_ITEM_MFN_QUANTITY_CHANGE</code> , <code>PRODUCT_TYPE_DEFINITIONS_CHANGE</code> . Refer to notificationType . Type: string	Yes

Body parameters:

Parameter	Description	Required
<code>payloadVersion</code>	The version of the payload object to be used in the notification. For supported <code>payloadVersion</code> for different notification types, refer to notificationType . Type: string	Yes
<code>destinationId</code>	The identifier for the destination where notifications will be delivered. Use the <code>destinationId</code> value that you saved in Step 1. Create a destination . Type: string	Yes

A+ CONTENT API	
A+ Content API	>
A+ Content Examples	
AMAZON WAREHOUSING AND DISTRIBUTION API	
Amazon Warehousing and Distribution API	>
Amazon Warehousing and Distribution API v2024-05-09 Reference	
APP INTEGRATIONS API	
App Integrations API	∨
APPLICATION MANAGEMENT API	
Application Management API	>
CATALOG ITEMS API	
Catalog Items API	>
Catalog Items API Rate Limits	
Catalog Items API v2022-04-01 Reference	
CUSTOMER FEEDBACK API	
Customer Feedback API	>
Customer Feedback API Rate Limits	

DATA KIOSK

Data Kiosk API >

- Data Kiosk Schema Explorer User Guide
- Data Kiosk Query Processing Finished Notification
- Building Data Kiosk workflows guide
- Vendor Analytics Dataset Use Case Guide
- Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

You are now subscribed to receive **BRANDED_ITEM_CONTENT_CHANGE** notifications.

 Updated 19 days ago

[← Create and Filter Notification Subscriptions](#)

[Set up notifications using the Amazon Simple Queue Service workflow →](#)

Did this page help you?  Yes  No

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

- External Fulfillment Errors
- External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Create and Filter Notification Subscriptions

[Set up notifications using the Amazon EventBridge workflow](#)

Set up notifications using the Amazon Simple Queue Service workflow

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >