

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Onboarding as a Developer >

Step 1: Prepare for Registration

Step 2: Create a Solution Provider Portal Account

Step 3: Create a Developer Profile

Step 4: Register a Sandbox Application

Step 5: Make Your First Call to the SP-API Sandbox

Step 6: Set up the Authorization Workflow

Step 7: Register Your Production Application

Step 8: Call the SP-API in Production

Step 9: Test Your Application

Step 10: List Your Application

Onboarding as a Service Provider >

Terminology

Frequently Asked Questions >

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

SP-API Product Metadata Updates

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

Step 5: Make Your First Call to the SP-API Sandbox

Send test requests and receive responses in the SP-API sandbox environment.

In this step, you get your authorization credentials and make your first call to the Selling Partner API (SP-API) static sandbox environment by using cURL. Windows 10+, MacOS, and Linux typically include cURL by default.

The sandbox environment simplifies authorization — you get hands-on experience with API calls without the need to set up a full authorization server or obtain seller permissions.

Although this step lets you quickly start making API calls, it focuses on basic API interaction rather than the complete authorization process required for production applications. In later steps, we explain the full authorization workflow needed for real seller interactions.

This tutorial uses the static sandbox, which uses pattern matching to return static, mocked responses. For detailed sandbox examples and tutorials, for both the static and dynamic sandbox, refer to [Selling Partner API Sandbox](#).

★ Tips for success

- When you replace placeholder values in the examples, be careful not to accidentally overwrite apostrophes.
- Assemble cURL requests in text files first so that you can then copy and paste the full commands on the command line.

Prerequisites

Before you make API calls in the sandbox environment, follow the previous onboarding steps up to and including [Step 4: Register a Sandbox Application](#).

Steps to get your credentials

In the following steps, you get your client ID, client secret, and refresh token from the Solution Provider Portal.

1. Sign in to the [Solution Provider Portal](#) with your Amazon credentials.
2. In the application list, find your application.
3. In the row for your application, under **LWA credentials**, choose **View sandbox credentials**.
4. Copy the **Client identifier** value, which is in the form `amzn1.application-oa2-client.XXXXXXXXXX`.
5. Expand **Client secret**, and copy the value, which is in the form `amzn1.oa2-cs.v1.XXXXXXXXXX`.
6. Choose **Done**.

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview >

Developer Registration Request Status

Third-Party Provider Registration >

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials >

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles >

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Special Authorization Types >

INTEGRATION

Building Robust Amazon SP-API Applications

SP-API SDKs >

Step 5: Make Your First Call to the SP-API Sandbox

7. In the row for your application, under **Action**, choose the arrow, and then select **Create Token**.

8. On the **Sandbox Testing** page, choose **Create Token**.

9. Copy the sandbox refresh token value, which is in the form `Atzr|XXXXXXXXXX`.

Steps to call the SP-API in the sandbox

 Note

This is a restricted operation and requires a Restricted Data Token (RDT) for authorization. Some operations require restrictions because they contain customer PII data. These operations require passing an additional security review. For more information on RDT, refer to the [Tokens API](#) guide.

In the following steps, you call the `getOrders` API within the static sandbox environment. Calls to the SP-API involve two steps: you must first call the authorization server to exchange a refresh token for an access token, and then you use the access token to call the SP-API.

1. In a text file, assemble the following access token request:

cURL

```
curl.exe --location --request POST
'https://api.amazon.com/auth/o2/token' --header 'Content-Type:
application/x-www-form-urlencoded;charset=UTF-8' --data-urlencode
'client_id=EXAMPLE_CLIENT_ID' --data-urlencode
'client_secret=EXAMPLE_CLIENT_SECRET' --data-urlencode
'grant_type=refresh_token' --data-urlencode
'refresh_token=EXAMPLE_REFRESH_TOKEN'
```

Replace `EXAMPLE_CLIENT_ID`, `EXAMPLE_CLIENT_SECRET`, and `EXAMPLE_REFRESH_TOKEN` with the values that you retrieved from the Solution Provider Portal in [Steps to get your credentials](#).

For compatibility with Windows, the example cURL command doesn't use slashes for line continuation, and explicitly specifies `curl.exe`.

2. Open a command prompt, paste in the cURL request that you assembled in the previous step, and then press enter.

The response should return an access token in the form `Atza|XXXXXXXXXX`

JSON

```
{"access_token":"Atza|XXXXXXXXXX","token_type":"bearer","expires_in":3600}
```

3. Copy the access token from the response.

The access token is only valid for one hour.

4. In a text file, assemble the request with the following parameters, which are from the `x-amzn-api-sandbox.static.request.parameters` object within the `getOrders` section of the [Orders API v0 model](#).

cURL

```
curl.exe --request GET --location 'EXAMPLE_ENDPOINT/orders/v0/orders?
MarketplaceIds=ATVPDKIKX0DER&CreatedAfter=TEST_CASE_200' --header 'x-
amz-access-token: EXAMPLE_ACCESS_TOKEN' --header 'Content-Type:
application/json' --header 'User-Agent: My-Testing-App/1.0'
```

Replace the following values:

1. Replace `EXAMPLE_ENDPOINT` to the sandbox endpoint for your region:

Step 5: Make Your First Call to the SP-API Sandbox

- 1. North America: `https://sandbox.sellingpartnerapi-na.amazon.com`
- 2. Europe: `https://sandbox.sellingpartnerapi-eu.amazon.com`
- 3. Far East: `https://sandbox.sellingpartnerapi-fe.amazon.com`

2. Replace `EXAMPLE_ACCESS_TOKEN` with the access token that you retrieved at the beginning of this procedure.

5. Paste in the cURL request that you assembled in the previous step, and then press enter. The response should look something like the following example.

JSON

```
{
  "payload": {
    "CreatedBefore": "1.569521782042E9",
    "Orders": [
      {
        "AmazonOrderId": "902-1845936-5435065",
        "PurchaseDate": "1970-01-19T03:58:30Z",
        "LastUpdateDate": "1970-01-19T03:58:32Z",
        "OrderStatus": "Unshipped",
        "FulfillmentChannel": "MFN",
        "SalesChannel": "US D2D Dom",
        "OrderTotal": {
          "CurrencyCode": "USD",
          "Amount": "11.01"
        },
        "NumberOfItemsShipped": 0,
        "NumberOfItemsInInventory": 1,
        "Standard": true,
        "IsReplacementOrder": false,
        "MarketplaceId": "ATVPDKIKX0DER",
        "ShipmentId": "01-19T03:59:27Z",
        "LatestShipDate": "1970-01-19T04:05:13Z",
        "EarliestDeliveryDate": "1970-01-19T04:06:39Z",
        "LatestDeliveryDate": "1970-01-19T04:15:17Z",
        "IsBusinessOrder": false,
        "IsPrime": false,
        "IsGlobalExpressEnabled": false,
        "Name": "MFNIntegrationTestMerchant",
        "AddressLine1": "2201 WESTLAKE AVE",
        "City": "SEATTLE",
        "StateOrRegion": "WA",
        "PostalCode": "98121-2778",
        "CountryCode": "US",
        "Phone": "+1 480-386-0930 ext. 73824",
        "AddressType": "Commercial",
        "FulfillmentInstruction": {
          "FulfillmentSupplySourceId": "sampleSupplySourceId",
          "IsISPU": false,
          "IsAccessPointOrder": false,
          "HasAutomatedShippingSettings": false
        },
        "EasyShipShipmentStatus": "PendingPickup",
        "AmazonOrderId": "902-8745147-1934268",
        "PurchaseDate": "1970-01-19T03:58:30Z",
        "LastUpdateDate": "1970-01-19T03:58:32Z",
        "OrderStatus": "Unshipped",
        "FulfillmentChannel": "MFN",
        "SalesChannel": "US D2D Dom",
        "OrderTotal": {
          "CurrencyCode": "USD",
          "Amount": "11.01"
        },
        "NumberOfItemsShipped": 0,
        "NumberOfItemsInInventory": 1,
        "Standard": true,
        "IsReplacementOrder": false,
        "MarketplaceId": "ATVPDKIKX0DER",
        "ShipmentId": "01-19T03:59:27Z",
        "LatestShipDate": "1970-01-19T04:05:13Z",
        "EarliestDeliveryDate": "1970-01-19T04:06:39Z",
        "LatestDeliveryDate": "1970-01-19T04:15:17Z",
        "IsBusinessOrder": false,
        "IsPrime": false,
        "IsAccessPointOrder": false
      }
    ]
  }
}
```

6. Try the following SP-API operations:

- 1. Find the model file for an API in the [SP-API documentation](#). For example, the Product Pricing API model is in [Product Pricing API v2022-05-01 Model](#).
- 2. Within the model file, find an operation that you want to try.
- 3. Within that operation's section, find the parameters within the `x-amzn-api-sandbox.static.request.parameters` object.
- 4. Assemble a cURL request in the following format:

GET request format	POST request format
<pre>curl.exe --location --request GET 'EXAMPLE_ENDPOINT/EXAMPLE_PATH?queryParam1=value1&queryParam2=value2' --header 'x-amz-access-token: EXAMPLE_ACCESS_TOKEN' --header 'Content-Type: application/json' --header 'User-Agent: My-Testing-App/1.0'</pre>	

Next steps

Proceed to [Step 6: Set up the Authorization Workflow](#).

Updated 19 days ago

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details

Call Structure

Development Tools

Performance Management

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors ↗

Listings Items API Issues Troubleshooting ↗

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide >

Did this page help you? ☐ Yes ☐ No

[Privacy notice](#) | [Conditions of use](#)

VAT Calculation Service >

Amazon Seller Data Access
Best Practices >

A+ CONTENT API
A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API
Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09
Reference

APP INTEGRATIONS API
App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide
Data Kiosk Query Processing Finished Notification
Building Data Kiosk workflows guide
Vendor Analytics Dataset Use Case Guide
Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API	>
External Fulfillment Shipping API	>
External Fulfillment Errors	
External Fulfillment APIs Rate Limits	
FULFILLMENT BY AMAZON (FBA)	
FBA Inventory API	>
FBA Inventory Dynamic Sandbox Guide	
FEEDS API	
Feeds API	>
Feed Type Values	>
Feeds JSON Schemas	↗
Feeds API Best Practices	
Feeds API FAQ	
Feeds API Rate Limits	
FINANCES	
Finances API	>
Transfers API	>
FULFILLMENT INBOUND API	
Fulfillment Inbound API	>

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

**VENDOR RETAIL PROCUREMENT TRANSACTION STATUS
API**

Vendor Retail Procurement Transaction Status API >

