

Subscribe to MFN notifications



🏠 Home

📖 Documentation

<> API Reference

🔗 Code Samples

📢 Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview



Terminology

Frequently Asked Questions



Subscribe to MFN notifications


Learn how to use the Notifications API to subscribe to notifications that are relevant to a selling partner's business.

Learn how to use the [Selling Partner API for Notifications](#) to subscribe to notifications that are relevant to a selling partner's business. With this API, you can create a destination to receive, subscribe, and delete notification subscriptions. Instead of polling for information, your application can receive information directly from Amazon when an event activates a notification to which you are subscribed.



Important

Sellers can subscribe to the



CHANGELOG

- SP-API Release Notes
- SP-API Deprecation Schedule
- SP-API Product Metadata Updates

DIRECTORIES

- SP-API Models
- SP-API Seller Use Cases
- SP-API Vendor Use Cases
- Seller Central URLs
- Vendor Central URLs

REGISTRATION

- SP-API Registration Overview >
- Developer Registration Request Status
- Third-Party Provider Registration >
- Service Provider Registration and Role Approval Process Overview
- Website Guidelines for Public Developers and Service Providers
- User Permissions for Service Providers
- Register your Application
- Update your Application Information
- Rotate your Application's LWA Credentials >
- View your Application Information and Credentials
- Learn How Sellers Authorize Service Providers
- Selling Partner API Roles >

ORDER_CHANGE

notification, which is sent whenever there is an order availability status change.

The MFN_ORDER_STATUS_CHANGE

and ORDER_STATUS_CHANGE

notification types have been removed. Please update your applications to use the ORDER_CHANGE

notification. ORDER_CHANGE

sends an order-level payload whenever there is an important change in the order. Important changes include order status changes and buyer requested cancellations.

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications >

Renew Authorizations

Revoke Authorizations

Authorization Limits

Special Authorization Types >

INTEGRATION


Building Robust Amazon SP-API Applications

SP-API SDKs >

For detailed information about SP-API deprecation dates, refer to the [deprecations table](#).

Step 1. Subscribe to the **ORDER_CHANGE** notification

To set up and subscribe to the **ORDER_CHANGE** notification, follow the [Set up notifications using the Amazon Simple Queue Service workflow](#). The following figure provides an illustrated overview of the tutorial.



Step 2. Poll the queue to retrieve the latest **ORDER_CHANGE** messages

1. Retrieve the queue URL:

Delete an Application From Your Developer Account

CALLING THE SP-API

Configuration Details >

Call Structure >

Development Tools >

Performance Management >

SOLUTION PROVIDER PORTAL

Manage Users in Solution Provider Portal

Manage Your Business And Contact information in Solution Provider Portal

Update Your Developer Profile in Solution Provider Portal

Unify Your Developer Accounts

Verify Your Identity in Solution Provider Portal

API Usage Metrics in Solution Provider Portal

TUTORIALS

Tutorial: Subscribe to the ORDER_CHANGE Notification

Tutorial: Test Selling Partner API Endpoints

Tutorial: Automate your SP-API Calls Using a C# SDK

Tutorial: Automate your SP-API Calls Using a Java SDK

Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js

Tutorial: Automate your SP-API Calls Using a Python SDK

Connect to the SQS service and retrieve the URL for the queue that receives the `ORDER_CHANGE` messages. This URL uniquely identifies the queue and is used to interact with it.

2. Configure polling parameters:

Review the polling parameters to determine how frequently and how many messages to retrieve at a time. This includes the wait time between subsequent polling attempts and the maximum number of messages to retrieve in each request.

3. **Poll the queue:** To poll the queue, send the requests to retrieve the messages. Use the `ReceiveMessage` operation to retrieve the messages from the queue. When you call this operation, you can specify the queue URL, maximum number of messages to retrieve, and other optional parameters, such

Tutorial: Automate your SP-API Calls using a prebuilt C# SDK

Tutorial: Automate your SP-API Calls using prebuilt Java SDK

Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK

Tutorial: Automate your SP-API Calls using prebuilt PHP SDK

Tutorial: Automate your SP-API calls using a prebuilt Python SDK

Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application

Tutorial: Retrieve Merchant Shipping Templates

Tutorial: Grant the SP-API Permission to an Amazon SQS Queue

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

Troubleshoot SP-API Errors

URL Encoding

Resolve Common HTTP and Authorization Error Codes

External Fulfillment Errors 

Listings Items API Issues Troubleshooting 

SELLING PARTNER APPSTORE

What is the Selling Partner Appstore?

List Your App on the Selling Partner Appstore

Edit Your Appstore Listing

Check Listing Status

Appstore Ratings and Reviews

Press Releases and Promotions

SERVICE PROVIDER NETWORK

List Your Service

SECURITY AND COMPLIANCE

SP-API Security and Compliance Overview

Amazon Selling Partner API Guard Implementation Guide 

as visibility
timeout.

Alternatively, you can configure [event source mapping](#) to automatically invoke a Lambda function when new messages arrive to the SQS queue. For more information on event source mapping, refer to [Tutorial: Using Lambda with Amazon SQS](#).

4. Process the

messages: When you receive the messages, you can process them according to your application's requirements. In the case of `ORDER_CHANGE` messages from the SP-API, you can extract the relevant information, such as the order ID, status change details, and timestamps.

5. Delete processed

messages: After each message is successfully processed, make sure to delete it from the queue with the `DeleteMessage`

operation provided by SQS. This step ensures that the processed messages are removed from the queue and won't be retrieved again in subsequent polling attempts.

Step 3. Process the order information and call shipment services

The `ORDER_CHANGE` notification returns high-level information related to the order, such as the `OrderId` , `OrderItemId` and the `OrderStatus` . To learn more, refer to [ORDER_CHANGE](#) .

To automate the fulfillment process, you must:

- Check notification messages with an `OrderStatus` of `UpComing` , `Pending` , or `Unshipped` . Check that `MFN` is within the `FulfillmentChannel` attribute.



Note

VAT Calculation Service



Amazon Seller Data Access

Best Practices



A+ CONTENT API

A+ Content API



A+ Content Examples	
AMAZON WAREHOUSING AND DISTRIBUTION API	
Amazon Warehousing and Distribution API	>
Amazon Warehousing and Distribution API v2024-05-09 Reference	
APP INTEGRATIONS API	
App Integrations API	▼
APPLICATION MANAGEMENT API	
Application Management API	>
CATALOG ITEMS API	
Catalog Items API	>
Catalog Items API Rate Limits	
Catalog Items API v2022-04-01 Reference	
CUSTOMER FEEDBACK API	
Customer Feedback API	>
Customer Feedback API Rate Limits	

This is a restricted operation and requires a Restricted Data Token (RDT) for authorization . Some operations require restrictions because they contain customer PII data. These operations require passing an additional security review. For more information on RDT, refer to the [Tokens API](#) guide.

- Retrieve order and shipping information with the `getOrder` operation.
- Pass this information to the `getEligibleShipmentsServices` operation and follow the steps in [Fulfill seller-fulfilled Prime and non-Prime order](#).

Updated 19 days ago

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

Includ
e
additi
onal
seller
input
data
Messa
ging
API
→
←

Did this page
help you?
👍 Yes 🗨 No

DELIVERY BY AMAZON API

Delivery by Amazon API >

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

Fulfill seller-fulfilled Prime and non-Prime orders

Cancel a shipment

Manipulate shipping labels

Include additional seller input data

[Subscribe to MFN notifications](#)

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide

Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

[Sellers API](#) >

SERVICES API

[Services API](#) >

SHIPMENT INVOICING API

[Shipment Invoicing API](#) >

SHIPPING API

[Shipping API v2 Resources](#) ↗

[Shipping API v1 Reference](#)

SOLICITATIONS API

[Solicitations API](#) >

SUPPLY SOURCES API

[Supply Sources API](#) >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

