

Third-Party Provider Registration

English

🏠 Home

📖 Documentation

<> API Reference

🔗 Code Samples

📢 Announcements

Models

Release Notes

FAQ

GitHub

Videos

GET STARTED

Welcome to SP-API Documentation

What is the Selling Partner API?

Selling Partner API Onboarding Overview >

Terminology

Frequently Asked Questions >

CHANGELOG

SP-API Release Notes

SP-API Deprecation Schedule

Third-Party Provider Registration

Learn how to register as a third-party payment provider.

Open banking is a regulatory initiative in the UK and EU that allows, with explicit consent from customers, the secure sharing of financial data between financial institutions and authorized third-party providers (TPPs). The intention of open banking is to foster innovation and provide consumers with control over their financial information.

SP-API developers who act as TPPs must disclose to Amazon that they are TPP developers. For more information, refer to [Register as a TPP](#).

TPP developer roles

SP-API has created two open banking roles that are available to licensed TPPs who want access to the SP-API open banking APIs. These new roles are compliant with the EU's revised Payment Services Directive (PSD2). They use dedicated and secure APIs, which you can use to access an account holder's account and payment services. These roles are:

- [Account Information Service Provider \(AISP\)](#): An authorized AISP can access a customer's financial account data from the customer's financial institution with customer explicit consent. AISPs are limited to 'read-only' access.
- [Payment Initiation Service Provider \(PISP\)](#): An authorized PISP can view consumer-permission financial data on a bank account and is authorized to make payments on behalf of a customer. This is similar to a 'write' role, but doesn't necessarily give automatic access to AISP-scoped API data.

Note

The AISP and PISP roles are available in the following marketplaces: ES, UK, FR, BE, NL,

DIRECTORIES

SP-API Models

SP-API Seller Use Cases

SP-API Vendor Use Cases

Seller Central URLs

Vendor Central URLs

REGISTRATION

SP-API Registration Overview

Developer Registration Request Status

Third-Party Provider Registration

Third-Party Provider Signature Guidance

Service Provider Registration and Role Approval Process Overview

Website Guidelines for Public Developers and Service Providers

User Permissions for Service Providers

Register your Application

Update your Application Information

Rotate your Application's LWA Credentials

View your Application Information and Credentials

Learn How Sellers Authorize Service Providers

Selling Partner API Roles

Policies and Agreements

About Facial Data

AUTHORIZATION

Authorize Applications

Renew Authorizations

Revoke Authorizations

Authorization Limits

For more information about SP-API roles, refer to [Roles in the Selling Partner API](#).

Register as a TPP

To register as a TPP developer:

1. Complete the developer profile. In this step, you must provide information about your business and the data access you are requesting. For more information about registering as a developer, refer to [SP-API Registration Overview](#).
2. In the **Data Access** section, select one or both open banking roles (AISP, PISP).
3. Provide your organization identifier (`orgID`), which is issued by the national competent authority that registered your business as a TPP. For example: `PSDGB-FCA-123456` . If you have multiple organization identifiers, include them as a comma-separated list.
4. After you enter all the requested information, choose **Register**. Amazon evaluates your request and notifies you of the outcome. For more information this process, refer to [Developer Registration Request Status](#).

Make calls as a TPP developer

After your TPP registration is approved, you can create applications that use the open banking roles to make calls on behalf of sellers using their applications. The process to create TPP applications and set up auth workflows is the same as with regular SP-API applications. For more information, refer to [Register your application](#).

Sellers are able to authorize your applications just like any regular SP-API application. For more information, refer to [Authorizing Selling Partner API Applications](#).

If your calls are made to the open banking APIs, you must also provide an additional certificate and a signed payload in the request headers (in addition to the existing information that is required for an SP-API call).

The new TPP headers are:

Header name	Description	Required	Comments
<code>x-amz-n-psd2</code>	Base64 encoded	Yes	Invalid or incorrect

Special Authorization Types	>														
INTEGRATION															
Building Robust Amazon SP-API Applications															
SP-API SDKs	>	<table><tr><th>Header name</th><th>Description</th><th>Required</th><th>Comments</th></tr><tr><td>-certificate</td><td>TPP certificate (-----BEGIN CERTIFICATE----- -MIIKWzCC C... -----END CERTIFICATE-----).</td><td></td><td>certificates result in a denied request.</td></tr><tr><td>x-amzn-content-digest</td><td>SHA-256 digest of the request payload (sha-256=:d435Qo+nKZ+gLcUHn7GQtQ72hiBVAgqoLsZnZPiTGPK=:). The format is defined in RFC 9530. Note that the key is x-amzn-content-digest , not Content-Digest .</td><td>Yes</td><td>For requests without payload, create sha-256 digest on an empty string.</td></tr></table>	Header name	Description	Required	Comments	-certificate	TPP certificate (-----BEGIN CERTIFICATE----- -MIIKWzCC C... -----END CERTIFICATE-----).		certificates result in a denied request.	x-amzn-content-digest	SHA-256 digest of the request payload (sha-256=:d435Qo+nKZ+gLcUHn7GQtQ72hiBVAgqoLsZnZPiTGPK=:). The format is defined in RFC 9530 . Note that the key is x-amzn-content-digest , not Content-Digest .	Yes	For requests without payload, create sha-256 digest on an empty string.	
Header name	Description	Required	Comments												
-certificate	TPP certificate (-----BEGIN CERTIFICATE----- -MIIKWzCC C... -----END CERTIFICATE-----).		certificates result in a denied request.												
x-amzn-content-digest	SHA-256 digest of the request payload (sha-256=:d435Qo+nKZ+gLcUHn7GQtQ72hiBVAgqoLsZnZPiTGPK=:). The format is defined in RFC 9530 . Note that the key is x-amzn-content-digest , not Content-Digest .	Yes	For requests without payload, create sha-256 digest on an empty string.												
Delete an Application From Your Developer Account															
CALLING THE SP-API															
Configuration Details	>	<table><tr><td>Signature-Input</td><td>The Signature-Input header is defined in RFC 9421.</td><td>Yes</td><td></td></tr></table>	Signature-Input	The Signature-Input header is defined in RFC 9421 .	Yes										
Signature-Input	The Signature-Input header is defined in RFC 9421 .	Yes													
Call Structure	>	<table><tr><td>Signature</td><td>The Signature header is defined in RFC 9421.</td><td>Yes</td><td></td></tr></table>	Signature	The Signature header is defined in RFC 9421 .	Yes										
Signature	The Signature header is defined in RFC 9421 .	Yes													
Development Tools	>														
Performance Management	>														

For information about standard SP-API headers, refer to [Step 3. Add headers to the URI](#) in the [Connecting to the Selling Partner API](#) guide.

For additional information about TPP headers, refer to [Third-Party Provider Signature Guidance](#).

SOLUTION PROVIDER PORTAL

- Manage Users in Solution Provider Portal
- Manage Your Business And Contact information in Solution Provider Portal
- Update Your Developer Profile in Solution Provider Portal
- Unify Your Developer Accounts
- Verify Your Identity in Solution Provider Portal
- API Usage Metrics in Solution Provider Portal

Developer
Registration
Request Status

Third-Party
Provider Signature
Guidance

Did this page help you?

👍 Yes

👎 No

[Policies and Agreements](#)

[Privacy notice](#) | [Conditions of use](#)

TUTORIALS

- Tutorial: Subscribe to the ORDER_CHANGE Notification
- Tutorial: Test Selling Partner API Endpoints
- Tutorial: Automate your SP-API Calls Using a C# SDK
- Tutorial: Automate your SP-API Calls Using a Java SDK
- Tutorial: Automate your SP-API Calls Using a JavaScript SDK for Node.js
- Tutorial: Automate your SP-API Calls Using a Python SDK
- Tutorial: Automate your SP-API Calls using a prebuilt C# SDK
- Tutorial: Automate your SP-API Calls using prebuilt Java SDK
- Tutorial: Automate your SP-API Calls using a prebuilt JavaScript SDK
- Tutorial: Automate your SP-API Calls using prebuilt PHP SDK
- Tutorial: Automate your SP-API calls using a prebuilt Python SDK
- Tutorial: Authorize Multiple Vendor Central Accounts with a Single SP-API Application
- Tutorial: Retrieve Merchant Shipping Templates
- Tutorial: Grant the SP-API Permission to an Amazon SQS Queue
- Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier

TROUBLESHOOTING

- Troubleshoot SP-API Errors
- URL Encoding
- Resolve Common HTTP and Authorization Error Codes
- External Fulfillment Errors

↗
- Listings Items API Issues Troubleshooting

↗

SELLING PARTNER APPSTORE

- What is the Selling Partner Appstore?
- List Your App on the Selling Partner Appstore

- Edit Your Appstore Listing
- Check Listing Status
- Appstore Ratings and Reviews
- Press Releases and Promotions

SERVICE PROVIDER NETWORK

- List Your Service

SECURITY AND COMPLIANCE

- SP-API Security and Compliance Overview
- Amazon Selling Partner API Guard Implementation Guide >

- VAT Calculation Service >

- Amazon Seller Data Access
- Best Practices >

A+ CONTENT API

A+ Content API >

A+ Content Examples

AMAZON WAREHOUSING AND DISTRIBUTION API

Amazon Warehousing and Distribution API >

Amazon Warehousing and Distribution API v2024-05-09 Reference

APP INTEGRATIONS API

App Integrations API >

APPLICATION MANAGEMENT API

Application Management API >

CATALOG ITEMS API

Catalog Items API >

Catalog Items API Rate Limits
Catalog Items API v2022-04-01 Reference

CUSTOMER FEEDBACK API

Customer Feedback API >

Customer Feedback API Rate Limits

DATA KIOSK

Data Kiosk API >

Data Kiosk Schema Explorer User Guide

Data Kiosk Query Processing Finished Notification

Building Data Kiosk workflows guide

Vendor Analytics Dataset Use Case Guide

Schedule Data Kiosk Queries

DELIVERY BY AMAZON API

Delivery by Amazon API >

EASY SHIP API

Easy Ship API >

EXTERNAL FULFILLMENT

External Fulfillment Inventory API >

External Fulfillment Returns API >

External Fulfillment Shipping API >

External Fulfillment Errors

External Fulfillment APIs Rate Limits

FULFILLMENT BY AMAZON (FBA)

FBA Inventory API >

FBA Inventory Dynamic Sandbox Guide

FEEDS API

Feeds API >

Feed Type Values >

Feeds JSON Schemas ↗

Feeds API Best Practices

Feeds API FAQ

Feeds API Rate Limits

FINANCES

Finances API >

Transfers API >

FULLFILLMENT INBOUND API

Fulfillment Inbound API >

Fulfillment Inbound API FAQ

Migrating Fulfillment Inbound workflows

Fulfillment Inbound API Rate Limits

FULLFILLMENT OUTBOUND API

Fulfillment Outbound Dynamic Sandbox Guide

Fulfillment Outbound API >

Fulfillment Outbound API Rate Limits

MCF Best Practices

INVOICING

Invoices API >

Invoices API FAQ

LISTINGS

Listings Items API >

Listings Items API Rate Limits

Listings Restrictions API >

Listings Restrictions API Rate Limits

Manage Product Listings with the Selling Partner API

Building Listings Management Workflows Guide

Understanding Amazon listing status and seller-fulfilled inventory management

Listings Management Workflow Migration >

Manage Amazon Haul, Advanced Multiple-Offer, and Multiple-Fulfillment Use Cases

Listings APIs FAQ

Product Type Definitions API >

Product Type Definitions API Rate Limits

MERCHANT FULFILLMENT API

Merchant Fulfillment API >

MESSAGING API

Messaging API >

NOTIFICATIONS API

Notifications API >

Notification Type Values

Tutorial: Subscribe to the ORDER_CHANGE Notification ↗

ORDERS API

Orders API >

Tutorial: Retrieve and Pass a Purchase Order Number to a Carrier ↗

Orders API Migration Guide

Orders API Rate Limits

PRODUCT FEES API

Product Fees API >

PRODUCT PRICING API

Product Pricing API >

Product Pricing API and Notifications FAQ

Price Adjustment Automation Workflows Guide
Manage automated pricing rules with SP-API

REPLENISHMENT API

Replenishment API >

REPORTS API

Reports API >

Report Type Values >

Reports JSON Schemas ↗

Reports API FAQ

SALES API

Sales API >

SELLER WALLET API

Seller Wallet API >

Seller Wallet API Rate Limits

SELLERS API

Sellers API >

SERVICES API

Services API >

SHIPMENT INVOICING API

Shipment Invoicing API >

SHIPPING API

Shipping API v2 Resources ↗

Shipping API v1 Reference

SOLICITATIONS API

Solicitations API >

SUPPLY SOURCES API

Supply Sources API >

Multi-Location Inventory Integration Guide

Supply Sources API Rate Limits

TOKENS API

Tokens API >

UPLOADS API

Uploads API >

VEHICLES API

Vehicles API >

Vehicles API Rate Limits

VENDOR DIRECT FULFILLMENT APIS

Vendor Direct Fulfillment Dynamic Sandbox Guide

Vendor Direct Fulfillment Workflow Guide

SP-API Bill-to-Party Addresses

VENDOR DIRECT FULFILLMENT TRANSACTION STATUS API

Vendor Direct Fulfillment Transaction Status API >

VENDOR DIRECT FULFILLMENT INVENTORY API

Vendor Direct Fulfillment Inventory API >

VENDOR DIRECT FULFILLMENT ORDERS API

Vendor Direct Fulfillment Orders API >

VENDOR DIRECT FULFILLMENT SHIPPING API

Vendor Direct Fulfillment Shipping API >

VENDOR DIRECT FULFILLMENT PAYMENTS API

Vendor Direct Fulfillment Payments API >

VENDOR RETAIL PROCUREMENT INVOICES API

Vendor Retail Procurement Invoices API >

VENDOR RETAIL PROCUREMENT ORDERS API

Vendor Retail Procurement Orders API >

VENDOR RETAIL PROCUREMENT SHIPMENTS API

Vendor Retail Procurement Shipments API >

VENDOR RETAIL PROCUREMENT TRANSACTION STATUS API

Vendor Retail Procurement Transaction Status API >

